

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG121418\
 Data File : BG038598.D
 Acq On : 15 Dec 2018 10:54
 Operator : JU/SJ
 Sample : J6340-04
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SB-03B

Quant Time: Dec 16 00:35:09 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG121218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 12 15:26:27 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.06	152	22090	20.00	ng	0.00
21) Naphthalene-d8	10.87	136	89084	20.00	ng	0.00
39) Acenaphthene-d10	14.69	164	58539	20.00	ng	0.00
64) Phenanthrene-d10	17.44	188	152564	20.00	ng	0.00
76) Chrysene-d12	21.72	240	163486	20.00	ng	0.00
87) Perylene-d12	25.02	264	171578	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	169133	135.80	ng	0.00
7) Phenol-d6	7.21	99	229730	134.36	ng	0.00
23) Nitrobenzene-d5	9.24	82	151868	87.09	ng	0.00
42) 2,4,6-Tribromophenol	16.19	330	103573	128.38	ng	0.00
45) 2-Fluorobiphenyl	13.31	172	363530	85.19	ng	0.00
79) Terphenyl-d14	20.05	244	684318	91.10	ng	0.00
Target Compounds						
10) Phenol	7.24	94	12793	7.043	ng	90
50) Dimethylphthalate	14.14	163	28381	5.937	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG121418\
Data File : BG038598.D
Acq On : 15 Dec 2018 10:54
Operator : JU/SJ
Sample : J6340-04
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SB-03B

Quant Time: Dec 16 00:35:09 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG121218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 12 15:26:27 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.06 min Scan# 846
Delta R.T. 0.00 min
Lab File: BG038598.D
Acq: 15 Dec 2018 10:54

Instrument :
BNA_G
ClientSampleId :
SB-03B

Tot Ion:152 Resp: 22090
Ion Ratio Lower Upper
152 100
150 159.8 119.5 179.3
115 57.4 49.6 74.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 135.800 ng
RT: 5.61 min Scan# 429
Delta R.T. 0.01 min
Lab File: BG038598.D
Acq: 15 Dec 2018 10:54

Tgt Ion:112 Resp: 169133
Ion Ratio Lower Upper
112 100
64 67.9 53.4 80.2
63 38.6 29.3 43.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 134.363 ng

RT: 7.21 min Scan# 701

Delta R.T. 0.00 min

Lab File: BG038598.D

Acq: 15 Dec 2018 10:54

Instrument :

BNA_G

ClientSampleId :

SB-03B


Tot Ion: 99 Resp: 229730

Ion Ratio Lower Upper




99 100

42 25.2 18.5 27.7

71 38.8 31.1 46.7



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 7.043 ng

RT: 7.24 min Scan# 706

Delta R.T. 0.00 min

Lab File: BG038598.D

Acq: 15 Dec 2018 10:54


Tgt Ion: 94 Resp: 12793

Ion Ratio Lower Upper



94 100

65 39.4 12.6 52.6

66 49.1 24.1 64.1



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.87 min Scan# 1325
Delta R.T. -0.00 min
Lab File: BG038598.D
Acq: 15 Dec 2018 10:54

Instrument :
BNA_G
ClientSampleId :
SB-03B

Tot Ion:	136	Resp:	89084
Ion	Ratio	Lower	Upper
136	100		
137	12.2	9.3	13.9
54	11.0	8.5	12.7
68	5.0	3.5	5.3




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
Nitrobenzene-d5
Concen: 87.092 ng
RT: 9.24 min Scan# 1046
Delta R.T. -0.00 min
Lab File: BG038598.D
Acq: 15 Dec 2018 10:54

Tgt Ion:	82	Resp:	151868
Ion	Ratio	Lower	Upper
82	100		
128	41.4	34.6	52.0
54	64.8	50.6	76.0



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.69 min Scan# 1975

Delta R.T. -0.00 min

Lab File: BG038598.D

Acq: 15 Dec 2018 10:54

Instrument :

BNA_G

ClientSampleId :

SB-03B


Tot Ion:164 Resp: 58539

Ion Ratio Lower Upper

164 100

162 108.3 86.6 130.0




160 45.1 34.2 51.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 128.379 ng

RT: 16.19 min Scan# 2229

Delta R.T. -0.00 min

Lab File: BG038598.D

Acq: 15 Dec 2018 10:54


Tgt Ion:330 Resp: 103573

Ion Ratio Lower Upper

330 100

332 98.2 76.9 115.3



141 36.5 28.8 43.2



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 85.192 ng
RT: 13.31 min Scan# 1740
Delta R.T. -0.00 min
Lab File: BG038598.D
Acq: 15 Dec 2018 10:54

Instrument :
BNA_G
ClientSampleId :
SB-03B

Tot Ion:172 Resp: 363530
Ion Ratio Lower Upper
172 100
171 35.4 29.8 44.6
170 24.6 19.5 29.3




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#50
Dimethylphthalate
Concen: 5.937 ng
RT: 14.14 min Scan# 1881
Delta R.T. -0.00 min
Lab File: BG038598.D
Acq: 15 Dec 2018 10:54

Tgt Ion:163 Resp: 28381
Ion Ratio Lower Upper
163 100
194 4.5 3.7 5.5
164 10.4 8.6 12.8



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.44 min Scan# 2443
Delta R.T. 0.00 min
Lab File: BG038598.D
Acq: 15 Dec 2018 10:54

Instrument :
BNA_G
ClientSampleId :
SB-03B

Tot Ion:188 Resp: 152564
Ion Ratio Lower Upper
188 100
94 6.5 5.1 7.7
80 6.9 6.1 9.1




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BG
Ion 80.00 (79.70 to 80.70): BG






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.72 min Scan# 3171
Delta R.T. -0.00 min
Lab File: BG038598.D
Acq: 15 Dec 2018 10:54

Tgt Ion:240 Resp: 163486
Ion Ratio Lower Upper
240 100
120 7.7 5.3 7.9
236 27.2 21.4 32.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 91.097 ng

RT: 20.05 min Scan# 2886

Delta R.T. 0.00 min

Lab File: BG038598.D

Acq: 15 Dec 2018 10:54

Instrument :

BNA_G

ClientSampleId :

SB-03B





Tot Ion:244 Resp: 684318

Ion Ratio Lower Upper

244 100

212 7.8 6.2 9.2

122 7.1 6.3 9.5



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.02 min Scan# 3732

Delta R.T. -0.00 min

Lab File: BG038598.D

Acq: 15 Dec 2018 10:54

Tgt Ion:264 Resp: 171578

Ion Ratio Lower Upper

264 100

260 22.6 18.9 28.3

265 20.9 17.0 25.4

