

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG121518\
 Data File : BG038615.D
 Acq On : 15 Dec 2018 22:06
 Operator : JU/SJ
 Sample : J6347-02
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 P001-RB-181210

Quant Time: Dec 16 02:25:35 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG121218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 12 15:26:27 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.06	152	23822	20.00	ng	0.00
21) Naphthalene-d8	10.88	136	96985	20.00	ng	0.00
39) Acenaphthene-d10	14.70	164	64274	20.00	ng	0.00
64) Phenanthrene-d10	17.44	188	161579	20.00	ng	0.00
76) Chrysene-d12	21.72	240	165118	20.00	ng	0.00
87) Perylene-d12	25.01	264	172026	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	71374	53.14	ng	0.00
7) Phenol-d6	7.21	99	66891	36.28	ng	0.00
23) Nitrobenzene-d5	9.24	82	107590	56.67	ng	0.00
42) 2,4,6-Tribromophenol	16.18	330	70167	79.21	ng	0.00
45) 2-Fluorobiphenyl	13.31	172	256170	54.68	ng	0.00
79) Terphenyl-d14	20.04	244	491629	64.80	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.23	70	14153	10.929	ng	# 69
51) 2,6-Dinitrotoluene	14.69	165	8147	6.849	ng	# 19
57) 2,4-Dinitrotoluene	14.69	165	8147	4.863	ng	# 21
67) 4-Bromophenyl-phenylether	16.19	248	4374	2.217	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG121518\
Data File : BG038615.D
Acq On : 15 Dec 2018 22:06
Operator : JU/SJ
Sample : J6347-02
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
P001-RB-181210

Quant Time: Dec 16 02:25:35 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG121218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 12 15:26:27 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.06 min Scan# 845
Delta R.T. -0.00 min
Lab File: BG038615.D
Acq: 15 Dec 2018 22:06

Instrument :
BNA_G
ClientSampleId :
P001-RB-181210

Tgt Ion:152 Resp: 23822
Ion Ratio Lower Upper
152 100
150 159.4 119.5 179.3
115 58.3 49.6 74.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 53.141 ng
RT: 5.61 min Scan# 428
Delta R.T. 0.00 min
Lab File: BG038615.D
Acq: 15 Dec 2018 22:06

Tgt Ion:112 Resp: 71374
Ion Ratio Lower Upper
112 100
64 70.5 53.4 80.2
63 39.1 29.3 43.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 36.278 ng

RT: 7.21 min Scan# 701

Delta R.T. 0.00 min

Lab File: BG038615.D

Acq: 15 Dec 2018 22:06

Instrument :

BNA_G

ClientSampleId :

P001-RB-181210


Tgt Ion: 99 Resp: 66891

Ion Ratio Lower Upper




99 100

42 22.9 18.5 27.7

71 37.4 31.1 46.7



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 10.929 ng

RT: 9.23 min Scan# 1045

Delta R.T. 0.37 min

Lab File: BG038615.D

Acq: 15 Dec 2018 22:06

Tgt Ion: 70 Resp: 14153


Ion Ratio Lower Upper

70 100



42 55.8 63.6 95.4#


101 0.0 9.2 13.8#

130 0.0 18.5 27.7#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.88 min Scan# 1325
Delta R.T. -0.00 min
Lab File: BG038615.D
Acq: 15 Dec 2018 22:06

Instrument :
BNA_G
ClientSampleId :
P001-RB-181210

Tgt Ion:	136	Resp:	96985
Ion	Ratio	Lower	Upper
136	100		
137	11.0	9.3	13.9
54	10.7	8.5	12.7
68	4.1	3.5	5.3




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
Nitrobenzene-d5
Concen: 56.673 ng
RT: 9.24 min Scan# 1046
Delta R.T. -0.00 min
Lab File: BG038615.D
Acq: 15 Dec 2018 22:06

Tgt Ion:	82	Resp:	107590
Ion	Ratio	Lower	Upper
82	100		
128	43.6	34.6	52.0
54	64.7	50.6	76.0



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.70 min Scan# 1975

Delta R.T. -0.00 min

Lab File: BG038615.D

Acq: 15 Dec 2018 22:06

Instrument :

BNA_G

ClientSampleId :

P001-RB-181210


Tgt Ion:164 Resp: 64274

Ion Ratio Lower Upper

164 100

162 104.4 86.6 130.0




160 45.4 34.2 51.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 79.212 ng

RT: 16.18 min Scan# 2228

Delta R.T. -0.01 min

Lab File: BG038615.D

Acq: 15 Dec 2018 22:06


Tgt Ion:330 Resp: 70167

Ion Ratio Lower Upper

330 100

332 94.5 76.9 115.3



141 36.3 28.8 43.2




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 54.676 ng
 RT: 13.31 min Scan# 1740
 Delta R.T. -0.00 min
 Lab File: BG038615.D
 Acq: 15 Dec 2018 22:06

Instrument :
 BNA_G
 ClientSampleId :
 P001-RB-181210

Tgt Ion:172 Resp: 256170
 Ion Ratio Lower Upper
 172 100
 171 36.6 29.8 44.6
 170 23.7 19.5 29.3




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#51
 2,6-Dinitrotoluene
 Concen: 6.849 ng
 RT: 14.69 min Scan# 1974
 Delta R.T. 0.41 min
 Lab File: BG038615.D
 Acq: 15 Dec 2018 22:06

Tgt Ion:165 Resp: 8147
 Ion Ratio Lower Upper
 165 100
 63 0.0 51.8 77.6#
 89 0.0 47.9 71.9#



Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BG
 Ion 89.00 (88.70 to 89.70): BG









#57
 2,4-Dinitrotoluene
 Concen: 4.863 ng
 RT: 14.69 min Scan# 1974
 Delta R.T. -0.37 min
 Lab File: BG038615.D
 Acq: 15 Dec 2018 22:06

Instrument :
 BNA_G
 ClientSampleId :
 P001-RB-181210

Tgt Ion:	165	Resp:	8147
Ion	Ratio	Lower	Upper
165	100		
63	0.0	39.0	58.4#
89	0.0	58.0	87.0#
182	0.0	2.3	3.5#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BGC
 Ion 89.00 (88.70 to 89.70): BGC
 Ion 182.00 (181.70 to 182.70): E






#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.44 min Scan# 2442
 Delta R.T. -0.00 min
 Lab File: BG038615.D
 Acq: 15 Dec 2018 22:06

Tgt Ion:	188	Resp:	161579
Ion	Ratio	Lower	Upper
188	100		
94	6.7	5.1	7.7
80	5.9	6.1	9.1#



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BGC
 Ion 80.00 (79.70 to 80.70): BGC









#67
 4-Bromophenyl-phenylether
 Concen: 2.217 ng
 RT: 16.19 min Scan# 2229
 Delta R.T. -0.44 min
 Lab File: BG038615.D
 Acq: 15 Dec 2018 22:06

Instrument :
 BNA_G
 ClientSampleId :
 P001-RB-181210

Tgt Ion:248 Resp: 4374
 Ion Ratio Lower Upper
 248 100
 250 170.2 73.4 110.2#
 141 344.9 52.9 79.3#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.72 min Scan# 3171
 Delta R.T. -0.00 min
 Lab File: BG038615.D
 Acq: 15 Dec 2018 22:06

Tgt Ion:240 Resp: 165118
 Ion Ratio Lower Upper
 240 100
 120 6.9 5.3 7.9
 236 26.1 21.4 32.2



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 64.799 ng

RT: 20.04 min Scan# 2885

Delta R.T. -0.00 min

Lab File: BG038615.D

Acq: 15 Dec 2018 22:06

Instrument :

BNA_G

ClientSampleId :

P001-RB-181210


Tgt Ion:244 Resp: 491629

Ion Ratio Lower Upper

244 100

212 7.8 6.2 9.2




122 7.5 6.3 9.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.01 min Scan# 3731

Delta R.T. -0.01 min

Lab File: BG038615.D

Acq: 15 Dec 2018 22:06


Tgt Ion:264 Resp: 172026

Ion Ratio Lower Upper

264 100

260 22.4 18.9 28.3

265 20.5 17.0 25.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

