

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG121718\
 Data File : BG038655.D
 Acq On : 17 Dec 2018 9:47
 Operator : JU/SJ
 Sample : J6424-01
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 EB12_1.5-2.5

Quant Time: Dec 18 03:05:19 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG121218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 12 15:26:27 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.06	152	19779	20.00	ng	0.00
21) Naphthalene-d8	10.88	136	76770	20.00	ng	0.00
39) Acenaphthene-d10	14.69	164	52081	20.00	ng	0.00
64) Phenanthrene-d10	17.44	188	140589	20.00	ng	0.00
76) Chrysene-d12	21.72	240	149171	20.00	ng	0.00
87) Perylene-d12	25.02	264	159971	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	147605	132.36	ng	0.00
7) Phenol-d6	7.21	99	201657	131.72	ng	0.00
23) Nitrobenzene-d5	9.24	82	132091	87.90	ng	0.00
42) 2,4,6-Tribromophenol	16.18	330	95937	133.66	ng	0.00
45) 2-Fluorobiphenyl	13.32	172	313042	82.46	ng	0.00
79) Terphenyl-d14	20.04	244	642979	93.81	ng	0.00
Target Compounds						
10) Phenol	7.24	94	12526	7.702	ng	79
50) Dimethylphthalate	14.14	163	47293	11.120	ng	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG121718\
Data File : BG038655.D
Acq On : 17 Dec 2018 9:47
Operator : JU/SJ
Sample : J6424-01
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
EB12_1.5-2.5

Quant Time: Dec 18 03:05:19 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG121218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 12 15:26:27 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.06 min Scan# 846
Delta R.T. -0.00 min
Lab File: BG038655.D
Acq: 17 Dec 2018 9:47

Instrument :
BNA_G
ClientSampleId :
EB12_1.5-2.5

Tgt Ion:152 Resp: 19779
Ion Ratio Lower Upper
152 100
150 154.2 119.5 179.3
115 62.4 49.6 74.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 132.363 ng
RT: 5.61 min Scan# 429
Delta R.T. 0.01 min
Lab File: BG038655.D
Acq: 17 Dec 2018 9:47

Tgt Ion:112 Resp: 147605
Ion Ratio Lower Upper
112 100
64 67.4 53.4 80.2
63 40.6 29.3 43.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 131.725 ng

RT: 7.21 min Scan# 702

Delta R.T. 0.00 min

Lab File: BG038655.D

Acq: 17 Dec 2018 9:47

Instrument :

BNA_G

ClientSampled :

EB12_1.5-2.5


Tgt Ion: 99 Resp: 201657

Ion Ratio Lower Upper




99 100

42 25.2 18.5 27.7

71 39.4 31.1 46.7



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 7.702 ng

RT: 7.24 min Scan# 706

Delta R.T. -0.00 min

Lab File: BG038655.D

Acq: 17 Dec 2018 9:47


Tgt Ion: 94 Resp: 12526

Ion Ratio Lower Upper



94 100

65 40.1 12.6 52.6

66 61.4 24.1 64.1



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.88 min Scan# 1326
Delta R.T. -0.00 min
Lab File: BG038655.D
Acq: 17 Dec 2018 9:47

Instrument :
BNA_G
ClientSampleId :
EB12_1.5-2.5

Tgt Ion:	136	Resp:	76770
Ion	Ratio	Lower	Upper
136	100		
137	11.4	9.3	13.9
54	10.7	8.5	12.7
68	3.9	3.5	5.3




Abundance Ion 136.00 (135.70 to 136.70): B
Ion 137.00 (136.70 to 137.70): B
Ion 54.00 (53.70 to 54.70): B
Ion 68.00 (67.70 to 68.70): B





#23
Nitrobenzene-d5
Concen: 87.901 ng
RT: 9.24 min Scan# 1047
Delta R.T. -0.00 min
Lab File: BG038655.D
Acq: 17 Dec 2018 9:47

Tgt Ion:	82	Resp:	132091
Ion	Ratio	Lower	Upper
82	100		
128	42.1	34.6	52.0
54	65.1	50.6	76.0



Abundance Ion 82.00 (81.70 to 82.70): B
Ion 128.00 (127.70 to 128.70): B
Ion 54.00 (53.70 to 54.70): B





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.69 min Scan# 1975

Delta R.T. -0.01 min

Lab File: BG038655.D

Acq: 17 Dec 2018 9:47

Instrument :

BNA_G

ClientSampleId :

EB12_1.5-2.5


Tgt Ion:164 Resp: 52081

Ion Ratio Lower Upper

164 100

162 101.6 86.6 130.0




160 44.3 34.2 51.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 133.660 ng

RT: 16.18 min Scan# 2229

Delta R.T. -0.01 min

Lab File: BG038655.D

Acq: 17 Dec 2018 9:47


Tgt Ion:330 Resp: 95937

Ion Ratio Lower Upper

330 100

332 96.3 76.9 115.3



141 37.7 28.8 43.2



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 82.457 ng
 RT: 13.32 min Scan# 1741
 Delta R.T. -0.00 min
 Lab File: BG038655.D
 Acq: 17 Dec 2018 9:47




Instrument :
 BNA_G
 ClientSampleId :
 EB12_1.5-2.5


Tgt Ion:172 Resp: 313042
 Ion Ratio Lower Upper
 172 100
 171 38.5 29.8 44.6
 170 24.0 19.5 29.3



#50
 Dimethylphthalate
 Concen: 11.120 ng
 RT: 14.14 min Scan# 1881
 Delta R.T. -0.01 min
 Lab File: BG038655.D
 Acq: 17 Dec 2018 9:47

Tgt Ion:163 Resp: 47293
 Ion Ratio Lower Upper
 163 100
 194 4.2 3.7 5.5
 164 9.4 8.6 12.8









#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.44 min Scan# 2443
 Delta R.T. -0.00 min
 Lab File: BG038655.D
 Acq: 17 Dec 2018 9:47




Instrument :
 BNA_G
 ClientSampleId :
 EB12_1.5-2.5


Tgt Ion:188 Resp: 140589
 Ion Ratio Lower Upper
 188 100
 94 7.6 5.1 7.7
 80 8.1 6.1 9.1



#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.72 min Scan# 3171
 Delta R.T. -0.01 min
 Lab File: BG038655.D
 Acq: 17 Dec 2018 9:47

Tgt Ion:240 Resp: 149171
 Ion Ratio Lower Upper
 240 100
 120 6.9 5.3 7.9
 236 27.0 21.4 32.2





#79

Terphenyl-d14

Concen: 93.808 ng

RT: 20.04 min Scan# 2886

Delta R.T. -0.00 min

Lab File: BG038655.D

Acq: 17 Dec 2018 9:47

Instrument :

BNA_G

ClientSampleId :

EB12_1.5-2.5


Tgt Ion:244 Resp: 642979

Ion Ratio Lower Upper

244 100

212 7.8 6.2 9.2




122 7.4 6.3 9.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.02 min Scan# 3733

Delta R.T. -0.00 min

Lab File: BG038655.D

Acq: 17 Dec 2018 9:47


Tgt Ion:264 Resp: 159971

Ion Ratio Lower Upper

264 100

260 23.1 18.9 28.3

265 22.4 17.0 25.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

