

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG121718\
 Data File : BG038669.D
 Acq On : 17 Dec 2018 19:02
 Operator : JU/SJ
 Sample : J6391-12
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 P001-SS017-0006-01

Quant Time: Dec 18 03:34:33 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG121218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 12 15:26:27 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.06	152	23229	20.00	ng	0.00
21) Naphthalene-d8	10.88	136	91219	20.00	ng	0.00
39) Acenaphthene-d10	14.69	164	61734	20.00	ng	0.00
64) Phenanthrene-d10	17.44	188	159525	20.00	ng	0.00
76) Chrysene-d12	21.72	240	166724	20.00	ng	0.00
87) Perylene-d12	25.02	264	172662	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	160858	122.82	ng	0.00
7) Phenol-d6	7.21	99	222424	123.71	ng	0.00
23) Nitrobenzene-d5	9.23	82	144412	80.88	ng	0.00
42) 2,4,6-Tribromophenol	16.18	330	81837	96.19	ng	0.00
45) 2-Fluorobiphenyl	13.32	172	201479	44.77	ng	0.00
79) Terphenyl-d14	20.04	244	357910	46.72	ng	0.00
Target Compounds						
10) Phenol	7.24	94	10722	5.613	ng	81
50) Dimethylphthalate	14.14	163	16178	3.209	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG121718\
Data File : BG038669.D
Acq On : 17 Dec 2018 19:02
Operator : JU/SJ
Sample : J6391-12
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
P001-SS017-0006-01

Quant Time: Dec 18 03:34:33 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG121218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 12 15:26:27 2018
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.06 min Scan# 846
Delta R.T. -0.00 min
Lab File: BG038669.D
Acq: 17 Dec 2018 19:02

Instrument :
BNA_G
ClientSampleId :
P001-SS017-0006-01




Tgt Ion:152 Resp: 23229
Ion Ratio Lower Upper
152 100
150 144.0 119.5 179.3
115 52.5 49.6 74.4




#5

2-Fluorophenol
Concen: 122.823 ng
RT: 5.61 min Scan# 429
Delta R.T. 0.01 min
Lab File: BG038669.D
Acq: 17 Dec 2018 19:02

Tgt Ion:112 Resp: 160858
Ion Ratio Lower Upper
112 100
64 69.4 53.4 80.2
63 41.5 29.3 43.9





#7

Phenol-d6

Concen: 123.712 ng

RT: 7.21 min Scan# 702

Delta R.T. 0.01 min

Lab File: BG038669.D

Acq: 17 Dec 2018 19:02

Instrument :

BNA_G

ClientSampleId :

P001-SS017-0006-01


Tgt Ion: 99 Resp: 222424

Ion Ratio Lower Upper




99 100

42 25.2 18.5 27.7

71 41.2 31.1 46.7



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 5.613 ng

RT: 7.24 min Scan# 706

Delta R.T. -0.00 min

Lab File: BG038669.D

Acq: 17 Dec 2018 19:02


Tgt Ion: 94 Resp: 10722

Ion Ratio Lower Upper



94 100


65 40.7 12.6 52.6

66 58.5 24.1 64.1



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.88 min Scan# 1326
Delta R.T. -0.00 min
Lab File: BG038669.D
Acq: 17 Dec 2018 19:02

Instrument :
BNA_G
ClientSampleId :
P001-SS017-0006-01

Tgt Ion:	136	Resp:	91219
Ion	Ratio	Lower	Upper
136	100		
137	11.4	9.3	13.9
54	10.2	8.5	12.7
68	4.9	3.5	5.3




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
Nitrobenzene-d5
Concen: 80.878 ng
RT: 9.23 min Scan# 1046
Delta R.T. -0.01 min
Lab File: BG038669.D
Acq: 17 Dec 2018 19:02

Tgt Ion:	82	Resp:	144412
Ion	Ratio	Lower	Upper
82	100		
128	40.1	34.6	52.0
54	66.5	50.6	76.0



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.69 min Scan# 1975

Delta R.T. -0.01 min

Lab File: BG038669.D

Acq: 17 Dec 2018 19:02

Instrument :

BNA_G

ClientSampleId :

P001-SS017-0006-01


Tgt Ion:164 Resp: 61734

Ion Ratio Lower Upper

164 100

162 101.3 86.6 130.0




160 45.1 34.2 51.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 96.188 ng

RT: 16.18 min Scan# 2229

Delta R.T. -0.01 min

Lab File: BG038669.D

Acq: 17 Dec 2018 19:02


Tgt Ion:330 Resp: 81837

Ion Ratio Lower Upper

330 100

332 96.3 76.9 115.3



141 37.1 28.8 43.2




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 44.773 ng
 RT: 13.32 min Scan# 1741
 Delta R.T. -0.00 min
 Lab File: BG038669.D
 Acq: 17 Dec 2018 19:02




Instrument :
 BNA_G
 ClientSampleId :
 P001-SS017-0006-01


Tgt Ion:172 Resp: 201479
 Ion Ratio Lower Upper
 172 100
 171 36.5 29.8 44.6
 170 24.0 19.5 29.3



#50
 Dimethylphthalate
 Concen: 3.209 ng
 RT: 14.14 min Scan# 1881
 Delta R.T. -0.01 min
 Lab File: BG038669.D
 Acq: 17 Dec 2018 19:02

Tgt Ion:163 Resp: 16178
 Ion Ratio Lower Upper
 163 100
 194 3.8 3.7 5.5
 164 10.2 8.6 12.8





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.44 min Scan# 2443

Delta R.T. -0.00 min

Lab File: BG038669.D

Acq: 17 Dec 2018 19:02

Instrument :

BNA_G

ClientSampleId :

P001-SS017-0006-01


Tgt Ion:188 Resp: 159525

Ion Ratio Lower Upper

188 100

94 6.0 5.1 7.7




80 7.3 6.1 9.1



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.72 min Scan# 3171

Delta R.T. -0.01 min

Lab File: BG038669.D

Acq: 17 Dec 2018 19:02


Tgt Ion:240 Resp: 166724

Ion Ratio Lower Upper

240 100

120 7.4 5.3 7.9



236 25.9 21.4 32.2




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 46.720 ng

RT: 20.04 min Scan# 2886

Delta R.T. -0.00 min

Lab File: BG038669.D

Acq: 17 Dec 2018 19:02

Instrument :

BNA_G

ClientSampleId :

P001-SS017-0006-01





Tgt Ion:244 Resp: 357910

Ion Ratio Lower Upper

244 100

212 7.5 6.2 9.2

122 7.1 6.3 9.5



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.02 min Scan# 3733

Delta R.T. -0.00 min

Lab File: BG038669.D

Acq: 17 Dec 2018 19:02

Tgt Ion:264 Resp: 172662

Ion Ratio Lower Upper

264 100

260 25.2 18.9 28.3

265 21.1 17.0 25.4

