

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG121818\
 Data File : BG038699.D
 Acq On : 18 Dec 2018 18:00
 Operator : JU/SJ
 Sample : PB115750BL
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB115750BL

Quant Time: Dec 19 06:59:28 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG121218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 12 15:26:27 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.06	152	23450	20.00	ng	0.00
21) Naphthalene-d8	10.87	136	97897	20.00	ng	0.00
39) Acenaphthene-d10	14.69	164	65728	20.00	ng	0.00
64) Phenanthrene-d10	17.44	188	176513	20.00	ng	0.00
76) Chrysene-d12	21.72	240	188615	20.00	ng	0.00
87) Perylene-d12	25.01	264	195847	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	147299	111.41	ng	0.00
7) Phenol-d6	7.21	99	202111	111.35	ng	0.00
23) Nitrobenzene-d5	9.23	82	123726	64.57	ng	0.00
42) 2,4,6-Tribromophenol	16.18	330	97966	108.15	ng	0.00
45) 2-Fluorobiphenyl	13.31	172	331576	69.21	ng	0.00
79) Terphenyl-d14	20.04	244	651460	75.17	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.23	70	16771	13.156	ng	# 71
51) 2,6-Dinitrotoluene	14.69	165	8289	6.814	ng	# 19
57) 2,4-Dinitrotoluene	14.69	165	8289	4.838	ng	# 21
67) 4-Bromophenyl-phenylether	16.18	248	6335	2.939	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG121818\
Data File : BG038699.D
Acq On : 18 Dec 2018 18:00
Operator : JU/SJ
Sample : PB115750BL
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB115750BL

Quant Time: Dec 19 06:59:28 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG121218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 12 15:26:27 2018
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 8.06 min Scan# 846

Delta R.T. -0.00 min

Lab File: BG038699.D

Acq: 18 Dec 2018 18:00

Instrument :

BNA_G

ClientSampleId :

PB115750BL


Tgt Ion:152 Resp: 23450

Ion Ratio Lower Upper

152 100

150 159.4 119.5 179.3




115 53.1 49.6 74.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 111.410 ng

RT: 5.61 min Scan# 429

Delta R.T. 0.01 min

Lab File: BG038699.D

Acq: 18 Dec 2018 18:00


Tgt Ion:112 Resp: 147299

Ion Ratio Lower Upper

112 100

64 67.9 53.4 80.2



63 39.3 29.3 43.9



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 111.354 ng

RT: 7.21 min Scan# 702

Delta R.T. 0.00 min

Lab File: BG038699.D

Acq: 18 Dec 2018 18:00

Instrument :

BNA_G

ClientSampleId :

PB115750BL


Tgt Ion: 99 Resp: 202111

Ion Ratio Lower Upper




99 100

42 23.2 18.5 27.7

71 40.2 31.1 46.7



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 13.156 ng

RT: 9.23 min Scan# 1046

Delta R.T. 0.37 min

Lab File: BG038699.D

Acq: 18 Dec 2018 18:00

Tgt Ion: 70 Resp: 16771


Ion Ratio Lower Upper

70 100



42 58.2 63.6 95.4#


101 0.0 9.2 13.8#

130 0.0 18.5 27.7#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.87 min Scan# 1325
Delta R.T. -0.01 min
Lab File: BG038699.D
Acq: 18 Dec 2018 18:00

Instrument :
BNA_G
ClientSampleId :
PB115750BL

Tgt Ion:	136	Resp:	97897
Ion	Ratio	Lower	Upper
136	100		
137	11.3	9.3	13.9
54	10.9	8.5	12.7
68	4.6	3.5	5.3




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BG
Ion 68.00 (67.70 to 68.70): BG





#23
Nitrobenzene-d5
Concen: 64.566 ng
RT: 9.23 min Scan# 1046
Delta R.T. -0.01 min
Lab File: BG038699.D
Acq: 18 Dec 2018 18:00

Tgt Ion:	82	Resp:	123726
Ion	Ratio	Lower	Upper
82	100		
128	42.7	34.6	52.0
54	64.0	50.6	76.0



Abundance Ion 82.00 (81.70 to 82.70): BG
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BG





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.69 min Scan# 1975

Delta R.T. -0.01 min

Lab File: BG038699.D

Acq: 18 Dec 2018 18:00

Instrument :

BNA_G

ClientSampleId :

PB115750BL


Tgt Ion:164 Resp: 65728

Ion Ratio Lower Upper

164 100

162 107.2 86.6 130.0




160 48.0 34.2 51.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 108.148 ng

RT: 16.18 min Scan# 2229

Delta R.T. -0.01 min

Lab File: BG038699.D

Acq: 18 Dec 2018 18:00


Tgt Ion:330 Resp: 97966

Ion Ratio Lower Upper

330 100

332 96.5 76.9 115.3



141 35.2 28.8 43.2




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 69.205 ng
 RT: 13.31 min Scan# 1740
 Delta R.T. -0.01 min
 Lab File: BG038699.D
 Acq: 18 Dec 2018 18:00




Instrument :
 BNA_G
 ClientSampleId :
 PB115750BL


Tgt Ion:172 Resp: 331576
 Ion Ratio Lower Upper
 172 100
 171 37.0 29.8 44.6
 170 24.0 19.5 29.3



#51
 2,6-Dinitrotoluene
 Concen: 6.814 ng
 RT: 14.69 min Scan# 1975
 Delta R.T. 0.41 min
 Lab File: BG038699.D
 Acq: 18 Dec 2018 18:00

Tgt Ion:165 Resp: 8289
 Ion Ratio Lower Upper
 165 100
 63 0.0 51.8 77.6#
 89 0.0 47.9 71.9#






#57
 2,4-Dinitrotoluene
 Concen: 4.838 ng
 RT: 14.69 min Scan# 1975
 Delta R.T. -0.37 min
 Lab File: BG038699.D
 Acq: 18 Dec 2018 18:00

Instrument :
 BNA_G
 ClientSampleId :
 PB115750BL

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	39.0	58.4#
89	0.0	58.0	87.0#
182	0.0	2.3	3.5#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BGC


Ion 89.00 (88.70 to 89.70): BGC

Ion 182.00 (181.70 to 182.70): E



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.44 min Scan# 2443
 Delta R.T. -0.00 min
 Lab File: BG038699.D
 Acq: 18 Dec 2018 18:00



Tgt Ion	Ratio	Lower	Upper
188	100		
94	6.1	5.1	7.7
80	7.0	6.1	9.1



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC









#67
 4-Bromophenyl-phenylether
 Concen: 2.939 ng
 RT: 16.18 min Scan# 2229
 Delta R.T. -0.44 min
 Lab File: BG038699.D
 Acq: 18 Dec 2018 18:00

Instrument :
 BNA_G
 ClientSampleId :
 PB115750BL

Tgt Ion:248 Resp: 6335
 Ion Ratio Lower Upper
 248 100
 250 180.3 73.4 110.2#
 141 396.8 52.9 79.3#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.72 min Scan# 3171
 Delta R.T. -0.01 min
 Lab File: BG038699.D
 Acq: 18 Dec 2018 18:00

Tgt Ion:240 Resp: 188615
 Ion Ratio Lower Upper
 240 100
 120 7.2 5.3 7.9
 236 26.6 21.4 32.2



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 75.169 ng

RT: 20.04 min Scan# 2886

Delta R.T. -0.00 min

Lab File: BG038699.D

Acq: 18 Dec 2018 18:00

Instrument :

BNA_G

ClientSampleId :

PB115750BL


Tgt Ion:244 Resp: 651460

Ion Ratio Lower Upper

244 100

212 7.4 6.2 9.2




122 7.2 6.3 9.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.01 min Scan# 3732

Delta R.T. -0.01 min

Lab File: BG038699.D

Acq: 18 Dec 2018 18:00


Tgt Ion:264 Resp: 195847

Ion Ratio Lower Upper

264 100

260 22.9 18.9 28.3

265 21.0 17.0 25.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

