

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG121818\
 Data File : BG038701.D
 Acq On : 18 Dec 2018 19:19
 Operator : JU/SJ
 Sample : PB115799BL
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB115799BL

Quant Time: Dec 19 07:00:07 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG121218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 12 15:26:27 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.06	152	21733	20.00	ng	0.00
21) Naphthalene-d8	10.88	136	88328	20.00	ng	0.00
39) Acenaphthene-d10	14.70	164	59863	20.00	ng	0.00
64) Phenanthrene-d10	17.44	188	158356	20.00	ng	0.00
76) Chrysene-d12	21.72	240	165023	20.00	ng	0.00
87) Perylene-d12	25.01	264	169350	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	136130	111.10	ng	0.00
7) Phenol-d6	7.21	99	187811	111.65	ng	0.00
23) Nitrobenzene-d5	9.23	82	116699	67.50	ng	0.00
42) 2,4,6-Tribromophenol	16.18	330	89455	108.43	ng	0.00
45) 2-Fluorobiphenyl	13.31	172	306997	70.35	ng	0.00
79) Terphenyl-d14	20.04	244	610048	80.45	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.24	70	14774	12.505	ng	# 70
51) 2,6-Dinitrotoluene	14.70	165	7860	7.095	ng	# 19
57) 2,4-Dinitrotoluene	14.70	165	7860	5.037	ng	# 21
67) 4-Bromophenyl-phenylether	16.18	248	5707	2.951	ng	# 1
77) Benzidine	20.04	184	10533	2.158	ng	# 94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG121818\
Data File : BG038701.D
Acq On : 18 Dec 2018 19:19
Operator : JU/SJ
Sample : PB115799BL
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB115799BL

Quant Time: Dec 19 07:00:07 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG121218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 12 15:26:27 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.06 min Scan# 845
Delta R.T. -0.00 min
Lab File: BG038701.D
Acq: 18 Dec 2018 19:19

Instrument :
BNA_G
ClientSampleId :
PB115799BL

Tgt Ion:152 Resp: 21733
Ion Ratio Lower Upper
152 100
150 155.2 119.5 179.3
115 56.0 49.6 74.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 111.097 ng
RT: 5.61 min Scan# 428
Delta R.T. 0.00 min
Lab File: BG038701.D
Acq: 18 Dec 2018 19:19

Tgt Ion:112 Resp: 136130
Ion Ratio Lower Upper
112 100
64 66.0 53.4 80.2
63 39.1 29.3 43.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 111.650 ng

RT: 7.21 min Scan# 701

Delta R.T. 0.00 min

Lab File: BG038701.D

Acq: 18 Dec 2018 19:19

Instrument :

BNA_G

ClientSampleId :

PB115799BL


Tgt Ion: 99 Resp: 187811

Ion Ratio Lower Upper

99 100

42 23.1 18.5 27.7

71 38.3 31.1 46.7






Abundance

Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 12.505 ng

RT: 9.24 min Scan# 1046

Delta R.T. 0.37 min

Lab File: BG038701.D

Acq: 18 Dec 2018 19:19

Tgt Ion: 70 Resp: 14774


Ion Ratio Lower Upper

70 100

42 56.5 63.6 95.4#

101 0.0 9.2 13.8#

130 2.8 18.5 27.7#





Abundance

Ion 70.00 (69.70 to 70.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 101.00 (100.70 to 101.70): BGC

Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.88 min Scan# 1325
Delta R.T. -0.00 min
Lab File: BG038701.D
Acq: 18 Dec 2018 19:19

Instrument :
BNA_G
ClientSampleId :
PB115799BL

Tgt Ion: 136 Resp: 88328
Ion Ratio Lower Upper
136 100
137 10.5 9.3 13.9
54 10.5 8.5 12.7
68 5.1 3.5 5.3




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23
Nitrobenzene-d5
Concen: 67.496 ng
RT: 9.23 min Scan# 1045
Delta R.T. -0.01 min
Lab File: BG038701.D
Acq: 18 Dec 2018 19:19

Tgt Ion: 82 Resp: 116699
Ion Ratio Lower Upper
82 100
128 40.4 34.6 52.0
54 63.5 50.6 76.0



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.70 min Scan# 1975

Delta R.T. -0.00 min

Lab File: BG038701.D

Acq: 18 Dec 2018 19:19

Instrument :

BNA_G

ClientSampleId :

PB115799BL


Tgt Ion:164 Resp: 59863

Ion Ratio Lower Upper

164 100

162 111.0 86.6 130.0




160 47.3 34.2 51.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 108.428 ng

RT: 16.18 min Scan# 2228

Delta R.T. -0.01 min

Lab File: BG038701.D

Acq: 18 Dec 2018 19:19


Tgt Ion:330 Resp: 89455

Ion Ratio Lower Upper

330 100

332 96.0 76.9 115.3



141 35.2 28.8 43.2



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 70.353 ng
 RT: 13.31 min Scan# 1740
 Delta R.T. -0.00 min
 Lab File: BG038701.D
 Acq: 18 Dec 2018 19:19




Instrument :
 BNA_G
 ClientSampleId :
 PB115799BL


Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.6	29.8	44.6
170	24.0	19.5	29.3



#51
 2,6-Dinitrotoluene
 Concen: 7.095 ng
 RT: 14.70 min Scan# 1975
 Delta R.T. 0.41 min
 Lab File: BG038701.D
 Acq: 18 Dec 2018 19:19

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	51.8	77.6#
89	0.0	47.9	71.9#









#57
 2,4-Dinitrotoluene
 Concen: 5.037 ng
 RT: 14.70 min Scan# 1975
 Delta R.T. -0.37 min
 Lab File: BG038701.D
 Acq: 18 Dec 2018 19:19

Instrument :
 BNA_G
 ClientSampleId :
 PB115799BL

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	39.0	58.4#
89	0.0	58.0	87.0#
182	0.0	2.3	3.5#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BGC
 Ion 89.00 (88.70 to 89.70): BGC
 Ion 182.00 (181.70 to 182.70): E





#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.44 min Scan# 2442
 Delta R.T. -0.00 min
 Lab File: BG038701.D
 Acq: 18 Dec 2018 19:19

Tgt Ion	Ratio	Lower	Upper
188	100		
94	6.7	5.1	7.7
80	7.0	6.1	9.1



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BGC
 Ion 80.00 (79.70 to 80.70): BGC









#67
4-Bromophenyl-phenylether
Concen: 2.951 ng
RT: 16.18 min Scan# 2228
Delta R.T. -0.44 min
Lab File: BG038701.D
Acq: 18 Dec 2018 19:19

Instrument :
BNA_G
ClientSampleId :
PB115799BL

Tgt Ion:248 Resp: 5707
Ion Ratio Lower Upper
248 100
250 206.3 73.4 110.2#
141 402.3 52.9 79.3#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.72 min Scan# 3171
Delta R.T. -0.00 min
Lab File: BG038701.D
Acq: 18 Dec 2018 19:19

Tgt Ion:240 Resp: 165023
Ion Ratio Lower Upper
240 100
120 7.0 5.3 7.9
236 28.1 21.4 32.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#77

Benzidine

Concen: 2.158 ng

RT: 20.04 min Scan# 2885

Delta R.T. 0.36 min

Lab File: BG038701.D

Acq: 18 Dec 2018 19:19

Instrument :

BNA_G

ClientSampleId :

PB115799BL


Tgt Ion:184 Resp: 10533

Ion Ratio Lower Upper

184 100

185 16.7 12.2 18.2




183 8.8 9.6 14.4#



Abundance Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E



#79

Terphenyl-d14

Concen: 80.453 ng

RT: 20.04 min Scan# 2885

Delta R.T. -0.00 min

Lab File: BG038701.D

Acq: 18 Dec 2018 19:19


Tgt Ion:244 Resp: 610048

Ion Ratio Lower Upper

244 100

212 7.6 6.2 9.2



122 7.2 6.3 9.5




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
Perylene-d12
Concen: 20.000 ng
RT: 25.01 min Scan# 3731
Delta R.T. -0.01 min
Lab File: BG038701.D
Acq: 18 Dec 2018 19:19

Instrument :
BNA_G
ClientSampleId :
PB115799BL

Tgt Ion:	264	Resp:	169350
Ion	Ratio	Lower	Upper
264	100		
260	24.0	18.9	28.3
265	19.9	17.0	25.4

