

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG121818\
 Data File : BG038702.D
 Acq On : 18 Dec 2018 19:59
 Operator : JU/SJ
 Sample : PB115802BL
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB115802BL

Quant Time: Dec 19 07:00:16 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG121218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 12 15:26:27 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.05	152	21221	20.00	ng	0.00
21) Naphthalene-d8	10.87	136	84906	20.00	ng	0.00
39) Acenaphthene-d10	14.69	164	61206	20.00	ng	0.00
64) Phenanthrene-d10	17.44	188	157377	20.00	ng	0.00
76) Chrysene-d12	21.72	240	160978	20.00	ng	0.00
87) Perylene-d12	25.01	264	167593	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	123431	103.16	ng	0.00
7) Phenol-d6	7.21	99	167979	102.27	ng	0.00
23) Nitrobenzene-d5	9.23	82	99756	60.02	ng	0.00
42) 2,4,6-Tribromophenol	16.18	330	76823	91.07	ng	0.00
45) 2-Fluorobiphenyl	13.31	172	269328	60.37	ng	0.00
79) Terphenyl-d14	20.04	244	543519	73.48	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.23	70	13528	11.727	ng	# 66
51) 2,6-Dinitrotoluene	14.69	165	7646	6.750	ng	# 19
57) 2,4-Dinitrotoluene	14.69	165	7646	4.793	ng	# 21
67) 4-Bromophenyl-phenylether	16.18	248	5019	2.611	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG121818\
Data File : BG038702.D
Acq On : 18 Dec 2018 19:59
Operator : JU/SJ
Sample : PB115802BL
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB115802BL

Quant Time: Dec 19 07:00:16 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG121218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 12 15:26:27 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.05 min Scan# 845
Delta R.T. -0.01 min
Lab File: BG038702.D
Acq: 18 Dec 2018 19:59

Instrument :
BNA_G
ClientSampleId :
PB115802BL

Tgt Ion:152 Resp: 21221
Ion Ratio Lower Upper
152 100
150 157.9 119.5 179.3
115 56.7 49.6 74.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 103.164 ng
RT: 5.61 min Scan# 429
Delta R.T. 0.00 min
Lab File: BG038702.D
Acq: 18 Dec 2018 19:59

Tgt Ion:112 Resp: 123431
Ion Ratio Lower Upper
112 100
64 67.3 53.4 80.2
63 36.9 29.3 43.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 102.270 ng

RT: 7.21 min Scan# 702

Delta R.T. 0.00 min

Lab File: BG038702.D

Acq: 18 Dec 2018 19:59

Instrument :

BNA_G

ClientSampleId :

PB115802BL


Tgt Ion: 99 Resp: 167979

Ion Ratio Lower Upper




99 100

42 22.0 18.5 27.7

71 36.7 31.1 46.7



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 11.727 ng

RT: 9.23 min Scan# 1046

Delta R.T. 0.37 min

Lab File: BG038702.D

Acq: 18 Dec 2018 19:59

Tgt Ion: 70 Resp: 13528


Ion Ratio Lower Upper

70 100



42 50.7 63.6 95.4#


101 0.0 9.2 13.8#

130 3.1 18.5 27.7#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.87 min Scan# 1325
Delta R.T. -0.01 min
Lab File: BG038702.D
Acq: 18 Dec 2018 19:59

Instrument :
BNA_G
ClientSampleId :
PB115802BL

Tgt Ion:	136	Resp:	84906
Ion	Ratio	Lower	Upper
136	100		
137	11.6	9.3	13.9
54	11.1	8.5	12.7
68	4.2	3.5	5.3




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BG
Ion 68.00 (67.70 to 68.70): BG






#23
Nitrobenzene-d5
Concen: 60.022 ng
RT: 9.23 min Scan# 1046
Delta R.T. -0.01 min
Lab File: BG038702.D
Acq: 18 Dec 2018 19:59

Tgt Ion:	82	Resp:	99756
Ion	Ratio	Lower	Upper
82	100		
128	45.8	34.6	52.0
54	64.5	50.6	76.0



Abundance Ion 82.00 (81.70 to 82.70): BG
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BG





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.69 min Scan# 1975

Delta R.T. -0.01 min

Lab File: BG038702.D

Acq: 18 Dec 2018 19:59

Instrument :

BNA_G

ClientSampleId :

PB115802BL


Tgt Ion:164 Resp: 61206

Ion Ratio Lower Upper

164 100

162 98.1 86.6 130.0




160 42.7 34.2 51.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 91.073 ng

RT: 16.18 min Scan# 2229

Delta R.T. -0.01 min

Lab File: BG038702.D

Acq: 18 Dec 2018 19:59


Tgt Ion:330 Resp: 76823

Ion Ratio Lower Upper

330 100

332 95.6 76.9 115.3



141 34.9 28.8 43.2




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 60.366 ng
 RT: 13.31 min Scan# 1740
 Delta R.T. -0.01 min
 Lab File: BG038702.D
 Acq: 18 Dec 2018 19:59




Instrument :
 BNA_G
 ClientSampleId :
 PB115802BL


Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.4	29.8	44.6
170	23.4	19.5	29.3



#51
 2,6-Dinitrotoluene
 Concen: 6.750 ng
 RT: 14.69 min Scan# 1975
 Delta R.T. 0.41 min
 Lab File: BG038702.D
 Acq: 18 Dec 2018 19:59

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	51.8	77.6#
89	0.0	47.9	71.9#









#57
 2,4-Dinitrotoluene
 Concen: 4.793 ng
 RT: 14.69 min Scan# 1975
 Delta R.T. -0.37 min
 Lab File: BG038702.D
 Acq: 18 Dec 2018 19:59

Instrument :
 BNA_G
 ClientSampleId :
 PB115802BL

Tgt Ion:	165	Resp:	7646
Ion	Ratio	Lower	Upper
165	100		
63	0.0	39.0	58.4#
89	0.0	58.0	87.0#
182	0.0	2.3	3.5#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BGC
 Ion 89.00 (88.70 to 89.70): BGC
 Ion 182.00 (181.70 to 182.70): E






#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.44 min Scan# 2443
 Delta R.T. -0.00 min
 Lab File: BG038702.D
 Acq: 18 Dec 2018 19:59

Tgt Ion:	188	Resp:	157377
Ion	Ratio	Lower	Upper
188	100		
94	6.4	5.1	7.7
80	6.7	6.1	9.1



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BGC
 Ion 80.00 (79.70 to 80.70): BGC









#67
 4-Bromophenyl-phenylether
 Concen: 2.611 ng
 RT: 16.18 min Scan# 2229
 Delta R.T. -0.44 min
 Lab File: BG038702.D
 Acq: 18 Dec 2018 19:59

Instrument :
 BNA_G
 ClientSampleId :
 PB115802BL

Tgt Ion:248 Resp: 5019
 Ion Ratio Lower Upper
 248 100
 250 174.7 73.4 110.2#
 141 401.8 52.9 79.3#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.72 min Scan# 3171
 Delta R.T. -0.01 min
 Lab File: BG038702.D
 Acq: 18 Dec 2018 19:59

Tgt Ion:240 Resp: 160978
 Ion Ratio Lower Upper
 240 100
 120 6.8 5.3 7.9
 236 26.3 21.4 32.2



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 73.481 ng

RT: 20.04 min Scan# 2886

Delta R.T. -0.00 min

Lab File: BG038702.D

Acq: 18 Dec 2018 19:59

Instrument :

BNA_G

ClientSampleId :

PB115802BL


Tgt Ion:244 Resp: 543519

Ion Ratio Lower Upper

244 100

212 7.7 6.2 9.2




122 6.8 6.3 9.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.01 min Scan# 3732

Delta R.T. -0.01 min

Lab File: BG038702.D

Acq: 18 Dec 2018 19:59


Tgt Ion:264 Resp: 167593

Ion Ratio Lower Upper

264 100

260 21.2 18.9 28.3

265 22.9 17.0 25.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

