

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG121818\
 Data File : BG038712.D
 Acq On : 19 Dec 2018 3:55
 Operator : JU/SJ
 Sample : J6403-56RE
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-7-B

Quant Time: Dec 19 07:02:36 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG121218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 12 15:26:27 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.06	152	24497	20.00	ng	0.00
21) Naphthalene-d8	10.87	136	97803	20.00	ng	0.00
39) Acenaphthene-d10	14.69	164	67994	20.00	ng	0.00
64) Phenanthrene-d10	17.44	188	184939	20.00	ng	0.00
76) Chrysene-d12	21.72	240	198178	20.00	ng	0.00
87) Perylene-d12	25.02	264	202901	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	185836	134.55	ng	0.00
7) Phenol-d6	7.21	99	231941	122.33	ng	0.00
23) Nitrobenzene-d5	9.23	82	174762	91.29	ng	0.00
42) 2,4,6-Tribromophenol	16.19	330	142080	151.62	ng	0.00
45) 2-Fluorobiphenyl	13.31	172	437129	88.20	ng	0.00
79) Terphenyl-d14	20.05	244	926780	101.78	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.23	70	23842	17.904	ng	# 69
51) 2,6-Dinitrotoluene	14.69	165	8675	6.894	ng	# 19
57) 2,4-Dinitrotoluene	14.69	165	8675	4.895	ng	# 21
67) 4-Bromophenyl-phenylether	16.19	248	9241	4.091	ng	# 1
77) Benzidine	20.05	184	16221	2.768	ng	# 91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG121818\
Data File : BG038712.D
Acq On : 19 Dec 2018 3:55
Operator : JU/SJ
Sample : J6403-56RE
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP-7-B

Quant Time: Dec 19 07:02:36 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG121218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 12 15:26:27 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.06 min Scan# 846
Delta R.T. 0.00 min
Lab File: BG038712.D
Acq: 19 Dec 2018 3:55

Instrument :
BNA_G
ClientSampleId :
TP-7-B

Tgt Ion:152 Resp: 24497
Ion Ratio Lower Upper
152 100
150 148.8 119.5 179.3
115 57.3 49.6 74.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 134.551 ng
RT: 5.61 min Scan# 429
Delta R.T. 0.01 min
Lab File: BG038712.D
Acq: 19 Dec 2018 3:55

Tgt Ion:112 Resp: 185836
Ion Ratio Lower Upper
112 100
64 62.2 53.4 80.2
63 36.5 29.3 43.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 122.327 ng

RT: 7.21 min Scan# 701

Delta R.T. 0.00 min

Lab File: BG038712.D

Acq: 19 Dec 2018 3:55

Instrument :

BNA_G

ClientSampleId :

TP-7-B


Tgt Ion: 99 Resp: 231941

Ion Ratio Lower Upper




99 100

42 22.4 18.5 27.7

71 38.4 31.1 46.7



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 17.904 ng

RT: 9.23 min Scan# 1046

Delta R.T. 0.37 min

Lab File: BG038712.D

Acq: 19 Dec 2018 3:55

Tgt Ion: 70 Resp: 23842


Ion Ratio Lower Upper

70 100



42 55.7 63.6 95.4#

101 0.0 9.2 13.8#

130 1.6 18.5 27.7#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.87 min Scan# 1325
Delta R.T. -0.01 min
Lab File: BG038712.D
Acq: 19 Dec 2018 3:55

Instrument :
BNA_G
ClientSampleId :
TP-7-B

Tgt Ion:	136	Resp:	97803
Ion	Ratio	Lower	Upper
136	100		
137	11.8	9.3	13.9
54	10.6	8.5	12.7
68	4.7	3.5	5.3




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23
Nitrobenzene-d5
Concen: 91.286 ng
RT: 9.23 min Scan# 1046
Delta R.T. -0.01 min
Lab File: BG038712.D
Acq: 19 Dec 2018 3:55

Tgt Ion:	82	Resp:	174762
Ion	Ratio	Lower	Upper
82	100		
128	41.8	34.6	52.0
54	60.2	50.6	76.0



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.69 min Scan# 1975

Delta R.T. -0.01 min

Lab File: BG038712.D

Acq: 19 Dec 2018 3:55

Instrument :

BNA_G

ClientSampleId :

TP-7-B


Tgt Ion:164 Resp: 67994

Ion Ratio Lower Upper

164 100

162 107.6 86.6 130.0

160 46.1 34.2 51.2






Abundance

Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 151.620 ng

RT: 16.19 min Scan# 2229

Delta R.T. -0.01 min

Lab File: BG038712.D

Acq: 19 Dec 2018 3:55


Tgt Ion:330 Resp: 142080

Ion Ratio Lower Upper

330 100

332 95.9 76.9 115.3

141 34.8 28.8 43.2





Abundance

Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 88.195 ng
 RT: 13.31 min Scan# 1740
 Delta R.T. -0.01 min
 Lab File: BG038712.D
 Acq: 19 Dec 2018 3:55

Instrument :
 BNA_G
 ClientSampleId :
 TP-7-B

Tgt Ion:172 Resp: 437129
 Ion Ratio Lower Upper
 172 100
 171 36.8 29.8 44.6
 170 25.0 19.5 29.3




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#51
 2,6-Dinitrotoluene
 Concen: 6.894 ng
 RT: 14.69 min Scan# 1975
 Delta R.T. 0.41 min
 Lab File: BG038712.D
 Acq: 19 Dec 2018 3:55

Tgt Ion:165 Resp: 8675
 Ion Ratio Lower Upper
 165 100
 63 0.0 51.8 77.6#
 89 0.0 47.9 71.9#



Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BGC
 Ion 89.00 (88.70 to 89.70): BGC









#57
 2,4-Dinitrotoluene
 Concen: 4.895 ng
 RT: 14.69 min Scan# 1975
 Delta R.T. -0.37 min
 Lab File: BG038712.D
 Acq: 19 Dec 2018 3:55

Instrument :
 BNA_G
 ClientSampleId :
 TP-7-B

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	39.0	58.4#
89	0.0	58.0	87.0#
182	0.0	2.3	3.5#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BGC
 Ion 89.00 (88.70 to 89.70): BGC
 Ion 182.00 (181.70 to 182.70): E





#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.44 min Scan# 2443
 Delta R.T. 0.00 min
 Lab File: BG038712.D
 Acq: 19 Dec 2018 3:55

Tgt Ion	Ratio	Lower	Upper
188	100		
94	5.9	5.1	7.7
80	7.5	6.1	9.1



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BGC
 Ion 80.00 (79.70 to 80.70): BGC









#67
4-Bromophenyl-phenylether
Concen: 4.091 ng
RT: 16.19 min Scan# 2229
Delta R.T. -0.44 min
Lab File: BG038712.D
Acq: 19 Dec 2018 3:55

Instrument :
BNA_G
ClientSampleId :
TP-7-B

Tgt Ion:248 Resp: 9241
Ion Ratio Lower Upper
248 100
250 196.5 73.4 110.2#
141 366.4 52.9 79.3#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.72 min Scan# 3171
Delta R.T. -0.01 min
Lab File: BG038712.D
Acq: 19 Dec 2018 3:55

Tgt Ion:240 Resp: 198178
Ion Ratio Lower Upper
240 100
120 6.5 5.3 7.9
236 26.8 21.4 32.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#77

Benzidine

Concen: 2.768 ng

RT: 20.05 min Scan# 2886

Delta R.T. 0.36 min

Lab File: BG038712.D

Acq: 19 Dec 2018 3:55

Instrument :

BNA_G

ClientSampleId :

TP-7-B


Tgt Ion:184 Resp: 16221

Ion Ratio Lower Upper

184 100

185 17.8 12.2 18.2




183 7.2 9.6 14.4#



Abundance Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E



#79

Terphenyl-d14

Concen: 101.776 ng

RT: 20.05 min Scan# 2886

Delta R.T. 0.00 min

Lab File: BG038712.D

Acq: 19 Dec 2018 3:55


Tgt Ion:244 Resp: 926780

Ion Ratio Lower Upper

244 100

212 8.1 6.2 9.2



122 7.3 6.3 9.5




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
Perylene-d12
Concen: 20.000 ng
RT: 25.02 min Scan# 3732
Delta R.T. -0.01 min
Lab File: BG038712.D
Acq: 19 Dec 2018 3:55

Instrument :
BNA_G
ClientSampleId :
TP-7-B

Tgt Ion: 264 Resp: 202901

Ion	Ratio	Lower	Upper
264	100		
260	22.8	18.9	28.3
265	21.6	17.0	25.4

