

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG121818\
 Data File : BG038704.D
 Acq On : 18 Dec 2018 21:17
 Operator : JU/SJ
 Sample : J6398-07
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 DUP-01_121218

Quant Time: Dec 19 07:25:50 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG121218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 12 15:26:27 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.06	152	28742	20.00	ng	0.00
21) Naphthalene-d8	10.87	136	115233	20.00	ng	0.00
39) Acenaphthene-d10	14.69	164	79128	20.00	ng	0.00
64) Phenanthrene-d10	17.44	188	196659	20.00	ng	0.00
76) Chrysene-d12	21.72	240	200517	20.00	ng	0.00
87) Perylene-d12	25.02	264	209324	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	97326	60.06	ng	0.00
7) Phenol-d6	7.21	99	82972	37.30	ng	0.00
23) Nitrobenzene-d5	9.23	82	200054	88.69	ng	0.00
42) 2,4,6-Tribromophenol	16.18	330	163048	149.51	ng	0.00
45) 2-Fluorobiphenyl	13.32	172	518008	89.81	ng	0.00
79) Terphenyl-d14	20.04	244	952773	103.41	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG121818\
Data File : BG038704.D
Acq On : 18 Dec 2018 21:17
Operator : JU/SJ
Sample : J6398-07
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
DUP-01_121218

Quant Time: Dec 19 07:25:50 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG121218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 12 15:26:27 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.06 min Scan# 846
Delta R.T. -0.00 min
Lab File: BG038704.D
Acq: 18 Dec 2018 21:17

Instrument :
BNA_G
ClientSampleId :
DUP-01_121218

Tot Ion:152 Resp: 28742
Ion Ratio Lower Upper
152 100
150 161.2 119.5 179.3
115 58.0 49.6 74.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 60.059 ng
RT: 5.61 min Scan# 429
Delta R.T. 0.01 min
Lab File: BG038704.D
Acq: 18 Dec 2018 21:17

Tgt Ion:112 Resp: 97326
Ion Ratio Lower Upper
112 100
64 66.2 53.4 80.2
63 37.5 29.3 43.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 37.297 ng

RT: 7.21 min Scan# 701

Delta R.T. -0.00 min

Lab File: BG038704.D

Acq: 18 Dec 2018 21:17

Instrument :

BNA_G

ClientSampleId :

DUP-01_121218


Tot Ion: 99 Resp: 82972

Ion Ratio Lower Upper




99 100

42 23.6 18.5 27.7

71 38.7 31.1 46.7



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.87 min Scan# 1325

Delta R.T. -0.01 min

Lab File: BG038704.D

Acq: 18 Dec 2018 21:17

Tgt Ion: 136 Resp: 115233


Ion Ratio Lower Upper

136 100



137 12.0 9.3 13.9


54 11.2 8.5 12.7

68 4.9 3.5 5.3



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 88.691 ng
RT: 9.23 min Scan# 1046
Delta R.T. -0.01 min
Lab File: BG038704.D
Acq: 18 Dec 2018 21:17

Instrument :
BNA_G
ClientSampleId :
DUP-01_121218

Tot Ion: 82 Resp: 200054
Ion Ratio Lower Upper
82 100
128 44.4 34.6 52.0
54 66.1 50.6 76.0




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.69 min Scan# 1975
Delta R.T. -0.01 min
Lab File: BG038704.D
Acq: 18 Dec 2018 21:17

Tgt Ion:164 Resp: 79128
Ion Ratio Lower Upper
164 100
162 104.0 86.6 130.0
160 44.9 34.2 51.2



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC









#42
 2,4,6-Tribromophenol
 Concen: 149.513 ng
 RT: 16.18 min Scan# 2229
 Delta R.T. -0.01 min
 Lab File: BG038704.D
 Acq: 18 Dec 2018 21:17

Instrument :
 BNA_G
 ClientSampleId :
 DUP-01_121218

Tot Ion	Ratio	Lower	Upper
330	100		
332	94.8	76.9	115.3
141	35.2	28.8	43.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 89.807 ng
 RT: 13.32 min Scan# 1741
 Delta R.T. -0.00 min
 Lab File: BG038704.D
 Acq: 18 Dec 2018 21:17

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.8	29.8	44.6
170	24.3	19.5	29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.44 min Scan# 2443

Delta R.T. -0.00 min

Lab File: BG038704.D

Acq: 18 Dec 2018 21:17

Instrument :

BNA_G

ClientSampleId :

DUP-01_121218


Tot Ion:188 Resp: 196659

Ion Ratio Lower Upper

188 100

94 6.2 5.1 7.7




80 6.3 6.1 9.1



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG0

Ion 80.00 (79.70 to 80.70): BG0



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.72 min Scan# 3171

Delta R.T. -0.01 min

Lab File: BG038704.D

Acq: 18 Dec 2018 21:17


Tgt Ion:240 Resp: 200517

Ion Ratio Lower Upper

240 100

120 6.8 5.3 7.9



236 26.2 21.4 32.2




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 103.410 ng

RT: 20.04 min Scan# 2886

Delta R.T. -0.00 min

Lab File: BG038704.D

Acq: 18 Dec 2018 21:17

Instrument :

BNA_G

ClientSampleId :

DUP-01_121218


Tot Ion:244 Resp: 952773

Ion Ratio Lower Upper

244 100

212 7.6 6.2 9.2




122 7.5 6.3 9.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.02 min Scan# 3733

Delta R.T. -0.00 min

Lab File: BG038704.D

Acq: 18 Dec 2018 21:17


Tgt Ion:264 Resp: 209324

Ion Ratio Lower Upper

264 100

260 23.0 18.9 28.3

265 19.9 17.0 25.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

