

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG121918\
 Data File : BG038739.D
 Acq On : 19 Dec 2018 23:03
 Operator : JU/SJ
 Sample : J6477-02
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SB-A2

Quant Time: Dec 20 00:49:47 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG121218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 12 15:26:27 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.06	152	23036	20.00	ng	0.00
21) Naphthalene-d8	10.87	136	94600	20.00	ng	0.00
39) Acenaphthene-d10	14.69	164	66742	20.00	ng	0.00
64) Phenanthrene-d10	17.44	188	173731	20.00	ng	0.00
76) Chrysene-d12	21.72	240	177286	20.00	ng	0.00
87) Perylene-d12	25.01	264	186958	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	162930	125.45	ng	0.00
7) Phenol-d6	7.21	99	230515	129.29	ng	0.00
23) Nitrobenzene-d5	9.23	82	142890	77.17	ng	0.00
42) 2,4,6-Tribromophenol	16.18	330	110281	119.89	ng	0.00
45) 2-Fluorobiphenyl	13.31	172	332411	68.33	ng	0.00
79) Terphenyl-d14	20.04	244	622713	76.44	ng	0.00
Target Compounds						
10) Phenol	7.23	94	15983	8.438	ng	97
50) Dimethylphthalate	14.14	163	25586	4.694	ng	# 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG121918\
Data File : BG038739.D
Acq On : 19 Dec 2018 23:03
Operator : JU/SJ
Sample : J6477-02
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SB-A2

Quant Time: Dec 20 00:49:47 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG121218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 12 15:26:27 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.06 min Scan# 846
Delta R.T. -0.00 min
Lab File: BG038739.D
Acq: 19 Dec 2018 23:03

Instrument :
BNA_G
ClientSampled :
SB-A2

Tot Ion:152 Resp: 23036
Ion Ratio Lower Upper
152 100
150 159.2 119.5 179.3
115 54.6 49.6 74.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 125.448 ng
RT: 5.61 min Scan# 429
Delta R.T. 0.00 min
Lab File: BG038739.D
Acq: 19 Dec 2018 23:03

Tgt Ion:112 Resp: 162930
Ion Ratio Lower Upper
112 100
64 64.8 53.4 80.2
63 37.1 29.3 43.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 129.286 ng

RT: 7.21 min Scan# 702

Delta R.T. 0.00 min

Lab File: BG038739.D

Acq: 19 Dec 2018 23:03

Instrument :

BNA_G

ClientSampleId :

SB-A2


Tot Ion: 99 Resp: 230515

Ion Ratio Lower Upper




99 100

42 22.3 18.5 27.7

71 39.2 31.1 46.7



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 8.438 ng

RT: 7.23 min Scan# 706

Delta R.T. -0.00 min

Lab File: BG038739.D

Acq: 19 Dec 2018 23:03


Tgt Ion: 94 Resp: 15983

Ion Ratio Lower Upper



94 100

65 35.0 12.6 52.6

66 45.7 24.1 64.1



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.87 min Scan# 1325
Delta R.T. -0.01 min
Lab File: BG038739.D
Acq: 19 Dec 2018 23:03

Instrument :
BNA_G
ClientSampleId :
SB-A2

Tot Ion:	136	Resp:	94600
Ion	Ratio	Lower	Upper
136	100		
137	12.4	9.3	13.9
54	10.0	8.5	12.7
68	4.6	3.5	5.3




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
Nitrobenzene-d5
Concen: 77.165 ng
RT: 9.23 min Scan# 1046
Delta R.T. -0.01 min
Lab File: BG038739.D
Acq: 19 Dec 2018 23:03

Tgt Ion:	82	Resp:	142890
Ion	Ratio	Lower	Upper
82	100		
128	46.0	34.6	52.0
54	64.1	50.6	76.0



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.69 min Scan# 1975

Delta R.T. -0.01 min

Lab File: BG038739.D

Acq: 19 Dec 2018 23:03

Instrument :

BNA_G

ClientSampleId :

SB-A2


Tot Ion:164 Resp: 66742

Ion Ratio Lower Upper

164 100

162 103.9 86.6 130.0




160 45.6 34.2 51.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 119.893 ng

RT: 16.18 min Scan# 2229

Delta R.T. -0.01 min

Lab File: BG038739.D

Acq: 19 Dec 2018 23:03


Tgt Ion:330 Resp: 110281

Ion Ratio Lower Upper

330 100

332 97.4 76.9 115.3



141 33.7 28.8 43.2



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 68.325 ng
 RT: 13.31 min Scan# 1740
 Delta R.T. -0.01 min
 Lab File: BG038739.D
 Acq: 19 Dec 2018 23:03




Instrument :
 BNA_G
 ClientSampleId :
 SB-A2


Tot Ion:172 Resp: 332411
 Ion Ratio Lower Upper
 172 100
 171 37.1 29.8 44.6
 170 23.6 19.5 29.3



#50
 Dimethylphthalate
 Concen: 4.694 ng
 RT: 14.14 min Scan# 1881
 Delta R.T. -0.01 min
 Lab File: BG038739.D
 Acq: 19 Dec 2018 23:03

Tgt Ion:163 Resp: 25586
 Ion Ratio Lower Upper
 163 100
 194 6.5 3.7 5.5#
 164 9.9 8.6 12.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.44 min Scan# 2443
Delta R.T. -0.00 min
Lab File: BG038739.D
Acq: 19 Dec 2018 23:03

Instrument :
BNA_G
ClientSampled :
SB-A2

Tot Ion:188 Resp: 173731
Ion Ratio Lower Upper
188 100
94 6.0 5.1 7.7
80 6.9 6.1 9.1




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGO
Ion 80.00 (79.70 to 80.70): BGO






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.72 min Scan# 3171
Delta R.T. -0.01 min
Lab File: BG038739.D
Acq: 19 Dec 2018 23:03

Tgt Ion:240 Resp: 177286
Ion Ratio Lower Upper
240 100
120 6.7 5.3 7.9
236 27.4 21.4 32.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 76.443 ng

RT: 20.04 min Scan# 2886

Delta R.T. -0.00 min

Lab File: BG038739.D

Acq: 19 Dec 2018 23:03

Instrument :

BNA_G

ClientSampleId :

SB-A2





Tot Ion:244 Resp: 622713

Ion Ratio Lower Upper

244 100

212 7.6 6.2 9.2

122 6.7 6.3 9.5



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.01 min Scan# 3732

Delta R.T. -0.01 min

Lab File: BG038739.D

Acq: 19 Dec 2018 23:03

Tgt Ion:264 Resp: 186958

Ion Ratio Lower Upper

264 100

260 22.7 18.9 28.3

265 21.9 17.0 25.4

