

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG122120\
 Data File : BG047787.D
 Acq On : 21 Dec 2020 20:23
 Operator : CG/JU
 Sample : L5114-08
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 A54Q2

Manual Integrations
 APPROVED

mohammad
 12/22/2020 2:40:12 PM

Quant Time: Dec 22 00:52:54 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG120720MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Dec 22 00:34:10 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.20	152	34452	20.00	ng/ul	0.00
18) Naphthalene-d8	11.02	136	132425	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.82	164	104213	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.56	188	260134	20.00	ng/ul	0.00
78) Chrysene-d12	21.83	240	273839	20.00	ng/ul	0.00
86) Perylene-d12	25.18	264	288210	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.52	96	2666m	4.12	ng/uL	0.00
5) Phenol-d5	7.33	99	53104	18.01	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.51	67	31064	20.49	ng/ul	0.00
9) 2-Chlorophenol-d4	7.73	132	40848	18.27	ng/ul	0.00
13) 4-Methylphenol-d8	8.89	113	43298	18.50	ng/ul	0.00
19) Nitrobenzene-d5	9.37	128	22733	21.05	ng/ul	0.00
22) 2-Nitrophenol-d4	10.10	143	23475	18.04	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.64	165	47880	16.94	ng/ul	0.00
29) 4-Chloroaniline-d4	11.15	131	51269	19.76	ng/ul	0.00
44) Dimethylphthalate-d6	14.21	166	174564	19.28	ng/ul	0.00
47) Acenaphthylene-d8	14.52	160	214754	20.77	ng/ul	0.00
52) 4-Nitrophenol-d4	14.98	143	12082m	9.00	ng/ul	-0.01
58) Fluorene-d10	15.81	176	160625	19.28	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.91	200	19812	11.25	ng/ul	0.00
71) Anthracene-d10	17.66	188	262305	20.22	ng/ul	0.00
79) Pyrene-d10	19.92	212	318362	19.67	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.95	264	331092	19.67	ng/ul	0.00

Target Compounds

				Ovalue	
6) Phenol	7.36	94	5415	1.944	ng/ul# 88
45) Dimethylphthalate	14.26	163	50240	5.479	ng/ul# 96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG122120\
Data File : BG047787.D
Acq On : 21 Dec 2020 20:23
Operator : CG/JU
Sample : L5114-08
Misc :
ALS Vial : 10 Sample Multiplier: 1


Instrument :
BNA_G
ClientSampleId :
A54Q2

Manual Integrations
APPROVED

mohammad
12/22/2020 2:40:12 PM

Quant Time: Dec 22 00:52:54 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG120720MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Dec 22 00:34:10 2020
Response via : Initial Calibration





#6

Phenol





Concen: 1.944 ng/ul
 RT: 7.36 min Scan# 685
 Delta R.T. -0.00 min
 Lab File: BG047787.D
 Acq: 21 Dec 2020 20:23

Instrument :
 BNA_G
 ClientSampleId :
 A54Q2

Tot Ion	Ratio	Lower	Upper
94	100		
65	27.8	35.4	53.0#
66	75.8	58.3	87.5

Manual Integrations
 APPROVED

mohammad
 12/22/2020 2:40:12 PM



#45

Dimethylphthalate

Concen: 5.479 ng/ul
 RT: 14.26 min Scan# 1859
 Delta R.T. -0.00 min
 Lab File: BG047787.D
 Acq: 21 Dec 2020 20:23

Tgt Ion	Ratio	Lower	Upper
163	100		
194	2.9	3.8	5.6#
164	8.8	8.1	12.1

