

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG020620\
 Data File : BG044324.D
 Acq On : 6 Feb 2020 15:56
 Operator : CG/JU
 Sample : PB126588BL
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB126588BL

Quant Time: Feb 06 22:06:23 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG013020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jan 30 16:05:09 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.91	152	86898	20.00	ng	0.00
21) Naphthalene-d8	10.71	136	349548	20.00	ng	0.00
39) Acenaphthene-d10	14.55	164	239493	20.00	ng	0.00
64) Phenanthrene-d10	17.29	188	548822	20.00	ng	0.00
76) Chrysene-d12	21.54	240	480794	20.00	ng	0.00
87) Perylene-d12	24.63	264	529160	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.49	112	526270	106.88	ng	0.00
7) Phenol-d6	7.08	99	671329	101.53	ng	0.00
23) Nitrobenzene-d5	9.07	82	395849	63.93	ng	0.00
42) 2,4,6-Tribromophenol	16.04	330	289828	103.09	ng	0.00
45) 2-Fluorobiphenyl	13.17	172	970182	67.84	ng	0.00
79) Terphenyl-d14	19.91	244	1591732	68.10	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG020620\
Data File : BG044324.D
Acq On : 6 Feb 2020 15:56
Operator : CG/JU
Sample : PB126588BL
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB126588BL

Quant Time: Feb 06 22:06:23 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG013020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jan 30 16:05:09 2020
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.91 min Scan# 821
Delta R.T. -0.01 min
Lab File: BG044324.D
Acq: 6 Feb 2020 15:56

Instrument :
BNA_G
ClientSampleId :
PB126588BL




Tot Ion:152 Resp: 86898
Ion Ratio Lower Upper
152 100
150 159.8 122.6 183.8
115 58.6 46.0 69.0




#5

2-Fluorophenol
Concen: 106.882 ng
RT: 5.49 min Scan# 409
Delta R.T. -0.00 min
Lab File: BG044324.D
Acq: 6 Feb 2020 15:56

Tgt Ion:112 Resp: 526270
Ion Ratio Lower Upper
112 100
64 55.7 45.4 68.2
63 28.3 22.9 34.3





#7

Phenol-d6

Concen: 101.532 ng

RT: 7.08 min Scan# 680

Delta R.T. -0.00 min

Lab File: BG044324.D

Acq: 6 Feb 2020 15:56

Instrument :

BNA_G

ClientSampleId :

PB126588BL


Tot Ion: 99 Resp: 671329

Ion Ratio Lower Upper




99 100

42 16.6 13.8 20.6

71 29.9 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.71 min Scan# 1298

Delta R.T. -0.00 min

Lab File: BG044324.D

Acq: 6 Feb 2020 15:56

Tgt Ion: 136 Resp: 349548


Ion Ratio Lower Upper

136 100



137 10.9 8.8 13.2


54 6.5 5.8 8.8

68 5.8 4.6 6.8



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 63.934 ng
RT: 9.07 min Scan# 1018
Delta R.T. -0.00 min
Lab File: BG044324.D
Acq: 6 Feb 2020 15:56

Instrument :
BNA_G
ClientSampled :
PB126588BL

Tot Ion: 82 Resp: 395849
Ion Ratio Lower Upper
82 100
128 47.6 36.5 54.7
54 46.4 38.6 58.0




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.55 min Scan# 1950
Delta R.T. -0.01 min
Lab File: BG044324.D
Acq: 6 Feb 2020 15:56

Tgt Ion:164 Resp: 239493
Ion Ratio Lower Upper
164 100
162 102.0 80.7 121.1
160 43.4 35.3 52.9



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC





#42

2,4,6-Tribromophenol

Concen: 103.086 ng

RT: 16.04 min Scan# 2204

Delta R.T. -0.01 min

Lab File: BG044324.D

Acq: 6 Feb 2020 15:56

Instrument :

BNA_G

ClientSampleId :

PB126588BL


Tot Ion:330 Resp: 289828

Ion Ratio Lower Upper

330 100

332 96.6 77.2 115.8




141 35.6 28.3 42.5



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 67.836 ng

RT: 13.17 min Scan# 1716

Delta R.T. -0.01 min

Lab File: BG044324.D

Acq: 6 Feb 2020 15:56


Tgt Ion:172 Resp: 970182

Ion Ratio Lower Upper

172 100

171 38.3 32.9 49.3



170 25.6 22.0 33.0




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.29 min Scan# 2417
Delta R.T. -0.01 min
Lab File: BG044324.D
Acq: 6 Feb 2020 15:56

Instrument :
BNA_G
ClientSampleId :
PB126588BL

Tot Ion:188 Resp: 548822
Ion Ratio Lower Upper
188 100
94 8.9 7.4 11.2
80 9.7 7.7 11.5




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.54 min Scan# 3140
Delta R.T. -0.01 min
Lab File: BG044324.D
Acq: 6 Feb 2020 15:56

Tgt Ion:240 Resp: 480794
Ion Ratio Lower Upper
240 100
120 10.2 8.4 12.6
236 28.4 22.1 33.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 68.095 ng

RT: 19.91 min Scan# 2863

Delta R.T. -0.01 min

Lab File: BG044324.D

Acq: 6 Feb 2020 15:56

Instrument :

BNA_G

ClientSampleId :

PB126588BL


Tot Ion:244 Resp: 1591732

Ion Ratio Lower Upper

244 100

212 8.5 7.4 11.2




122 11.3 9.8 14.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 24.63 min Scan# 3667

Delta R.T. -0.01 min

Lab File: BG044324.D

Acq: 6 Feb 2020 15:56


Tgt Ion:264 Resp: 529160

Ion Ratio Lower Upper

264 100

260 24.3 19.4 29.2

265 22.3 16.7 25.1



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

