

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG062522\
 Data File : BG054066.D
 Acq On : 25 Jun 2022 17:59
 Operator : CG/JU
 Sample : PB142715BS
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SLCS715

Quant Time: Jun 27 01:46:06 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG062022.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jun 20 15:29:13 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.073	152	20777	20.000	ng/u1	0.00
20) Naphthalene-d8	10.882	136	98970	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.695	164	77488	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.439	188	196377	20.000	ng/u1	0.00
79) Chrysene-d12	21.716	240	208319	20.000	ng/u1	0.00
88) Perylene-d12	24.971	264	210932	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.496	96	3175	7.271	ng/uL	0.00
4) Pyridine-d5	3.907	84	45215	38.069	ng/u1	0.00
7) Phenol-d5	7.227	99	64920	43.615	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.392	67	38928	43.355	ng/u1	0.00
11) 2-Chlorophenol-d4	7.603	132	48987	41.270	ng/u1	0.00
15) 4-Methylphenol-d8	8.778	113	55270	43.549	ng/u1	0.00
21) Nitrobenzene-d5	9.231	128	26136	35.578	ng/u1	0.00
24) 2-Nitrophenol-d4	9.953	143	29312	37.554	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.500	165	64123	37.132	ng/u1	0.00
31) 4-Chloroaniline-d4	11.005	131	73269	33.584	ng/u1	0.00
46) Dimethylphthalate-d6	14.096	166	214050	35.114	ng/u1	0.00
49) Acenaphthylene-d8	14.389	160	239087	36.069	ng/u1	0.00
54) 4-Nitrophenol-d4	14.883	143	33187	39.760	ng/u1	0.00
60) Fluorene-d10	15.688	176	193362	35.313	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.799	200	39288	36.675	ng/u1	0.00
73) Anthracene-d10	17.539	188	314561	35.469	ng/u1	0.00
81) Pyrene-d10	19.824	212	413070	38.030	ng/u1	0.00
92) Benzo(a)pyrene-d12	24.748	264	404652	38.005	ng/u1	0.00
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.531	88	7485	15.708	ng/uL#	86
5) Pyridine	3.925	79	46380	37.654	ng/u1	92
6) Benzaldehyde	7.204	77	44314	58.463	ng/u1	95
8) Phenol	7.256	94	66031	42.515	ng/u1	99
10) Bis(2-Chloroethyl)ether	7.486	93	47851	40.674	ng/u1	89
12) 2-Chlorophenol	7.638	128	48742	40.220	ng/u1	97
13) 2-Methylphenol	8.508	108	51041	42.336	ng/u1	92
14) 2,2'-oxybis(1-Chloropr...	8.596	45	78665	45.016	ng/u1	98
16) Acetophenone	8.890	105	78885	40.190	ng/u1	97
17) N-Nitroso-di-n-propyla...	8.878	70	41062	41.039	ng/u1	98
18) 4-Methylphenol	8.837	108	56627	43.906	ng/u1	99
19) Hexachloroethane	9.160	117	18551	36.124	ng/u1	88
22) Nitrobenzene	9.272	77	62404	35.664	ng/u1	94
23) Isophorone	9.795	82	119862	35.331	ng/u1	99
25) 2-Nitrophenol	9.989	139	29656	36.234	ng/u1	93
26) 2,4-Dimethylphenol	10.047	107	61121	34.199	ng/u1	94
27) Bis(2-Chloroethoxy)met...	10.276	93	70377	36.849	ng/u1	100
29) 2,4-Dichlorophenol	10.523	162	58411	33.823	ng/u1	96
30) Naphthalene	10.929	128	167680	34.154	ng/u1	98
32) 4-Chloroaniline	11.034	127	70338	32.513	ng/u1	98
33) Hexachlorobutadiene	11.222	225	42833	25.393	ng/u1	98
34) Caprolactam	11.786	113	13866	26.906	ng/u1	82
35) 4-Chloro-3-methylphenol	12.151	107	62081	37.382	ng/u1	99
36) 2-Methylnaphthalene	12.533	142	122917	33.844	ng/u1	99


Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG062522\
 Data File : BG054066.D
 Acq On : 25 Jun 2022 17:59
 Operator : CG/JU
 Sample : PB142715BS
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SLCS715

Quant Time: Jun 27 01:46:06 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG062022.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jun 20 15:29:13 2022
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
37) 1-Methylnaphthalene	12.750	142	124417	34.351	ng/ul	98
39) 1,2,4,5-Tetrachloroben...	12.897	216	90745	28.811	ng/ul	99
40) Hexachlorocyclopentadiene	12.879	237	41209	23.329	ng/ul	96
41) 2,4,6-Trichlorophenol	13.132	196	53266	32.584	ng/ul	95
42) 2,4,5-Trichlorophenol	13.208	196	61489	33.272	ng/ul	98
43) 1,1'-Biphenyl	13.531	154	182084	33.904	ng/ul	100
44) 2-Chloronaphthalene	13.578	162	145304	32.579	ng/ul	100
45) 2-Nitroaniline	13.772	65	44921	40.035	ng/ul	98
47) Dimethylphthalate	14.143	163	199553	34.059	ng/ul#	99
48) 2,6-Dinitrotoluene	14.266	165	42346	35.936	ng/ul	94
50) Acenaphthylene	14.419	152	231655	34.036	ng/ul	99
51) 3-Nitroaniline	14.595	138	39595	41.393	ng/ul#	92
52) Acenaphthene	14.759	153	161671	35.571	ng/ul	99
53) 2,4-Dinitrophenol	14.801	184	17981	32.939	ng/ul#	59
55) 4-Nitrophenol	14.900	109	27084	33.101	ng/ul	96
56) Dibenzofuran	15.094	168	234456	33.714	ng/ul	97
57) 2,4-Dinitrotoluene	15.047	165	63265	37.012	ng/ul#	96
58) 2,3,4,6-Tetrachlorophenol	15.318	232	54991	34.244	ng/ul#	98
59) Diethylphthalate	15.506	149	200022	34.818	ng/ul	100
61) Fluorene	15.741	166	195517	34.520	ng/ul	99
62) 4-Chlorophenyl-phenyle...	15.735	204	110576	30.704	ng/ul	94
63) 4-Nitroaniline	15.752	138	43120	46.880	ng/ul	92
66) 4,6-Dinitro-2-methylph...	15.817	198	36925	35.908	ng/ul	99
67) N-Nitrosodiphenylamine	15.946	169	176846	36.836	ng/ul	97
68) 4-Bromophenyl-phenylether	16.628	248	80133	32.851	ng/ul	97
69) Hexachlorobenzene	16.751	284	86730	30.336	ng/ul	95
70) Atrazine	16.886	200	80556	34.162	ng/ul	97
71) Pentachlorophenol	17.092	266	36306	29.961	ng/ul	95
72) Phenanthrene	17.486	178	350840	36.061	ng/ul	98
74) Anthracene	17.574	178	348868	35.580	ng/ul	100
75) 1,2,3,4-Tetrachloroben...	13.502	216	97910	29.273	ng/ul	97
76) Pentachlorobenzene	15.018	250	95062	30.902	ng/ul	92
77) Carbazole	17.838	167	307799	38.075	ng/ul	98
78) Di-n-butylphthalate	18.396	149	366527	39.823	ng/ul	99
80) Fluoranthene	19.489	202	450001	37.112	ng/ul	99
82) Pyrene	19.853	202	449080	37.252	ng/ul	100
83) Butylbenzylphthalate	20.735	149	164648	45.320	ng/ul	98
84) 3,3'-Dichlorobenzidine	21.604	252	161070	37.362	ng/ul	96
85) Benzo(a)anthracene	21.693	228	474251	36.934	ng/ul	99
86) Bis(2-ethylhexyl)phtha...	21.599	149	233889	44.058	ng/ul	99
87) Chrysene	21.763	228	438042	35.559	ng/ul	99
89) Di-n-octyl phthalate	22.821	149	405734	44.788	ng/ul	100
90) Benzo(b)fluoranthene	23.937	252	480694	36.907	ng/ul	97
91) Benzo(k)fluoranthene	24.007	252	472838	37.914	ng/ul	99
93) Benzo(a)pyrene	24.818	252	423422	33.748	ng/ul	99
94) Indeno(1,2,3-cd)pyrene	28.696	276	562076	37.236	ng/ul	99
95) Dibenzo(a,h)anthracene	28.755	278	270943	21.328	ng/ul	99
96) Benzo(g,h,i)perylene	29.854	276	449721	35.286	ng/ul	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed






#2
1,4-Dioxane
Concen: 15.708 ng/uL
RT: 3.531 min Scan# 24
Delta R.T. -0.010 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59

Instrument :
BNA_G
ClientSampleId :
SLCS715







Tgt Ion: 88 Resp: 7485
Ion Ratio Lower Upper
88 100
43 41.1 48.1 72.1#
58 78.7 59.8 89.6



#5
Pyridine
Concen: 37.654 ng/uL
RT: 3.925 min Scan# 91
Delta R.T. -0.010 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59

Tgt Ion: 79 Resp: 46380
Ion Ratio Lower Upper
79 100
52 87.0 75.4 113.2
51 39.2 35.2 52.8









#6
Benzaldehyde
Concen: 58.463 ng/ul
RT: 7.204 min Scan# 649
Delta R.T. -0.010 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59




Instrument :
BNA_G
ClientSampleId :
SLCS715


Tgt Ion: 77 Resp: 44314
Ion Ratio Lower Upper
77 100
105 93.4 79.7 119.5
106 91.4 71.0 106.4



#8
Phenol
Concen: 42.515 ng/ul
RT: 7.256 min Scan# 658
Delta R.T. 0.002 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59

Tgt Ion: 94 Resp: 66031
Ion Ratio Lower Upper
94 100
65 29.0 24.1 36.1
66 40.9 32.5 48.7









#10
Bis(2-Chloroethyl)ether
Concen: 40.674 ng/ul
RT: 7.486 min Scan# 697
Delta R.T. -0.010 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59




Instrument :
BNA_G
ClientSampleId :
SLCS715


Tgt Ion:	93	Resp:	47851
Ion	Ratio	Lower	Upper
93	100		
63	79.9	72.3	108.5
95	31.3	29.4	44.0



#12
2-Chlorophenol
Concen: 40.220 ng/ul
RT: 7.638 min Scan# 723
Delta R.T. -0.004 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59

Tgt Ion:	128	Resp:	48742
Ion	Ratio	Lower	Upper
128	100		
64	50.3	41.4	62.2
130	31.0	27.0	40.6





#13

2-Methylphenol

Concen: 42.336 ng/ul

RT: 8.508 min Scan# 871

Delta R.T. -0.004 min

Lab File: BG054066.D

Acq: 25 Jun 2022 17:59

Instrument :

BNA_G

ClientSampleId :





SLCS715

Tgt Ion:108 Resp: 51041

Ion Ratio Lower Upper

108 100

107 87.4 75.8 113.8



#14

2,2'-oxybis(1-Chloropropane)

Concen: 45.016 ng/ul

RT: 8.596 min Scan# 886

Delta R.T. -0.010 min

Lab File: BG054066.D

Acq: 25 Jun 2022 17:59




Tgt Ion: 45 Resp: 78665


Ion Ratio Lower Upper

45 100

77 12.0 10.2 15.4

79 9.2 8.1 12.1









#16
Acetophenone
Concen: 40.190 ng/ul
RT: 8.890 min Scan# 91
Delta R.T. -0.010 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59




Instrument :
BNA_G
ClientSampleId :
SLCS715


Tgt Ion:105 Resp: 78885
Ion Ratio Lower Upper
105 100
77 79.0 61.0 91.6
51 29.7 22.8 34.2



#17
N-Nitroso-di-n-propylamine
Concen: 41.039 ng/ul
RT: 8.878 min Scan# 934
Delta R.T. -0.004 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59

Tgt Ion: 70 Resp: 41062
Ion Ratio Lower Upper
70 100
42 64.1 50.2 75.4
101 10.2 7.1 10.7
130 20.6 15.5 23.3









#18
4-Methylphenol
Concen: 43.906 ng/ul
RT: 8.837 min Scan# 91
Delta R.T. -0.004 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59




Instrument :
BNA_G
ClientSampleId :
SLCS715


Tgt Ion:108 Resp: 56627
Ion Ratio Lower Upper
108 100
107 112.1 90.7 136.1



#19
Hexachloroethane
Concen: 36.124 ng/ul
RT: 9.160 min Scan# 982
Delta R.T. -0.010 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59

Tgt Ion:117 Resp: 18551
Ion Ratio Lower Upper
117 100
201 128.0 117.4 176.0
199 84.9 64.0 96.0









#22
Nitrobenzene
Concen: 35.664 ng/ul
RT: 9.272 min Scan# 1001
Delta R.T. -0.004 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59




Instrument :
BNA_G
ClientSampleId :
SLCS715


Tgt Ion: 77 Resp: 62404
Ion Ratio Lower Upper
77 100
123 42.7 31.2 46.8
65 15.5 10.5 15.7



#23
Isophorone
Concen: 35.331 ng/ul
RT: 9.795 min Scan# 1090
Delta R.T. -0.010 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59

Tgt Ion: 82 Resp: 119862
Ion Ratio Lower Upper
82 100
95 7.3 6.1 9.1
138 16.5 13.6 20.4





#25

2-Nitrophenol

Concen: 36.234 ng/ul

RT: 9.989 min Scan# 1123

Delta R.T. -0.010 min

Lab File: BG054066.D

Acq: 25 Jun 2022 17:59





Instrument :

BNA_G

ClientSampleId :

SLCS715

Tgt Ion:	139	Resp:	29656
Ion Ratio	Lower	Upper	
139	100		
65	53.9	47.7	71.5
109	31.1	27.1	40.7



#26

2,4-Dimethylphenol

Concen: 34.199 ng/ul




RT: 10.047 min Scan# 1133


Delta R.T. -0.004 min

Lab File: BG054066.D

Acq: 25 Jun 2022 17:59

Tgt Ion:	107	Resp:	61121
Ion Ratio	Lower	Upper	
107	100		
121	49.1	39.9	59.9
122	75.8	66.7	100.1





#27

Bis(2-Chloroethoxy)methane

Concen: 36.849 ng/ul

RT: 10.276 min Scan# 1172

Delta R.T. -0.010 min

Lab File: BG054066.D

Acq: 25 Jun 2022 17:59

Instrument :

BNA_G

ClientSampleId :

SLCS715





Tgt Ion: 93 Resp: 70377

Ion Ratio Lower Upper

93 100

95 33.3 26.5 39.7

123 11.2 8.8 13.2



#29

2,4-Dichlorophenol

Concen: 33.823 ng/ul

RT: 10.523 min Scan# 1214

Delta R.T. -0.010 min

Lab File: BG054066.D

Acq: 25 Jun 2022 17:59




Tgt Ion:162 Resp: 58411


Ion Ratio Lower Upper

162 100

164 67.0 50.9 76.3

98 33.4 28.5 42.7









#30
Naphthalene
Concen: 34.154 ng/ul
RT: 10.929 min Scan# 1283
Delta R.T. -0.010 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59




Instrument :
BNA_G
ClientSampleId :
SLCS715


Tgt Ion:128 Resp: 167680
Ion Ratio Lower Upper
128 100
129 10.2 9.0 13.6
127 13.2 11.1 16.7



#32
4-Chloroaniline
Concen: 32.513 ng/ul
RT: 11.034 min Scan# 1301
Delta R.T. -0.004 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59

Tgt Ion:127 Resp: 70338
Ion Ratio Lower Upper
127 100
129 32.7 25.4 38.2









#33
Hexachlorobutadiene
Concen: 25.393 ng/ul
RT: 11.222 min Scan# 11
Delta R.T. -0.004 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59




Instrument :
BNA_G
ClientSampleId :
SLCS715


Tgt Ion:225 Resp: 42833
Ion Ratio Lower Upper
225 100
223 64.2 50.2 75.2
227 62.9 51.8 77.6



#34
Caprolactam
Concen: 26.906 ng/ul
RT: 11.786 min Scan# 1429
Delta R.T. -0.004 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59

Tgt Ion:113 Resp: 13866
Ion Ratio Lower Upper
113 100
55 177.6 167.8 251.6
56 139.8 127.6 191.4









#35
 4-Chloro-3-methylphenol
 Concen: 37.382 ng/ul
 RT: 12.151 min Scan# 1491
 Delta R.T. -0.004 min
 Lab File: BG054066.D
 Acq: 25 Jun 2022 17:59




Instrument :
 BNA_G
 ClientSampleId :
 SLCS715


Tgt Ion:107 Resp: 62081
 Ion Ratio Lower Upper
 107 100
 144 26.6 21.3 31.9
 142 82.3 65.0 97.4



#36
 2-Methylnaphthalene
 Concen: 33.844 ng/ul
 RT: 12.533 min Scan# 1556
 Delta R.T. -0.004 min
 Lab File: BG054066.D
 Acq: 25 Jun 2022 17:59

Tgt Ion:142 Resp: 122917
 Ion Ratio Lower Upper
 142 100
 141 94.9 76.3 114.5









#37
 1-Methylnaphthalene
 Concen: 34.351 ng/ul
 RT: 12.750 min Scan# 1593
 Delta R.T. -0.004 min
 Lab File: BG054066.D
 Acq: 25 Jun 2022 17:59




Instrument :
 BNA_G
 ClientSampleId :
 SLCS715


Tgt Ion:142 Resp: 124417
 Ion Ratio Lower Upper
 142 100
 141 89.4 73.4 110.2
 116 3.5 3.2 4.8



#39
 1,2,4,5-Tetrachlorobenzene
 Concen: 28.811 ng/ul
 RT: 12.897 min Scan# 1618
 Delta R.T. -0.010 min
 Lab File: BG054066.D
 Acq: 25 Jun 2022 17:59

Tgt Ion:216 Resp: 90745
 Ion Ratio Lower Upper
 216 100
 214 72.7 58.1 87.1
 179 17.7 14.8 22.2
 108 11.8 10.4 15.6









#40
Hexachlorocyclopentadiene
Concen: 23.329 ng/ul
RT: 12.879 min Scan# 1615
Delta R.T. -0.010 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59




Instrument :
BNA_G
ClientSampleId :
SLCS715


Tgt Ion:237 Resp: 41209
Ion Ratio Lower Upper
237 100
235 62.1 47.0 70.6
272 12.0 8.6 12.8



#41
2,4,6-Trichlorophenol
Concen: 32.584 ng/ul
RT: 13.132 min Scan# 1658
Delta R.T. -0.004 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59

Tgt Ion:196 Resp: 53266
Ion Ratio Lower Upper
196 100
198 96.1 81.9 122.9
200 33.2 25.7 38.5









#42
2,4,5-Trichlorophenol
Concen: 33.272 ng/ul
RT: 13.208 min Scan# 1
Delta R.T. 0.002 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59




Instrument :
BNA_G
ClientSampleId :
SLCS715


Tgt Ion:196 Resp: 61489
Ion Ratio Lower Upper
196 100
198 97.6 76.3 114.5
200 32.9 25.5 38.3



#43
1,1'-Biphenyl
Concen: 33.904 ng/ul
RT: 13.531 min Scan# 1726
Delta R.T. -0.010 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59

Tgt Ion:154 Resp: 182084
Ion Ratio Lower Upper
154 100
153 41.0 32.7 49.1
76 11.8 9.0 13.6









#44
2-Chloronaphthalene
Concen: 32.579 ng/ul
RT: 13.578 min Scan# 11
Delta R.T. -0.004 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59




Instrument :
BNA_G
ClientSampleId :
SLCS715


Tgt Ion:162 Resp: 145304
Ion Ratio Lower Upper
162 100
164 31.8 25.7 38.5
127 35.2 28.3 42.5



#45
2-Nitroaniline
Concen: 40.035 ng/ul
RT: 13.772 min Scan# 1767
Delta R.T. -0.004 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59

Tgt Ion: 65 Resp: 44921
Ion Ratio Lower Upper
65 100
92 65.5 52.2 78.4
138 102.6 79.0 118.4









#47
Dimethylphthalate
Concen: 34.059 ng/ul
RT: 14.143 min Scan# 1830
Delta R.T. -0.004 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59




Instrument :
BNA_G
ClientSampleId :
SLCS715


Tgt Ion:163 Resp: 199553
Ion Ratio Lower Upper
163 100
194 3.4 3.7 5.5#
164 9.8 7.9 11.9



#48
2,6-Dinitrotoluene
Concen: 35.936 ng/ul
RT: 14.266 min Scan# 1851
Delta R.T. 0.002 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59

Tgt Ion:165 Resp: 42346
Ion Ratio Lower Upper
165 100
89 50.5 44.7 67.1
121 19.9 16.9 25.3









#50
Acenaphthylene
Concen: 34.036 ng/ul
RT: 14.419 min Scan# 11
Delta R.T. -0.004 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59




Instrument :
BNA_G
ClientSampleId :
SLCS715


Tgt Ion:152 Resp: 231655
Ion Ratio Lower Upper
152 100
151 19.9 16.2 24.2
153 13.5 10.5 15.7



#51
3-Nitroaniline
Concen: 41.393 ng/ul
RT: 14.595 min Scan# 1907
Delta R.T. 0.002 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59

Tgt Ion:138 Resp: 39595
Ion Ratio Lower Upper
138 100
108 10.8 17.8 26.6#
92 112.1 94.2 141.4









#52
Acenaphthene
Concen: 35.571 ng/ul
RT: 14.759 min Scan# 1935
Delta R.T. -0.010 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59




Instrument :
BNA_G
ClientSampleId :
SLCS715


Tgt Ion:153 Resp: 161671
Ion Ratio Lower Upper
153 100
152 48.7 37.5 56.3
154 85.8 68.8 103.2



#53
2,4-Dinitrophenol
Concen: 32.939 ng/ul
RT: 14.801 min Scan# 1942
Delta R.T. 0.002 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59

Tgt Ion:184 Resp: 17981
Ion Ratio Lower Upper
184 100
63 56.2 34.7 52.1#
154 56.8 87.3 130.9#









#55
4-Nitrophenol
Concen: 33.101 ng/ul
RT: 14.900 min Scan# 1959
Delta R.T. 0.008 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59




Instrument :
BNA_G
ClientSampleId :
SLCS715


Tgt Ion:109 Resp: 27084
Ion Ratio Lower Upper
109 100
139 120.9 92.9 139.3
65 125.9 97.8 146.6



#56
Dibenzofuran
Concen: 33.714 ng/ul
RT: 15.094 min Scan# 1992
Delta R.T. -0.004 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59

Tgt Ion:168 Resp: 234456
Ion Ratio Lower Upper
168 100
139 33.4 28.2 42.2





#57

2,4-Dinitrotoluene

Concen: 37.012 ng/ul

RT: 15.047 min Scan# 1984

Delta R.T. -0.004 min

Lab File: BG054066.D

Acq: 25 Jun 2022 17:59

Instrument :

BNA_G

ClientSampleId :

SLCS715





Tgt Ion:165 Resp: 63265

Ion Ratio Lower Upper

165 100

63 38.8 33.0 49.4

182 2.4 2.8 4.2#



#58

2,3,4,6-Tetrachlorophenol

Concen: 34.244 ng/ul

RT: 15.318 min Scan# 2030

Delta R.T. -0.004 min

Lab File: BG054066.D

Acq: 25 Jun 2022 17:59

Tgt Ion:232 Resp: 54991




Ion Ratio Lower Upper


232 100

131 35.6 27.5 41.3

130 1.8 1.8 2.8#

166 26.3 20.7 31.1









#59
Diethylphthalate
Concen: 34.818 ng/ul
RT: 15.506 min Scan# 2062
Delta R.T. -0.004 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59




Instrument :
BNA_G
ClientSampleId :
SLCS715


Tgt Ion:149 Resp: 200022
Ion Ratio Lower Upper
149 100
177 23.9 18.9 28.3
150 13.0 10.6 15.8



#61
Fluorene
Concen: 34.520 ng/ul
RT: 15.741 min Scan# 2102
Delta R.T. -0.010 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59

Tgt Ion:166 Resp: 195517
Ion Ratio Lower Upper
166 100
165 100.6 81.7 122.5
167 14.0 11.0 16.4





#62

4-Chlorophenyl-phenylether

Concen: 30.704 ng/ul

RT: 15.735 min Scan# 2101

Delta R.T. -0.004 min

Lab File: BG054066.D

Acq: 25 Jun 2022 17:59

Instrument :

BNA_G

ClientSampleId :

SLCS715





Tgt Ion:204 Resp: 110576

Ion Ratio Lower Upper

204 100

206 31.8 27.1 40.7

141 45.9 40.7 61.1



#63

4-Nitroaniline

Concen: 46.880 ng/ul

RT: 15.752 min Scan# 2104

Delta R.T. 0.002 min

Lab File: BG054066.D

Acq: 25 Jun 2022 17:59




Tgt Ion:138 Resp: 43120


Ion Ratio Lower Upper

138 100

92 51.4 42.0 63.0

108 87.1 79.0 118.6









#66
 4,6-Dinitro-2-methylphenol
 Concen: 35.908 ng/ul
 RT: 15.817 min Scan# 2115
 Delta R.T. -0.004 min
 Lab File: BG054066.D
 Acq: 25 Jun 2022 17:59




Instrument :
 BNA_G
 ClientSampleId :
 SLCS715


Tgt Ion:198 Resp: 36925
 Ion Ratio Lower Upper
 198 100
 182 4.8 3.4 5.0
 77 18.8 14.7 22.1



#67
 N-Nitrosodiphenylamine
 Concen: 36.836 ng/ul
 RT: 15.946 min Scan# 2137
 Delta R.T. -0.004 min
 Lab File: BG054066.D
 Acq: 25 Jun 2022 17:59

Tgt Ion:169 Resp: 176846
 Ion Ratio Lower Upper
 169 100
 168 66.6 51.0 76.4
 167 36.7 28.7 43.1









#68
4-Bromophenyl-phenylether
Concen: 32.851 ng/ul
RT: 16.628 min Scan# 21
Delta R.T. -0.004 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59




Instrument :
BNA_G
ClientSampleId :
SLCS715


Tgt Ion:248 Resp: 80133
Ion Ratio Lower Upper
248 100
250 96.8 78.2 117.2
141 54.3 46.7 70.1



#69
Hexachlorobenzene
Concen: 30.336 ng/ul
RT: 16.751 min Scan# 2274
Delta R.T. -0.004 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59

Tgt Ion:284 Resp: 86730
Ion Ratio Lower Upper
284 100
142 23.8 20.8 31.2
249 31.1 27.4 41.0









#70
 Atrazine
 Concen: 34.162 ng/ul
 RT: 16.886 min Scan# 21
 Delta R.T. -0.004 min
 Lab File: BG054066.D
 Acq: 25 Jun 2022 17:59




Instrument :
 BNA_G
 ClientSampleId :
 SLCS715


Tgt Ion:200 Resp: 80556
 Ion Ratio Lower Upper
 200 100
 173 24.1 19.8 29.6
 215 51.0 38.8 58.2



#71
 Pentachlorophenol
 Concen: 29.961 ng/ul
 RT: 17.092 min Scan# 2332
 Delta R.T. -0.004 min
 Lab File: BG054066.D
 Acq: 25 Jun 2022 17:59

Tgt Ion:266 Resp: 36306
 Ion Ratio Lower Upper
 266 100
 264 66.9 56.8 85.2
 268 63.6 48.0 72.0









#72
Phenanthrene
Concen: 36.061 ng/u1
RT: 17.486 min Scan# 21
Delta R.T. -0.004 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59




Instrument :
BNA_G
ClientSampleId :
SLCS715


Tgt Ion:178 Resp: 350840
Ion Ratio Lower Upper
178 100
179 15.1 12.6 19.0
176 18.5 15.7 23.5



#74
Anthracene
Concen: 35.580 ng/u1
RT: 17.574 min Scan# 2414
Delta R.T. -0.004 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59

Tgt Ion:178 Resp: 348868
Ion Ratio Lower Upper
178 100
179 15.5 12.4 18.6
176 18.2 14.6 22.0









#75
1,2,3,4-Tetrachlorobenzene
Concen: 29.273 ng/uL
RT: 13.502 min Scan# 1721
Delta R.T. -0.004 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59




Instrument :
BNA_G
ClientSampleId :
SLCS715


Tgt Ion:216 Resp: 97910
Ion Ratio Lower Upper
216 100
214 77.3 64.2 96.4
218 47.3 39.0 58.4



#76
Pentachlorobenzene
Concen: 30.902 ng/uL
RT: 15.018 min Scan# 1979
Delta R.T. -0.004 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59

Tgt Ion:250 Resp: 95062
Ion Ratio Lower Upper
250 100
248 64.5 47.7 71.5
252 69.2 50.0 75.0









#77
 Carbazole
 Concen: 38.075 ng/ul
 RT: 17.838 min Scan# 2459
 Delta R.T. -0.004 min
 Lab File: BG054066.D
 Acq: 25 Jun 2022 17:59

Instrument :
 BNA_G
 ClientSampleId :
 SLCS715

Tgt Ion:167 Resp: 307799




Ion	Ratio	Lower	Upper
167	100		
166	23.7	18.2	27.2
139	11.8	9.0	13.6




#78
 Di-n-butylphthalate
 Concen: 39.823 ng/ul
 RT: 18.396 min Scan# 2554
 Delta R.T. -0.010 min
 Lab File: BG054066.D
 Acq: 25 Jun 2022 17:59

Tgt Ion:149 Resp: 366527

Ion	Ratio	Lower	Upper
149	100		
150	9.6	7.1	10.7
104	5.1	4.2	6.2









#80
Fluoranthene
Concen: 37.112 ng/ul
RT: 19.489 min Scan# 21
Delta R.T. -0.004 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59




Instrument :
BNA_G
ClientSampleId :
SLCS715


Tgt Ion:202 Resp: 450001
Ion Ratio Lower Upper
202 100
101 8.3 6.6 9.8
100 6.5 5.8 8.8



#82
Pyrene
Concen: 37.252 ng/ul
RT: 19.853 min Scan# 2802
Delta R.T. -0.004 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59

Tgt Ion:202 Resp: 449080
Ion Ratio Lower Upper
202 100
101 9.2 7.3 10.9
100 7.8 6.2 9.4









#83
Butylbenzylphthalate
Concen: 45.320 ng/ul
RT: 20.735 min Scan# 2952
Delta R.T. -0.004 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59




Instrument :
BNA_G
ClientSampleId :
SLCS715


Tgt Ion:149 Resp: 164648
Ion Ratio Lower Upper
149 100
91 65.6 54.0 81.0
206 25.7 19.5 29.3



#84
3,3'-Dichlorobenzidine
Concen: 37.362 ng/ul
RT: 21.604 min Scan# 3100
Delta R.T. -0.010 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59

Tgt Ion:252 Resp: 161070
Ion Ratio Lower Upper
252 100
254 65.1 49.6 74.4
126 7.1 6.0 9.0





#85

Benzo(a)anthracene

Concen: 36.934 ng/ul

RT: 21.693 min Scan# 3116

Delta R.T. -0.010 min

Lab File: BG054066.D

Acq: 25 Jun 2022 17:59

Instrument :

BNA_G

ClientSampleId :

SLCS715





Tgt Ion:228 Resp: 474251

Ion Ratio Lower Upper

228 100

229 19.8 16.5 24.7

226 27.4 22.1 33.1



#86

Bis(2-ethylhexyl)phthalate

Concen: 44.058 ng/ul

RT: 21.599 min Scan# 3099

Delta R.T. -0.010 min

Lab File: BG054066.D

Acq: 25 Jun 2022 17:59




Tgt Ion:149 Resp: 233889


Ion Ratio Lower Upper

149 100

167 27.5 21.7 32.5

279 4.7 3.9 5.9





#87

Chrysene

Concen: 35.559 ng/ul

RT: 21.763 min Scan# 31

Delta R.T. -0.004 min

Lab File: BG054066.D

Acq: 25 Jun 2022 17:59

Instrument :

BNA_G

ClientSampleId :

SLCS715





Tgt Ion:228 Resp: 438042

Ion Ratio Lower Upper

228 100

226 31.2 24.2 36.4

229 20.5 16.3 24.5



#89

Di-n-octyl phthalate

Concen: 44.788 ng/ul




RT: 22.821 min Scan# 3307


Delta R.T. -0.016 min

Lab File: BG054066.D

Acq: 25 Jun 2022 17:59

Tgt Ion:149 Resp: 405734









#90
Benzo(b)fluoranthene
Concen: 36.907 ng/ul
RT: 23.937 min Scan# 3497
Delta R.T. -0.004 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59




Instrument :
BNA_G
ClientSampleId :
SLCS715


Tgt Ion:252 Resp: 480694
Ion Ratio Lower Upper
252 100
253 21.4 18.2 27.4
125 6.7 6.1 9.1



#91
Benzo(k)fluoranthene
Concen: 37.914 ng/ul
RT: 24.007 min Scan# 3509
Delta R.T. -0.010 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59

Tgt Ion:252 Resp: 472838
Ion Ratio Lower Upper
252 100
253 21.4 17.4 26.2
125 6.5 5.4 8.0





#93

Benzo(a)pyrene

Concen: 33.748 ng/ul

RT: 24.818 min Scan# 3

Delta R.T. -0.010 min

Lab File: BG054066.D

Acq: 25 Jun 2022 17:59

Instrument :

BNA_G

ClientSampleId :

SLCS715





Tgt Ion:252 Resp: 423422

Ion Ratio Lower Upper

252 100

253 22.0 17.6 26.4

125 7.7 6.8 10.2



#94

Indeno(1,2,3-cd)pyrene

Concen: 37.236 ng/ul

RT: 28.696 min Scan# 4307

Delta R.T. -0.004 min

Lab File: BG054066.D

Acq: 25 Jun 2022 17:59




Tgt Ion:276 Resp: 562076


Ion Ratio Lower Upper

276 100

138 12.6 10.1 15.1

277 24.5 19.9 29.9









#95
Dibenzo(a,h)anthracene
Concen: 21.328 ng/ul
RT: 28.755 min Scan# 4317
Delta R.T. -0.010 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59

Instrument :
BNA_G
ClientSampleId :
SLCS715

Tgt Ion:278 Resp: 270943
Ion Ratio Lower Upper
278 100
139 9.5 8.6 13.0
279 24.4 19.4 29.0



#96
Benzo(g,h,i)perylene
Concen: 35.286 ng/ul
RT: 29.854 min Scan# 4504
Delta R.T. -0.004 min
Lab File: BG054066.D
Acq: 25 Jun 2022 17:59

Tgt Ion:276 Resp: 449721
Ion Ratio Lower Upper
276 100
138 14.0 11.3 16.9
277 23.8 18.6 27.8

