

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG090220\
 Data File : BG046500.D
 Acq On : 2 Sep 2020 9:57
 Operator : CG/JU
 Sample : PB131340BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB131340BL

Quant Time: Sep 02 15:15:33 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082520.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 02 15:06:53 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.93	152	79495	20.00	ng	0.00
21) Naphthalene-d8	10.73	136	313788	20.00	ng	0.00
39) Acenaphthene-d10	14.56	164	208042	20.00	ng	0.00
64) Phenanthrene-d10	17.30	188	500612	20.00	ng	0.00
76) Chrysene-d12	21.55	240	559066	20.00	ng	0.00
86) Perylene-d12	24.65	264	555198	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.52	112	476358	106.13	ng	0.00
7) Phenol-d6	7.10	99	609504	95.80	ng	0.00
23) Nitrobenzene-d5	9.08	82	397501	72.40	ng	0.00
42) 2,4,6-Tribromophenol	16.05	330	263672	93.54	ng	0.00
45) 2-Fluorobiphenyl	13.18	172	1014936	74.47	ng	0.00
79) Terphenyl-d14	19.92	244	1684147	64.11	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG090220\
Data File : BG046500.D
Acq On : 2 Sep 2020 9:57
Operator : CG/JU
Sample : PB131340BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB131340BL

Quant Time: Sep 02 15:15:33 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082520.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 02 15:06:53 2020
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.93 min Scan# 823
Delta R.T. -0.01 min
Lab File: BG046500.D
Acq: 2 Sep 2020 9:57

Instrument :
BNA_G
ClientSampleId :
PB131340BL

Tot Ion	Ratio	Lower	Upper
152	100		
150	149.1	119.5	179.3
115	53.9	44.3	66.5




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 106.135 ng
RT: 5.52 min Scan# 413
Delta R.T. 0.00 min
Lab File: BG046500.D
Acq: 2 Sep 2020 9:57

Tgt Ion	Ratio	Lower	Upper
112	100		
64	60.6	47.0	70.6
63	30.7	23.5	35.3



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 95.796 ng

RT: 7.10 min Scan# 683

Delta R.T. -0.00 min

Lab File: BG046500.D

Acq: 2 Sep 2020 9:57

Instrument :

BNA_G

ClientSampleId :

PB131340BL


Tot Ion: 99 Resp: 609504

Ion Ratio Lower Upper




99 100

42 16.9 13.3 19.9

71 31.2 25.3 37.9



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.73 min Scan# 1300

Delta R.T. 0.00 min

Lab File: BG046500.D

Acq: 2 Sep 2020 9:57

Tgt Ion: 136 Resp: 313788


Ion Ratio Lower Upper

136 100



137 11.1 8.8 13.2


54 8.4 6.1 9.1

68 5.5 4.8 7.2



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 72.403 ng
 RT: 9.08 min Scan# 1020
 Delta R.T. -0.00 min
 Lab File: BG046500.D
 Acq: 2 Sep 2020 9:57




Instrument :
 BNA_G
 ClientSampleId :
 PB131340BL


Tot Ion: 82 Resp: 397501
 Ion Ratio Lower Upper
 82 100
 128 44.9 35.7 53.5
 54 49.6 39.4 59.0



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.56 min Scan# 1952
 Delta R.T. -0.00 min
 Lab File: BG046500.D
 Acq: 2 Sep 2020 9:57

Tgt Ion: 164 Resp: 208042
 Ion Ratio Lower Upper
 164 100
 162 101.3 83.3 124.9
 160 45.6 35.0 52.6









#42
 2,4,6-Tribromophenol
 Concen: 93.540 ng
 RT: 16.05 min Scan# 2205
 Delta R.T. -0.00 min
 Lab File: BG046500.D
 Acq: 2 Sep 2020 9:57

Instrument :
 BNA_G
 ClientSampleId :
 PB131340BL

Tot Ion:330 Resp: 263672
 Ion Ratio Lower Upper
 330 100
 332 96.6 76.1 114.1
 141 33.3 26.1 39.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 74.474 ng
 RT: 13.18 min Scan# 1717
 Delta R.T. -0.01 min
 Lab File: BG046500.D
 Acq: 2 Sep 2020 9:57

Tgt Ion:172 Resp: 1014936
 Ion Ratio Lower Upper
 172 100
 171 38.8 31.8 47.6
 170 24.8 20.3 30.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.30 min Scan# 2419
Delta R.T. -0.00 min
Lab File: BG046500.D
Acq: 2 Sep 2020 9:57

Instrument :
BNA_G
ClientSampleId :
PB131340BL

Tot Ion:188 Resp: 500612
Ion Ratio Lower Upper
188 100
94 7.7 6.3 9.5
80 8.6 6.9 10.3




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.55 min Scan# 3141
Delta R.T. -0.01 min
Lab File: BG046500.D
Acq: 2 Sep 2020 9:57

Tgt Ion:240 Resp: 559066
Ion Ratio Lower Upper
240 100
120 8.5 6.6 10.0
236 26.2 21.4 32.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 64.110 ng

RT: 19.92 min Scan# 2864

Delta R.T. -0.00 min

Lab File: BG046500.D

Acq: 2 Sep 2020 9:57

Instrument :


BNA_G

ClientSampleId :

PB131340BL

Tot Ion:244 Resp: 1684147




Ion	Ratio	Lower	Upper
244	100		
212	8.5	6.9	10.3
122	9.6	8.2	12.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.65 min Scan# 3670


Delta R.T. -0.00 min

Lab File: BG046500.D

Acq: 2 Sep 2020 9:57

Tgt Ion:264 Resp: 555198

Ion	Ratio	Lower	Upper
264	100		
260	23.2	19.2	28.8
265	21.6	17.9	26.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

