

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG092122\
 Data File : BG055000.D
 Acq On : 21 Sep 2022 19:23
 Operator : CG/JU
 Sample : N4723-12
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SB-11-COMP

Quant Time: Sep 22 04:43:53 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG091922.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Sep 19 17:41:40 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.059	152	40546	20.000	ng	0.00
21) Naphthalene-d8	10.886	136	158083	20.000	ng	# 0.00
39) Acenaphthene-d10	14.699	164	109747	20.000	ng	0.00
64) Phenanthrene-d10	17.448	188	265072	20.000	ng	0.00
76) Chrysene-d12	21.726	240	273755	20.000	ng	0.00
86) Perylene-d12	25.028	264	284870	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.598	112	356732	172.153	ng	0.00
7) Phenol-d6	7.219	99	467286	168.240	ng	0.00
23) Nitrobenzene-d5	9.235	82	270782	99.283	ng	0.00
42) 2,4,6-Tribromophenol	16.191	330	221270	172.103	ng	0.00
45) 2-Fluorobiphenyl	13.324	172	730581	104.912	ng	0.00
79) Terphenyl-d14	20.051	244	1371567	104.804	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG092122\
Data File : BG055000.D
Acq On : 21 Sep 2022 19:23
Operator : CG/JU
Sample : N4723-12
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SB-11-COMP

Quant Time: Sep 22 04:43:53 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG091922.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Sep 19 17:41:40 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.059 min Scan# 812
Delta R.T. -0.002 min
Lab File: BG055000.D
Acq: 21 Sep 2022 19:23




Instrument :
BNA_G
ClientSampleId :
SB-11-COMP


Tgt Ion:152 Resp: 40546
Ion Ratio Lower Upper
152 100
150 154.5 125.2 187.8
115 54.3 47.9 71.9



#5
2-Fluorophenol
Concen: 172.153 ng
RT: 5.598 min Scan# 393
Delta R.T. -0.001 min
Lab File: BG055000.D
Acq: 21 Sep 2022 19:23

Tgt Ion:112 Resp: 356732
Ion Ratio Lower Upper
112 100
64 53.1 49.3 73.9
63 29.5 26.3 39.5









#7
Phenol-d6
Concen: 168.240 ng
RT: 7.219 min Scan# 669
Delta R.T. -0.001 min
Lab File: BG055000.D
Acq: 21 Sep 2022 19:23




Instrument :
BNA_G
ClientSampleId :
SB-11-COMP


Tgt Ion: 99 Resp: 467286
Ion Ratio Lower Upper
99 100
42 14.7 14.6 22.0
71 29.7 24.6 37.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.886 min Scan# 1293
Delta R.T. -0.001 min
Lab File: BG055000.D
Acq: 21 Sep 2022 19:23

Tgt Ion: 136 Resp: 158083
Ion Ratio Lower Upper
136 100
137 11.2 9.2 13.8
54 6.0 7.7 11.5#
68 5.2 5.6 8.4#





#23

Nitrobenzene-d5

Concen: 99.283 ng

RT: 9.235 min Scan# 1012

Delta R.T. -0.007 min

Lab File: BG055000.D

Acq: 21 Sep 2022 19:23

Instrument :

BNA_G

ClientSampleId :

SB-11-COMP





Tgt Ion: 82 Resp: 270782

Ion Ratio Lower Upper

82 100

128 47.5 32.2 48.2

54 44.5 41.4 62.0



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.699 min Scan# 1942

Delta R.T. -0.007 min

Lab File: BG055000.D

Acq: 21 Sep 2022 19:23




Tgt Ion:164 Resp: 109747


Ion Ratio Lower Upper

164 100

162 102.8 83.0 124.4

160 46.2 38.0 57.0





#42

2,4,6-Tribromophenol

Concen: 172.103 ng

RT: 16.191 min Scan# 21

Delta R.T. -0.007 min

Lab File: BG055000.D

Acq: 21 Sep 2022 19:23

Instrument :

BNA_G

ClientSampleId :

SB-11-COMP





Tgt Ion:330 Resp: 221270

Ion Ratio Lower Upper

330 100

332 98.2 79.8 119.6

141 27.9 26.8 40.2



#45

2-Fluorobiphenyl

Concen: 104.912 ng

RT: 13.324 min Scan# 1708

Delta R.T. -0.001 min

Lab File: BG055000.D

Acq: 21 Sep 2022 19:23




Tgt Ion:172 Resp: 730581


Ion Ratio Lower Upper

172 100

171 37.9 31.2 46.8

170 25.3 20.6 30.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.448 min Scan# 2410
Delta R.T. -0.002 min
Lab File: BG055000.D
Acq: 21 Sep 2022 19:23




Instrument :
BNA_G
ClientSampleId :
SB-11-COMP


Tgt Ion:188 Resp: 265072
Ion Ratio Lower Upper
188 100
94 8.0 7.0 10.4
80 8.0 7.9 11.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.726 min Scan# 3138
Delta R.T. -0.007 min
Lab File: BG055000.D
Acq: 21 Sep 2022 19:23

Tgt Ion:240 Resp: 273755
Ion Ratio Lower Upper
240 100
120 8.6 8.2 12.4
236 26.0 21.2 31.8









#79
 Terphenyl-d14
 Concen: 104.804 ng
 RT: 20.051 min Scan# 2853
 Delta R.T. -0.001 min
 Lab File: BG055000.D
 Acq: 21 Sep 2022 19:23

Instrument :
 BNA_G
 ClientSampleId :
 SB-11-COMP

Tgt Ion:244 Resp: 1371567
 Ion Ratio Lower Upper
 244 100
 212 7.6 6.2 9.2
 122 9.3 9.0 13.6



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.028 min Scan# 3700
 Delta R.T. -0.007 min
 Lab File: BG055000.D
 Acq: 21 Sep 2022 19:23

Tgt Ion:264 Resp: 284870
 Ion Ratio Lower Upper
 264 100
 260 24.0 19.9 29.9
 265 21.8 16.9 25.3

