

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG102121\
 Data File : BG050670.D
 Acq On : 21 Oct 2021 16:59
 Operator : CG/JU
 Sample : M4283-04
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 CONCRETE-PAD

Quant Time: Oct 21 17:40:44 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG100621.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 14 10:56:22 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.255	152	33901	20.00	ng	0.00
21) Naphthalene-d8	11.076	136	139822	20.00	ng	# 0.00
39) Acenaphthene-d10	14.871	164	86886	20.00	ng	0.00
64) Phenanthrene-d10	17.615	188	184634	20.00	ng	# 0.00
76) Chrysene-d12	21.916	240	178189	20.00	ng	# 0.00
86) Perylene-d12	25.335	264	184892	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.793	112	46391	20.47	ng	0.00
7) Phenol-d6	7.392	99	144639	44.07	ng	0.00
23) Nitrobenzene-d5	9.425	82	232371	68.80	ng	0.00
42) 2,4,6-Tribromophenol	16.358	330	10785	13.01	ng	0.00
45) 2-Fluorobiphenyl	13.496	172	416795	72.20	ng	0.00
79) Terphenyl-d14	20.206	244	641464	70.16	ng	0.00
Target Compounds						
80) Butylbenzylphthalate	20.888	149	11991	2.24	ng	Qvalue 90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG102121\
Data File : BG050670.D
Acq On : 21 Oct 2021 16:59
Operator : CG/JU
Sample : M4283-04
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
CONCRETE-PAD

Quant Time: Oct 21 17:40:44 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG100621.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 14 10:56:22 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.255 min Scan# 811
Delta R.T. -0.003 min
Lab File: BG050670.D
Acq: 21 Oct 2021 16:59




Instrument :
BNA_G
ClientSampleId :
CONCRETE-PAD

Tgt Ion:152 Resp: 33901
Ion Ratio Lower Upper
152 100
150 152.3 119.4 179.0
115 62.4 60.2 90.4



#5
2-Fluorophenol
Concen: 20.47 ng
RT: 5.793 min Scan# 392
Delta R.T. 0.003 min
Lab File: BG050670.D
Acq: 21 Oct 2021 16:59

Tgt Ion:112 Resp: 46391
Ion Ratio Lower Upper
112 100
64 66.9 46.7 70.1
63 37.8 35.3 52.9








#7
Phenol-d6
Concen: 44.07 ng
RT: 7.392 min Scan# 664
Delta R.T. -0.009 min
Lab File: BG050670.D
Acq: 21 Oct 2021 16:59




Instrument :
BNA_G
ClientSampleId :
CONCRETE-PAD

Tgt Ion: 99 Resp: 144639
Ion Ratio Lower Upper
99 100
42 22.7 20.5 30.7
71 41.1 41.5 62.3#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 11.076 min Scan# 1291
Delta R.T. -0.009 min
Lab File: BG050670.D
Acq: 21 Oct 2021 16:59

Tgt Ion: 136 Resp: 139822
Ion Ratio Lower Upper
136 100
137 11.7 8.2 12.2
54 9.5 5.5 8.3#
68 7.8 2.3 3.5#





#23

Nitrobenzene-d5

Concen: 68.80 ng

RT: 9.425 min Scan# 1010





Delta R.T. -0.003 min

Lab File: BG050670.D

Acq: 21 Oct 2021 16:59

Tgt Ion: 82 Resp: 232371

Ion	Ratio	Lower	Upper
82	100		
128	35.5	29.8	44.6
54	51.1	45.8	68.8



#39

Acenaphthene-d10

Concen: 20.00 ng

RT: 14.871 min Scan# 1937




Delta R.T. -0.003 min


Lab File: BG050670.D

Acq: 21 Oct 2021 16:59

Tgt Ion:164 Resp: 86886

Ion	Ratio	Lower	Upper
164	100		
162	106.6	81.4	122.0
160	43.8	34.9	52.3








#42
2,4,6-Tribromophenol
Concen: 13.01 ng
RT: 16.358 min Scan# 2190
Delta R.T. -0.003 min
Lab File: BG050670.D
Acq: 21 Oct 2021 16:59




Instrument :
BNA_G
ClientSampleId :
CONCRETE-PAD


Tgt Ion:330 Resp: 10785
Ion Ratio Lower Upper
330 100
332 97.2 77.3 115.9
141 57.6 35.6 53.4#



#45
2-Fluorobiphenyl
Concen: 72.20 ng
RT: 13.496 min Scan# 1703
Delta R.T. -0.009 min
Lab File: BG050670.D
Acq: 21 Oct 2021 16:59

Tgt Ion:172 Resp: 416795
Ion Ratio Lower Upper
172 100
171 36.7 28.6 43.0
170 25.0 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.615 min Scan# 2404
Delta R.T. -0.003 min
Lab File: BG050670.D
Acq: 21 Oct 2021 16:59




Instrument :
BNA_G
ClientSampleId :
CONCRETE-PAD


Tgt Ion:188 Resp: 184634
Ion Ratio Lower Upper
188 100
94 8.6 5.4 8.0#
80 11.3 3.7 5.5#



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.916 min Scan# 3136
Delta R.T. -0.009 min
Lab File: BG050670.D
Acq: 21 Oct 2021 16:59

Tgt Ion:240 Resp: 178189
Ion Ratio Lower Upper
240 100
120 8.8 4.2 6.2#
236 27.1 21.8 32.6









#79
 Terphenyl-d14
 Concen: 70.16 ng
 RT: 20.206 min Scan# 2845
 Delta R.T. -0.003 min
 Lab File: BG050670.D
 Acq: 21 Oct 2021 16:59

Instrument :
 BNA_G
 ClientSampleId :
 CONCRETE-PAD

Tgt Ion:244 Resp: 641464




Ion	Ratio	Lower	Upper
244	100		
212	8.5	6.9	10.3
122	9.7	5.0	7.6#




#80
 Butylbenzylphthalate
 Concen: 2.24 ng
 RT: 20.888 min Scan# 2961
 Delta R.T. -0.003 min
 Lab File: BG050670.D
 Acq: 21 Oct 2021 16:59

Tgt Ion:149 Resp: 11991

Ion	Ratio	Lower	Upper
149	100		
91	89.2	63.4	95.2
206	20.3	18.4	27.6





#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 25.335 min Scan# 3718
 Delta R.T. 0.003 min
 Lab File: BG050670.D
 Acq: 21 Oct 2021 16:59

Instrument :
 BNA_G
 ClientSampleId :
 CONCRETE-PAD

Tgt Ion:264 Resp: 184892
 Ion Ratio Lower Upper
 264 100
 260 24.7 19.4 29.2
 265 22.0 16.9 25.3

