

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG120320\
 Data File : BG047546.D
 Acq On : 3 Dec 2020 20:07
 Operator : CG/JU
 Sample : L4866-02
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 C0B87

Quant Time: Dec 03 23:39:25 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG111920MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Dec 03 15:14:44 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.25	152	36399	20.00	ng/ul	0.00
18) Naphthalene-d8	11.08	136	136366	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.86	164	107481	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.60	188	260392	20.00	ng/ul	0.00
78) Chrysene-d12	21.87	240	284759	20.00	ng/ul	0.00
86) Perylene-d12	25.26	264	291619	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.58	96	199	0.20	ng/uL	0.00
5) Phenol-d5	7.38	99	19561	5.36	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.56	67	22814	10.96	ng/ul	0.00
9) 2-Chlorophenol-d4	7.77	132	31676	12.94	ng/ul	0.00
13) 4-Methylphenol-d8	8.94	113	16430	5.86	ng/ul	0.00
19) Nitrobenzene-d5	9.41	128	16776	14.89	ng/ul	0.00
22) 2-Nitrophenol-d4	10.14	143	17448	14.20	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.68	165	36541	12.99	ng/ul	0.00
29) 4-Chloroaniline-d4	11.19	131	32990	11.59	ng/ul	0.00
44) Dimethylphthalate-d6	14.25	166	130650	14.16	ng/ul	0.00
47) Acenaphthylene-d8	14.56	160	159096	14.92	ng/ul	0.00
52) 4-Nitrophenol-d4	15.02	143	85	0.06	ng/ul	0.00
58) Fluorene-d10	15.85	176	129401	15.31	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.95	200	10185	6.87	ng/ul	0.00
71) Anthracene-d10	17.70	188	214161	16.58	ng/ul	0.00
79) Pyrene-d10	19.96	212	288135	17.39	ng/ul	0.00
90) Benzo(a)pyrene-d12	25.02	264	286627	17.08	ng/ul	0.00


Target Compounds					Ovalue	
45) Dimethylphthalate	14.30	163	30277	3.217	ng/ul	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG120320\
Data File : BG047546.D
Acq On : 3 Dec 2020 20:07
Operator : CG/JU
Sample : L4866-02
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
C0B87

Quant Time: Dec 03 23:39:25 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG111920MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Dec 03 15:14:44 2020
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 3.217 ng/ul

RT: 14.30 min Scan# 1866

Delta R.T. -0.00 min

Lab File: BG047546.D

Acq: 3 Dec 2020 20:07

Instrument :

BNA_G

ClientSampleId :

C0B87

Tot Ion:163 Resp: 30277

Ion Ratio Lower Upper

163 100

194 4.2 3.6 5.4

164 11.6 8.0 12.0

