

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG120320\
 Data File : BG047548.D
 Acq On : 3 Dec 2020 21:28
 Operator : CG/JU
 Sample : L4866-03
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 C0BC1

Quant Time: Dec 04 02:07:27 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG111920MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Dec 03 15:14:44 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.25	152	35704	20.00	ng/ul	0.00
18) Naphthalene-d8	11.08	136	140086	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.86	164	99572	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.60	188	256657	20.00	ng/ul	0.00
78) Chrysene-d12	21.88	240	280796	20.00	ng/ul	0.00
86) Perylene-d12	25.25	264	286693	20.00	ng/ul	-0.01

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.58	96	5052	5.14	ng/uL	0.00
5) Phenol-d5	7.38	99	128002	35.75	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.56	67	68357	33.47	ng/ul	0.00
9) 2-Chlorophenol-d4	7.77	132	96438	40.16	ng/ul	0.00
13) 4-Methylphenol-d8	8.94	113	93817	34.10	ng/ul	0.00
19) Nitrobenzene-d5	9.41	128	45743	39.53	ng/ul	0.00
22) 2-Nitrophenol-d4	10.15	143	55758	44.16	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.68	165	115277	39.88	ng/ul	0.00
29) 4-Chloroaniline-d4	11.20	131	129582	44.33	ng/ul	0.00
44) Dimethylphthalate-d6	14.26	166	366182	42.84	ng/ul	0.00
47) Acenaphthylene-d8	14.56	160	422030	42.72	ng/ul	0.00
52) 4-Nitrophenol-d4	15.02	143	53974	41.39	ng/ul	0.00
58) Fluorene-d10	15.85	176	330535	42.21	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.95	200	71004	48.60	ng/ul	0.00
71) Anthracene-d10	17.70	188	543850	42.71	ng/ul	0.00
79) Pyrene-d10	19.97	212	664347	40.66	ng/ul	0.00
90) Benzo(a)pyrene-d12	25.03	264	697051	42.24	ng/ul	0.00

Target Compounds					Ovalue	
6) Phenol	7.40	94	12889	3.757	ng/ul#	77
45) Dimethylphthalate	14.30	163	70399	8.074	ng/ul	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG120320\
Data File : BG047548.D
Acq On : 3 Dec 2020 21:28
Operator : CG/JU
Sample : L4866-03
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
C0BC1

Quant Time: Dec 04 02:07:27 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG111920MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Dec 03 15:14:44 2020
Response via : Initial Calibration

