

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG122118\
 Data File : BG038783.D
 Acq On : 21 Dec 2018 12:06
 Operator : JU/SJ
 Sample : J6446-06
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 P001-SS026-1824-01

Quant Time: Dec 21 16:49:22 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG121218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 12 15:26:27 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.06	152	26336	20.00	ng	0.00
21) Naphthalene-d8	10.88	136	107148	20.00	ng	0.00
39) Acenaphthene-d10	14.70	164	77246	20.00	ng	0.00
64) Phenanthrene-d10	17.44	188	186419	20.00	ng	0.00
76) Chrysene-d12	21.72	240	174064	20.00	ng	0.00
87) Perylene-d12	25.02	264	181925	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	234919	158.21	ng	0.00
7) Phenol-d6	7.22	99	337197	165.42	ng	0.00
23) Nitrobenzene-d5	9.24	82	205588	98.02	ng	0.00
42) 2,4,6-Tribromophenol	16.19	330	175644	164.99	ng	0.00
45) 2-Fluorobiphenyl	13.31	172	471913	83.81	ng	0.00
79) Terphenyl-d14	20.04	244	750764	93.87	ng	0.00
Target Compounds						
10) Phenol	7.24	94	24104	11.130	ng	98
50) Dimethylphthalate	14.14	163	36560	5.796	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG122118\
Data File : BG038783.D
Acq On : 21 Dec 2018 12:06
Operator : JU/SJ
Sample : J6446-06
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
P001-SS026-1824-01

Quant Time: Dec 21 16:49:22 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG121218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 12 15:26:27 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.06 min Scan# 845
Delta R.T. -0.00 min
Lab File: BG038783.D
Acq: 21 Dec 2018 12:06

Instrument :
BNA_G
ClientSampleId :
P001-SS026-1824-01

Tot Ion:152 Resp: 26336
Ion Ratio Lower Upper
152 100
150 152.9 119.5 179.3
115 55.9 49.6 74.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 158.211 ng
RT: 5.61 min Scan# 429
Delta R.T. 0.01 min
Lab File: BG038783.D
Acq: 21 Dec 2018 12:06

Tgt Ion:112 Resp: 234919
Ion Ratio Lower Upper
112 100
64 64.2 53.4 80.2
63 36.2 29.3 43.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 165.422 ng

RT: 7.22 min Scan# 702

Delta R.T. 0.01 min

Lab File: BG038783.D

Acq: 21 Dec 2018 12:06

Instrument :


BNA_G

ClientSampleId :

P001-SS026-1824-01

Tot Ion: 99 Resp: 337197




Ion	Ratio	Lower	Upper
99	100		
42	21.9	18.5	27.7
71	37.8	31.1	46.7



Abundance Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 11.130 ng

RT: 7.24 min Scan# 707


Delta R.T. 0.01 min

Lab File: BG038783.D

Acq: 21 Dec 2018 12:06

Tgt Ion: 94 Resp: 24104



Ion	Ratio	Lower	Upper
94	100		
65	30.0	12.6	52.6
66	44.4	24.1	64.1




Abundance Ion 94.00 (93.70 to 94.70): BGC

Ion 65.00 (64.70 to 65.70): BGC

Ion 66.00 (65.70 to 66.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.88 min Scan# 1325
Delta R.T. -0.00 min
Lab File: BG038783.D
Acq: 21 Dec 2018 12:06

Instrument :
BNA_G
ClientSampleId :
P001-SS026-1824-01

Tot Ion:136	Resp:	107148
Ion	Ratio	Lower Upper
136	100	
137	11.0	9.3 13.9
54	10.7	8.5 12.7
68	4.9	3.5 5.3




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
Nitrobenzene-d5
Concen: 98.022 ng
RT: 9.24 min Scan# 1046
Delta R.T. -0.00 min
Lab File: BG038783.D
Acq: 21 Dec 2018 12:06

Tgt Ion: 82	Resp:	205588
Ion	Ratio	Lower Upper
82	100	
128	45.3	34.6 52.0
54	62.1	50.6 76.0



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.70 min Scan# 1975

Delta R.T. -0.00 min

Lab File: BG038783.D

Acq: 21 Dec 2018 12:06

Instrument :

BNA_G

ClientSampleId :

P001-SS026-1824-01


Tot Ion:164 Resp: 77246

Ion Ratio Lower Upper

164 100

162 106.0 86.6 130.0




160 45.6 34.2 51.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 164.988 ng

RT: 16.19 min Scan# 2229

Delta R.T. -0.00 min

Lab File: BG038783.D

Acq: 21 Dec 2018 12:06


Tgt Ion:330 Resp: 175644

Ion Ratio Lower Upper

330 100

332 97.1 76.9 115.3



141 33.5 28.8 43.2




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 83.809 ng
 RT: 13.31 min Scan# 1740
 Delta R.T. -0.00 min
 Lab File: BG038783.D
 Acq: 21 Dec 2018 12:06

Instrument :
 BNA_G
 ClientSampleId :
 P001-SS026-1824-01

Tot Ion:172 Resp: 471913




Ion	Ratio	Lower	Upper
172	100		
171	37.4	29.8	44.6
170	24.1	19.5	29.3




#50
 Dimethylphthalate
 Concen: 5.796 ng
 RT: 14.14 min Scan# 1881
 Delta R.T. -0.00 min
 Lab File: BG038783.D
 Acq: 21 Dec 2018 12:06

Tgt Ion:163 Resp: 36560

Ion	Ratio	Lower	Upper
163	100		
194	3.8	3.7	5.5
164	9.6	8.6	12.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.44 min Scan# 2443
Delta R.T. 0.00 min
Lab File: BG038783.D
Acq: 21 Dec 2018 12:06

Instrument :
BNA_G
ClientSampleId :
P001-SS026-1824-01

Tot Ion:188 Resp: 186419
Ion Ratio Lower Upper
188 100
94 6.2 5.1 7.7
80 7.1 6.1 9.1




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.72 min Scan# 3171
Delta R.T. -0.00 min
Lab File: BG038783.D
Acq: 21 Dec 2018 12:06

Tgt Ion:240 Resp: 174064
Ion Ratio Lower Upper
240 100
120 7.3 5.3 7.9
236 26.4 21.4 32.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 93.868 ng

RT: 20.04 min Scan# 2885

Delta R.T. -0.00 min

Lab File: BG038783.D

Acq: 21 Dec 2018 12:06

Instrument :

BNA_G

ClientSampleId :

P001-SS026-1824-01


Tot Ion:244 Resp: 750764

Ion Ratio Lower Upper

244 100

212 7.3 6.2 9.2




122 7.3 6.3 9.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.02 min Scan# 3732

Delta R.T. -0.00 min

Lab File: BG038783.D

Acq: 21 Dec 2018 12:06


Tgt Ion:264 Resp: 181925

Ion Ratio Lower Upper

264 100

260 23.9 18.9 28.3

265 20.6 17.0 25.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

