

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG010324\
 Data File : BG060223.D
 Acq On : 3 Jan 2024 12:10
 Operator : MA/JU
 Sample : PB158053BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Jan 03 12:52:19 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG122923.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Dec 30 03:14:04 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.933	152	243927	20.000	ng	0.00
21) Naphthalene-d8	10.741	136	1065909	20.000	ng	0.00
39) Acenaphthene-d10	14.578	164	816137	20.000	ng	0.00
64) Phenanthrene-d10	17.322	188	2026054	20.000	ng	0.00
76) Chrysene-d12	21.593	240	1783602	20.000	ng	0.00
86) Perylene-d12	24.766	264	1908036	20.000	ng	0.00

System Monitoring Compounds						
5) 2-Fluorophenol	5.512	112	1998980	123.690	ng	0.00
7) Phenol-d6	7.104	99	2873905	119.768	ng	0.00
23) Nitrobenzene-d5	9.102	82	1703348	73.813	ng	0.00
42) 2,4,6-Tribromophenol	16.070	330	1338010	122.474	ng	0.00
45) 2-Fluorobiphenyl	13.197	172	4074955	71.760	ng	0.00
79) Terphenyl-d14	19.942	244	5593633	60.292	ng	0.00

Target Compounds					Qvalue
2) 1,4-Dioxane	3.409	88	214431	29.823	ng 98
3) Pyridine	3.802	79	549353	26.939	ng 96
4) n-Nitrosodimethylamine	3.720	42	260332	34.222	ng 94
6) Aniline	7.263	93	927595	38.583	ng 97
8) 2-Chlorophenol	7.504	128	679666	43.759	ng 99
9) Benzaldehyde	7.075	77	344816	23.901	ng 98
10) Phenol	7.128	94	1060437	43.824	ng 99
11) bis(2-Chloroethyl)ether	7.357	93	728634	37.211	ng 98
12) 1,3-Dichlorobenzene	7.827	146	691724	36.077	ng 98
13) 1,4-Dichlorobenzene	7.974	146	708087	36.530	ng 96
14) 1,2-Dichlorobenzene	8.291	146	695977	36.727	ng 99
15) Benzyl Alcohol	8.174	79	685498	46.025	ng 96
16) 2,2'-oxybis(1-Chloropr...	8.462	45	1002119	39.877	ng 99
17) 2-Methylphenol	8.379	107	681725	44.993	ng 99
18) Hexachloroethane	9.020	117	240266	39.357	ng 92
19) n-Nitroso-di-n-propyla...	8.738	70	653450	39.862	ng 95
20) 3+4-Methylphenols	8.708	107	955155	44.479	ng 97
22) Acetophenone	8.755	105	1196697	37.893	ng 100
24) Nitrobenzene	9.143	77	888075	37.613	ng 98
25) Isophorone	9.660	82	1771580	36.693	ng 99
26) 2-Nitrophenol	9.854	139	364881	44.287	ng 97
27) 2,4-Dimethylphenol	9.913	122	703476	60.278	ng 99
28) bis(2-Chloroethoxy)met...	10.148	93	1096249	38.767	ng 99
29) 2,4-Dichlorophenol	10.389	162	805987	43.698	ng 98
30) 1,2,4-Trichlorobenzene	10.600	180	813909	36.255	ng 99
31) Naphthalene	10.794	128	2090139	37.143	ng 98
32) Benzoic acid	10.054	122	443681	43.709	ng 91
33) 4-Chloroaniline	10.900	127	553960	25.206	ng 98
34) Hexachlorobutadiene	11.076	225	458156	34.314	ng 97
35) Caprolactam	11.670	113	160508	26.161	ng 90
36) 4-Chloro-3-methylphenol	12.022	107	818783	43.135	ng 100
37) 2-Methylnaphthalene	12.398	142	1581512	38.909	ng 98
38) 1-Methylnaphthalene	12.616	142	1490024	36.258	ng 98
40) 1,2,4,5-Tetrachloroben...	12.768	216	994664	38.048	ng 98
41) Hexachlorocyclopentadiene	12.745	237	1017805	120.451	ng 98
43) 2,4,6-Trichlorophenol	13.003	196	724798	42.190	ng 96

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG010324\
 Data File : BG060223.D
 Acq On : 3 Jan 2024 12:10
 Operator : MA/JU
 Sample : PB158053BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1


Instrument :
 BNA_G
 ClientSampleId :


Quant Time: Jan 03 12:52:19 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG122923.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Dec 30 03:14:04 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	13.080	196	814228	42.368	ng	99
46) 1,1'-Biphenyl	13.409	154	2343985	39.036	ng	99
47) 2-Chloronaphthalene	13.450	162	1925131	37.631	ng	98
48) 2-Nitroaniline	13.655	65	624899	46.741	ng	99
49) Acenaphthylene	14.296	152	2986516	40.517	ng	97
50) Dimethylphthalate	14.031	163	2535443	40.237	ng	99
51) 2,6-Dinitrotoluene	14.149	165	562639	42.929	ng	96
52) Acenaphthene	14.643	154	1765389	38.381	ng	96
53) 3-Nitroaniline	14.484	138	396431	32.101	ng	96
54) 2,4-Dinitrophenol	14.684	184	633915	82.742	ng	98
55) Dibenzofuran	14.977	168	3036839	39.415	ng	99
56) 4-Nitrophenol	14.795	139	911528	97.647	ng	98
57) 2,4-Dinitrotoluene	14.936	165	787279	44.176	ng	96
58) Fluorene	15.624	166	2496946	39.514	ng	98
59) 2,3,4,6-Tetrachlorophenol	15.201	232	756803	45.180	ng	99
60) Diethylphthalate	15.395	149	2478063	41.239	ng	99
61) 4-Chlorophenyl-phenyle...	15.618	204	1279757	38.893	ng	97
62) 4-Nitroaniline	15.647	138	562377	43.206	ng	97
63) Azobenzene	15.912	77	2530884	40.625	ng	96
65) 4,6-Dinitro-2-methylph...	15.700	198	471138	46.473	ng	96
66) n-Nitrosodiphenylamine	15.829	169	2256995	41.340	ng	98
67) 4-Bromophenyl-phenylether	16.511	248	831159	38.694	ng	95
68) Hexachlorobenzene	16.628	284	953084	37.843	ng	97
69) Atrazine	16.781	200	1276096	63.596	ng	100
70) Pentachlorophenol	16.975	266	1116671	80.711	ng	98
71) Phenanthrene	17.369	178	3956445	39.507	ng	97
72) Anthracene	17.457	178	3976387	39.974	ng	95
73) Carbazole	17.727	167	3752160	39.769	ng	97
74) Di-n-butylphthalate	18.285	149	3787395	41.423	ng	96
75) Fluoranthene	19.378	202	4343609	36.977	ng	94
77) Benzidine	19.560	184	1578249	31.972	ng	98
78) Pyrene	19.742	202	4491943	37.465	ng	94
80) Butylbenzylphthalate	20.636	149	1804827	51.052	ng	99
81) Benzo(a)anthracene	21.570	228	4475222	39.463	ng	94
82) 3,3'-Dichlorobenzidine	21.487	252	1406008	34.095	ng	99
83) Chrysene	21.640	228	4205242	38.169	ng	95
84) Bis(2-ethylhexyl)phtha...	21.482	149	2690112	50.177	ng	98
85) Di-n-octyl phthalate	22.674	149	4492876	51.196	ng	99
87) Indeno(1,2,3-cd)pyrene	28.385	276	5777904	42.952	ng	# 93
88) Benzo(b)fluoranthene	23.755	252	4803945	41.897	ng	98
89) Benzo(k)fluoranthene	23.826	252	4887728	42.352	ng	98
90) Benzo(a)pyrene	24.619	252	4392835	42.346	ng	99
91) Dibenzo(a,h)anthracene	28.456	278	4818503	43.595	ng	96
92) Benzo(g,h,i)perylene	29.525	276	4707601	42.049	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Jan 03 12:52:19 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG122923.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Dec 30 03:14:04 2023
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.933 min Scan# 81
 Delta R.T. -0.008 min
 Lab File: BG060223.D
 Acq: 3 Jan 2024 12:10




Instrument :
 BNA_G
 ClientSampleId :


Tgt Ion:152 Resp: 243927
 Ion Ratio Lower Upper
 152 100
 150 151.5 123.4 185.0
 115 53.2 45.4 68.0



#2
 1,4-Dioxane
 Concen: 29.823 ng
 RT: 3.409 min Scan# 54
 Delta R.T. -0.008 min
 Lab File: BG060223.D
 Acq: 3 Jan 2024 12:10

Tgt Ion: 88 Resp: 214431
 Ion Ratio Lower Upper
 88 100
 58 75.4 60.5 90.7
 43 26.3 18.9 28.3









#3
Pyridine
Concen: 26.939 ng
RT: 3.802 min Scan# 11
Delta R.T. -0.008 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10




Instrument :
BNA_G
ClientSampleId :


Tgt Ion: 79 Resp: 549353
Ion Ratio Lower Upper
79 100
52 62.0 52.9 79.3
51 30.0 24.6 37.0



#4
n-Nitrosodimethylamine
Concen: 34.222 ng
RT: 3.720 min Scan# 107
Delta R.T. -0.008 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10

Tgt Ion: 42 Resp: 260332
Ion Ratio Lower Upper
42 100
74 170.6 129.5 194.3
44 7.4 5.9 8.9









#5
2-Fluorophenol
Concen: 123.690 ng
RT: 5.512 min Scan# 412
Delta R.T. 0.003 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:112 Resp: 1998980
Ion Ratio Lower Upper
112 100
64 66.4 52.2 78.4
63 34.1 25.4 38.0



#6
Aniline
Concen: 38.583 ng
RT: 7.263 min Scan# 710
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10

Tgt Ion: 93 Resp: 927595
Ion Ratio Lower Upper
93 100
66 37.0 31.7 47.5
65 20.4 16.7 25.1









#7
Phenol-d6
Concen: 119.768 ng
RT: 7.104 min Scan# 61
Delta R.T. 0.003 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10

Instrument :
BNA_G
ClientSampleId :

Tgt Ion: 99 Resp: 2873905




Ion	Ratio	Lower	Upper
99	100		
42	15.8	12.5	18.7
71	30.8	24.1	36.1




#8
2-Chlorophenol
Concen: 43.759 ng
RT: 7.504 min Scan# 751
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10

Tgt Ion: 128 Resp: 679666

Ion	Ratio	Lower	Upper
128	100		
130	31.5	11.3	51.3
64	57.1	36.4	76.4









#9
Benzaldehyde
Concen: 23.901 ng
RT: 7.075 min Scan# 61
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10




Instrument :
BNA_G
ClientSampleId :


Tgt Ion: 77 Resp: 344816
Ion Ratio Lower Upper
77 100
105 93.7 73.8 113.8
106 92.2 76.2 116.2



#10
Phenol
Concen: 43.824 ng
RT: 7.128 min Scan# 687
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10

Tgt Ion: 94 Resp: 1060437
Ion Ratio Lower Upper
94 100
65 28.9 8.4 48.4
66 34.7 15.0 55.0









#11
bis(2-Chloroethyl)ether
Concen: 37.211 ng
RT: 7.357 min Scan# 71
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10




Instrument :
BNA_G
ClientSampleId :


Tgt Ion: 93 Resp: 728634
Ion Ratio Lower Upper
93 100
63 81.7 63.8 103.8
95 31.4 12.3 52.3



#12
1,3-Dichlorobenzene
Concen: 36.077 ng
RT: 7.827 min Scan# 806
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10

Tgt Ion:146 Resp: 691724
Ion Ratio Lower Upper
146 100
148 68.0 52.2 78.4
75 29.4 23.4 35.2









#13
1,4-Dichlorobenzene
Concen: 36.530 ng
RT: 7.974 min Scan# 81
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:146 Resp: 708087
Ion Ratio Lower Upper
146 100
148 62.3 53.0 79.4
111 38.7 32.0 48.0



#14
1,2-Dichlorobenzene
Concen: 36.727 ng
RT: 8.291 min Scan# 885
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10

Tgt Ion:146 Resp: 695977
Ion Ratio Lower Upper
146 100
148 65.4 52.9 79.3
111 39.6 31.8 47.8









#15
Benzyl Alcohol
Concen: 46.025 ng
RT: 8.174 min Scan# 80
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10




Instrument :
BNA_G
ClientSampleId :


Tgt Ion: 79 Resp: 685498
Ion Ratio Lower Upper
79 100
108 79.9 60.6 91.0
77 65.1 53.8 80.6



#16
2,2'-oxybis(1-Chloropropane)
Concen: 39.877 ng
RT: 8.462 min Scan# 914
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10


Tgt Ion: 45 Resp: 1002119
Ion Ratio Lower Upper
45 100
77 14.7 0.0 35.5
79 11.6 0.0 31.5








#17
2-Methylphenol
Concen: 44.993 ng
RT: 8.379 min Scan# 90
Delta R.T. 0.003 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10

Instrument :
BNA_G
ClientSampleId :







Tgt Ion:	107	Resp:	681725
Ion	Ratio	Lower	Upper
107	100		
108	112.1	88.7	133.1
77	44.4	36.4	54.6
79	41.5	34.2	51.4



#18
Hexachloroethane
Concen: 39.357 ng
RT: 9.020 min Scan# 1009
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10

Tgt Ion:	117	Resp:	240266
Ion	Ratio	Lower	Upper
117	100		
119	102.4	76.0	114.0
201	124.6	107.5	161.3









#19
n-Nitroso-di-n-propylamine
Concen: 39.862 ng
RT: 8.738 min Scan# 90
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10




Instrument :
BNA_G
ClientSampleId :


Tgt Ion: 70 Resp: 653450
Ion Ratio Lower Upper
70 100
42 51.8 37.9 56.9
101 7.7 6.2 9.2
130 15.1 13.0 19.4



#20
3+4-Methylphenols
Concen: 44.479 ng
RT: 8.708 min Scan# 956
Delta R.T. 0.003 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10

Tgt Ion: 107 Resp: 955155
Ion Ratio Lower Upper
107 100
108 90.2 67.4 107.4
77 32.7 12.8 52.8
79 26.6 4.5 44.5









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.741 min Scan# 11
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:136 Resp: 1065909
Ion Ratio Lower Upper
136 100
137 11.1 9.4 14.0
54 9.7 7.4 11.2
68 7.9 6.2 9.4



#22
Acetophenone
Concen: 37.893 ng
RT: 8.755 min Scan# 964
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10

Tgt Ion:105 Resp: 1196697
Ion Ratio Lower Upper
105 100
71 3.3 2.6 3.8
51 25.0 20.0 30.0
120 18.3 14.6 22.0





#23

Nitrobenzene-d5

Concen: 73.813 ng

RT: 9.102 min Scan# 1023

Delta R.T. -0.002 min

Lab File: BG060223.D

Acq: 3 Jan 2024 12:10

Instrument :

BNA_G

ClientSampleId :





Tgt Ion: 82 Resp: 1703348

Ion Ratio Lower Upper

82 100

128 36.7 28.7 43.1

54 45.5 36.9 55.3



#24

Nitrobenzene

Concen: 37.613 ng

RT: 9.143 min Scan# 1030

Delta R.T. -0.002 min

Lab File: BG060223.D

Acq: 3 Jan 2024 12:10




Tgt Ion: 77 Resp: 888075


Ion Ratio Lower Upper

77 100

123 38.8 31.9 47.9

65 11.6 9.9 14.9





#25

Isophorone

Concen: 36.693 ng

RT: 9.660 min Scan# 1119

Delta R.T. -0.002 min


Lab File: BG060223.D

Acq: 3 Jan 2024 12:10

Instrument :

BNA_G

ClientSampleId :






Tgt Ion: 82 Resp: 1771580

Ion Ratio Lower Upper

82 100

95 5.5 4.4 6.6

138 13.9 11.5 17.3



#26

2-Nitrophenol

Concen: 44.287 ng

RT: 9.854 min Scan# 1151

Delta R.T. 0.003 min

Lab File: BG060223.D

Acq: 3 Jan 2024 12:10




Tgt Ion:139 Resp: 364881


Ion Ratio Lower Upper

139 100

109 24.1 19.8 29.8

65 53.5 40.8 61.2





#27

2,4-Dimethylphenol

Concen: 60.278 ng

RT: 9.913 min Scan# 1161

Delta R.T. 0.003 min


Lab File: BG060223.D

Acq: 3 Jan 2024 12:10

Instrument :

BNA_G

ClientSampleId :






Tgt Ion:122 Resp: 703476

Ion Ratio Lower Upper

122 100

107 121.3 95.8 143.6

121 57.5 46.2 69.4



#28

bis(2-Chloroethoxy)methane

Concen: 38.767 ng

RT: 10.148 min Scan# 1201

Delta R.T. -0.002 min

Lab File: BG060223.D

Acq: 3 Jan 2024 12:10




Tgt Ion: 93 Resp: 1096249


Ion Ratio Lower Upper

93 100

95 31.6 25.8 38.6

123 9.2 7.8 11.6









#29
2,4-Dichlorophenol
Concen: 43.698 ng
RT: 10.389 min Scan# 11
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:162 Resp: 805987
Ion Ratio Lower Upper
162 100
164 62.9 40.7 80.7
98 32.3 11.7 51.7



#30
1,2,4-Trichlorobenzene
Concen: 36.255 ng
RT: 10.600 min Scan# 1278
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10

Tgt Ion:180 Resp: 813909
Ion Ratio Lower Upper
180 100
182 93.8 75.7 113.5
145 23.6 18.4 27.6









#31
Naphthalene
Concen: 37.143 ng
RT: 10.794 min Scan# 11
Delta R.T. 0.003 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:128 Resp: 2090139
Ion Ratio Lower Upper
128 100
129 10.9 9.2 13.8
127 12.6 10.6 16.0



#32
Benzoic acid
Concen: 43.709 ng
RT: 10.054 min Scan# 1185
Delta R.T. 0.009 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10

Tgt Ion:122 Resp: 443681
Ion Ratio Lower Upper
122 100
105 133.6 99.2 139.2
77 105.0 81.0 121.0









#33
4-Chloroaniline
Concen: 25.206 ng
RT: 10.900 min Scan# 1330
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:127	Resp: 553960
Ion Ratio	Lower Upper
127 100	
129 34.2	26.0 39.0
65 35.4	27.4 41.0
92 20.6	15.8 23.8



#34
Hexachlorobutadiene
Concen: 34.314 ng
RT: 11.076 min Scan# 1359
Delta R.T. 0.003 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10

Tgt Ion:225	Resp: 458156		
Ion Ratio	Lower	Upper	
225	100		
223	63.5	49.0	73.6
227	66.3	51.0	76.4









#35
Caprolactam
Concen: 26.161 ng
RT: 11.670 min Scan# 1461
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:113 Resp: 160508
Ion Ratio Lower Upper
113 100
55 208.2 202.1 242.1
56 146.7 142.4 182.4



#36
4-Chloro-3-methylphenol
Concen: 43.135 ng
RT: 12.022 min Scan# 1520
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10

Tgt Ion:107 Resp: 818783
Ion Ratio Lower Upper
107 100
144 26.5 20.8 31.2
142 79.2 63.4 95.2





#37

2-Methylnaphthalene

Concen: 38.909 ng

RT: 12.398 min Scan# 1

Delta R.T. -0.002 min

Lab File: BG060223.D

Acq: 3 Jan 2024 12:10

Instrument :

BNA_G

ClientSampleId :





Tgt Ion:142 Resp: 1581512

Ion Ratio Lower Upper

142 100

141 90.8 71.1 106.7

115 31.8 25.5 38.3



#38

1-Methylnaphthalene

Concen: 36.258 ng

RT: 12.616 min Scan# 1621

Delta R.T. -0.002 min

Lab File: BG060223.D

Acq: 3 Jan 2024 12:10




Tgt Ion:142 Resp: 1490024


Ion Ratio Lower Upper

142 100

141 94.0 76.6 114.8

116 3.2 2.6 3.8





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.578 min Scan# 1955

Delta R.T. 0.003 min

Lab File: BG060223.D

Acq: 3 Jan 2024 12:10

Instrument :

BNA_G

ClientSampleId :





Tgt Ion:164 Resp: 816137

Ion Ratio Lower Upper

164 100

162 104.5 83.9 125.9

160 46.4 34.2 51.4



#40

1,2,4,5-Tetrachlorobenzene

Concen: 38.048 ng

RT: 12.768 min Scan# 1647

Delta R.T. -0.002 min

Lab File: BG060223.D

Acq: 3 Jan 2024 12:10

Tgt Ion:216 Resp: 994664




Ion Ratio Lower Upper


216 100

214 78.0 63.4 95.0

179 19.6 15.2 22.8

108 16.3 11.0 16.4









#41
Hexachlorocyclopentadiene
Concen: 120.451 ng
RT: 12.745 min Scan# 1
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:237 Resp: 1017805
Ion Ratio Lower Upper
237 100
235 63.5 42.2 82.2
272 12.2 0.0 32.0



#42
2,4,6-Tribromophenol
Concen: 122.474 ng
RT: 16.070 min Scan# 2209
Delta R.T. 0.003 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10

Tgt Ion:330 Resp: 1338010
Ion Ratio Lower Upper
330 100
332 96.7 76.7 115.1
141 27.2 21.0 31.4





#43

2,4,6-Trichlorophenol

Concen: 42.190 ng

RT: 13.003 min Scan# 1

Delta R.T. -0.002 min

Lab File: BG060223.D

Acq: 3 Jan 2024 12:10

Instrument :

BNA_G

ClientSampleId :





Tgt Ion:196 Resp: 724798

Ion Ratio Lower Upper

196 100

198 92.9 78.3 117.5

200 30.8 23.9 35.9



#44

2,4,5-Trichlorophenol

Concen: 42.368 ng

RT: 13.080 min Scan# 1700

Delta R.T. 0.003 min

Lab File: BG060223.D

Acq: 3 Jan 2024 12:10

Tgt Ion:196 Resp: 814228




Ion Ratio Lower Upper


196 100

198 95.7 76.6 115.0

97 41.5 32.9 49.3

132 21.3 15.9 23.9





#45

2-Fluorobiphenyl

Concen: 71.760 ng

RT: 13.197 min Scan# 1

Delta R.T. -0.002 min

Lab File: BG060223.D

Acq: 3 Jan 2024 12:10

Instrument :

BNA_G

ClientSampleId :





Tgt Ion:172 Resp: 4074955

Ion Ratio Lower Upper

172 100

171 42.7 32.6 48.8

170 29.5 21.8 32.6



#46

1,1'-Biphenyl

Concen: 39.036 ng

RT: 13.409 min Scan# 1756

Delta R.T. -0.002 min

Lab File: BG060223.D

Acq: 3 Jan 2024 12:10




Tgt Ion:154 Resp: 2343985


Ion Ratio Lower Upper

154 100

153 40.0 20.9 60.9


76 16.1 0.0 35.4








#47
2-Chloronaphthalene
Concen: 37.631 ng
RT: 13.450 min Scan# 1764
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10


Instrument :
BNA_G
ClientSampleId :





Tgt Ion:162 Resp: 1925131
Ion Ratio Lower Upper
162 100
127 30.1 23.0 34.6
164 34.8 26.7 40.1




#48
2-Nitroaniline
Concen: 46.741 ng
RT: 13.655 min Scan# 1798
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10




Tgt Ion: 65 Resp: 624899
Ion Ratio Lower Upper
65 100
92 63.7 52.9 79.3
138 95.5 76.4 114.6








#49
Acenaphthylene
Concen: 40.517 ng
RT: 14.296 min Scan# 1907
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10

Instrument :
BNA_G
ClientSampleId :







Tgt Ion:152 Resp: 2986516
Ion Ratio Lower Upper
152 100
151 21.2 15.8 23.6
153 14.5 11.0 16.6



#50
Dimethylphthalate
Concen: 40.237 ng
RT: 14.031 min Scan# 1862
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10

Tgt Ion:163 Resp: 2535443
Ion Ratio Lower Upper
163 100
194 3.6 2.6 4.0
164 10.6 8.3 12.5





#51

2,6-Dinitrotoluene

Concen: 42.929 ng

RT: 14.149 min Scan# 1

Delta R.T. -0.002 min

Lab File: BG060223.D

Acq: 3 Jan 2024 12:10

Instrument :

BNA_G

ClientSampleId :





Tgt Ion:165 Resp: 562639

Ion Ratio Lower Upper

165 100

63 53.3 39.3 58.9

89 51.7 39.8 59.8



#52

Acenaphthene

Concen: 38.381 ng

RT: 14.643 min Scan# 1966

Delta R.T. -0.002 min

Lab File: BG060223.D

Acq: 3 Jan 2024 12:10




Tgt Ion:154 Resp: 1765389


Ion Ratio Lower Upper

154 100

153 118.5 91.5 137.3

152 58.0 43.8 65.8









#53
3-Nitroaniline
Concen: 32.101 ng
RT: 14.484 min Scan# 1939
Delta R.T. 0.003 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:138 Resp: 396431
Ion Ratio Lower Upper
138 100
108 9.3 6.2 9.4
92 127.0 98.5 147.7



#54
2,4-Dinitrophenol
Concen: 82.742 ng
RT: 14.684 min Scan# 1973
Delta R.T. 0.004 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10

Tgt Ion:184 Resp: 633915
Ion Ratio Lower Upper
184 100
63 59.7 45.4 68.2
154 49.6 40.0 60.0





#55

Dibenzofuran

Concen: 39.415 ng

RT: 14.977 min Scan# 20

Delta R.T. 0.003 min

Lab File: BG060223.D

Acq: 3 Jan 2024 12:10

Instrument :

BNA_G

ClientSampleId :





Tgt Ion:168 Resp: 3036839

Ion Ratio Lower Upper

168 100

139 29.4 23.1 34.7

169 15.3 11.9 17.9



#56

4-Nitrophenol

Concen: 97.647 ng

RT: 14.795 min Scan# 1992

Delta R.T. 0.009 min

Lab File: BG060223.D

Acq: 3 Jan 2024 12:10




Tgt Ion:139 Resp: 911528


Ion Ratio Lower Upper

139 100

109 63.7 44.4 84.4

65 104.4 87.4 127.4









#57
2,4-Dinitrotoluene
Concen: 44.176 ng
RT: 14.936 min Scan# 20
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:165 Resp: 787279
Ion Ratio Lower Upper
165 100
63 40.3 31.0 46.6
89 70.9 53.3 79.9
182 1.7 1.7 2.5



#58
Fluorene
Concen: 39.514 ng
RT: 15.624 min Scan# 2133
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10

Tgt Ion:166 Resp: 2496946
Ion Ratio Lower Upper
166 100
165 102.5 80.4 120.6
167 14.5 11.3 16.9









#59
2,3,4,6-Tetrachlorophenol
Concen: 45.180 ng
RT: 15.201 min Scan# 2061
Delta R.T. 0.003 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:232 Resp: 756803
Ion Ratio Lower Upper
232 100
131 30.7 23.8 35.6
130 1.4 1.2 1.8
166 26.9 21.7 32.5



#60
Diethylphthalate
Concen: 41.239 ng
RT: 15.395 min Scan# 2094
Delta R.T. 0.003 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10

Tgt Ion:149 Resp: 2478063
Ion Ratio Lower Upper
149 100
177 25.6 20.2 30.2
150 12.8 9.6 14.4









#61
4-Chlorophenyl-phenylether
Concen: 38.893 ng
RT: 15.618 min Scan# 2132
Delta R.T. 0.003 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:204 Resp: 1279757
Ion Ratio Lower Upper
204 100
206 34.3 26.9 40.3
141 43.9 33.2 49.8



#62
4-Nitroaniline
Concen: 43.206 ng
RT: 15.647 min Scan# 2137
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10

Tgt Ion:138 Resp: 562377
Ion Ratio Lower Upper
138 100
92 53.9 35.1 75.1
108 63.5 40.9 80.9





#63

Azobenzene

Concen: 40.625 ng

RT: 15.912 min Scan# 21

Delta R.T. 0.003 min


Lab File: BG060223.D

Acq: 3 Jan 2024 12:10

Instrument :




BNA_G

ClientSampleId :



Tgt Ion: 77 Resp: 2530884

Ion	Ratio	Lower	Upper
77	100		
182	26.5	4.3	44.3
105	22.1	0.3	40.3
51	26.3	4.9	44.9



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.322 min Scan# 2422




Delta R.T. -0.002 min


Lab File: BG060223.D

Acq: 3 Jan 2024 12:10

Tgt Ion:188 Resp: 2026054

Ion	Ratio	Lower	Upper
188	100		
94	10.2	7.8	11.6
80	10.9	8.6	13.0









#65
4,6-Dinitro-2-methylphenol
Concen: 46.473 ng
RT: 15.700 min Scan# 2147
Delta R.T. -0.003 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:198 Resp: 471138
Ion Ratio Lower Upper
198 100
51 36.8 14.8 54.8
105 40.1 17.5 57.5



#66
n-Nitrosodiphenylamine
Concen: 41.340 ng
RT: 15.829 min Scan# 2168
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10


Tgt Ion:169 Resp: 2256995
Ion Ratio Lower Upper
169 100
168 68.8 56.6 84.8
167 39.1 32.1 48.1








#67
4-Bromophenyl-phenylether
Concen: 38.694 ng
RT: 16.511 min Scan# 21
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10

Instrument :
BNA_G
ClientSampleId :







Tgt Ion:248 Resp: 831159
Ion Ratio Lower Upper
248 100
250 98.5 76.2 114.4
141 50.1 36.0 54.0



#68
Hexachlorobenzene
Concen: 37.843 ng
RT: 16.628 min Scan# 2304
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10

Tgt Ion:284 Resp: 953084
Ion Ratio Lower Upper
284 100
142 25.1 18.7 28.1
249 30.4 23.5 35.3





#69

Atrazine

Concen: 63.596 ng

RT: 16.781 min Scan# 21

Delta R.T. 0.003 min

Lab File: BG060223.D

Acq: 3 Jan 2024 12:10

Instrument :

BNA_G

ClientSampleId :





Tgt Ion:200 Resp: 1276096

Ion Ratio Lower Upper

200 100

173 25.1 5.2 45.2

215 46.6 26.9 66.9



#70

Pentachlorophenol

Concen: 80.711 ng

RT: 16.975 min Scan# 2363

Delta R.T. 0.003 min

Lab File: BG060223.D

Acq: 3 Jan 2024 12:10




Tgt Ion:266 Resp: 1116671


Ion Ratio Lower Upper

266 100

268 64.7 50.4 75.6

264 64.1 52.6 79.0









#71
Phenanthrene
Concen: 39.507 ng
RT: 17.369 min Scan# 2430
Delta R.T. 0.003 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:178 Resp: 3956445
Ion Ratio Lower Upper
178 100
176 23.3 17.5 26.3
179 19.0 13.8 20.8



#72
Anthracene
Concen: 39.974 ng
RT: 17.457 min Scan# 2445
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10

Tgt Ion:178 Resp: 3976387
Ion Ratio Lower Upper
178 100
176 22.8 16.2 24.2
179 19.8 14.0 21.0









#73
 Carbazole
 Concen: 39.769 ng
 RT: 17.727 min Scan# 2491
 Delta R.T. -0.002 min
 Lab File: BG060223.D
 Acq: 3 Jan 2024 12:10




Instrument :
 BNA_G
 ClientSampleId :


Tgt Ion:167 Resp: 3752160
 Ion Ratio Lower Upper
 167 100
 166 25.1 18.8 28.2
 139 11.5 8.8 13.2



#74
 Di-n-butylphthalate
 Concen: 41.423 ng
 RT: 18.285 min Scan# 2586
 Delta R.T. -0.002 min
 Lab File: BG060223.D
 Acq: 3 Jan 2024 12:10

Tgt Ion:149 Resp: 3787395
 Ion Ratio Lower Upper
 149 100
 150 12.4 8.3 12.5
 104 5.9 4.2 6.4









#75
Fluoranthene
Concen: 36.977 ng
RT: 19.378 min Scan# 21
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:202 Resp: 4343609
Ion Ratio Lower Upper
202 100
101 16.3 0.0 32.8
203 24.0 2.0 42.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.593 min Scan# 3149
Delta R.T. 0.003 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10

Tgt Ion:240 Resp: 1783602
Ion Ratio Lower Upper
240 100
120 9.6 8.5 12.7
236 25.3 21.4 32.2









#77
Benzidine
Concen: 31.972 ng
RT: 19.560 min Scan# 2804
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:184 Resp: 1578249
Ion Ratio Lower Upper
184 100
185 14.3 11.7 17.5
183 10.8 9.4 14.2



#78
Pyrene
Concen: 37.465 ng
RT: 19.742 min Scan# 2834
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10


Tgt Ion:202 Resp: 4491943
Ion Ratio Lower Upper
202 100
200 28.9 20.3 30.5
203 25.0 17.8 26.6








#79
 Terphenyl-d14
 Concen: 60.292 ng
 RT: 19.942 min Scan# 21
 Delta R.T. -0.003 min
 Lab File: BG060223.D
 Acq: 3 Jan 2024 12:10

Instrument :
 BNA_G
 ClientSampleId :







Tgt Ion:244 Resp: 5593633
 Ion Ratio Lower Upper
 244 100
 212 13.2 9.5 14.3
 122 18.0 11.4 17.2#



#80
 Butylbenzylphthalate
 Concen: 51.052 ng
 RT: 20.636 min Scan# 2986
 Delta R.T. 0.003 min
 Lab File: BG060223.D
 Acq: 3 Jan 2024 12:10

Tgt Ion:149 Resp: 1804827
 Ion Ratio Lower Upper
 149 100
 91 73.5 59.4 89.2
 206 21.5 16.6 25.0









#81
Benzo(a)anthracene
Concen: 39.463 ng
RT: 21.570 min Scan# 3146
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10




Instrument :
BNA_G
ClientSampleId :


Tgt Ion:228 Resp: 4475222
Ion Ratio Lower Upper
228 100
226 34.4 24.6 36.8
229 25.4 18.4 27.6



#82
3,3'-Dichlorobenzidine
Concen: 34.095 ng
RT: 21.487 min Scan# 3131
Delta R.T. -0.002 min
Lab File: BG060223.D
Acq: 3 Jan 2024 12:10

Tgt Ion:252 Resp: 1406008
Ion Ratio Lower Upper
252 100
254 65.1 52.6 78.8
126 8.8 6.9 10.3





#83

Chrysene

Concen: 38.169 ng

RT: 21.640 min Scan# 31

Delta R.T. 0.003 min

Lab File: BG060223.D

Acq: 3 Jan 2024 12:10

Instrument :

BNA_G

ClientSampleId :





Tgt Ion:228 Resp: 4205242

Ion Ratio Lower Upper

228 100

226 36.2 26.8 40.2

229 24.6 17.7 26.5



#84

Bis(2-ethylhexyl)phthalate

Concen: 50.177 ng

RT: 21.482 min Scan# 3130

Delta R.T. -0.002 min

Lab File: BG060223.D

Acq: 3 Jan 2024 12:10




Tgt Ion:149 Resp: 2690112


Ion Ratio Lower Upper

149 100

167 29.0 22.2 33.4

279 3.1 2.9 4.3





#85

Di-n-octyl phthalate

Concen: 51.196 ng

RT: 22.674 min Scan# 31

Delta R.T. -0.002 min

Lab File: BG060223.D

Acq: 3 Jan 2024 12:10

Instrument :

BNA_G

ClientSampleId :





Tgt Ion:149 Resp: 4492876

Ion Ratio Lower Upper

149 100

167 1.6 1.3 1.9

43 10.2 7.8 11.8



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.766 min Scan# 3689

Delta R.T. -0.002 min

Lab File: BG060223.D

Acq: 3 Jan 2024 12:10




Tgt Ion:264 Resp: 1908036


Ion Ratio Lower Upper

264 100

260 23.6 18.0 27.0

265 21.4 17.4 26.0





#87

Indeno(1,2,3-cd)pyrene

Concen: 42.952 ng

RT: 28.385 min Scan# 4306

Delta R.T. -0.002 min

Lab File: BG060223.D

Acq: 3 Jan 2024 12:10

Instrument :

BNA_G

ClientSampleId :





Tgt Ion:276 Resp: 5777904

Ion Ratio Lower Upper

276 100

138 15.5 18.0 27.0#

277 25.2 20.0 30.0



#88

Benzo(b)fluoranthene

Concen: 41.897 ng

RT: 23.755 min Scan# 3517

Delta R.T. -0.008 min

Lab File: BG060223.D

Acq: 3 Jan 2024 12:10




Tgt Ion:252 Resp: 4803945


Ion Ratio Lower Upper

252 100

253 23.8 18.4 27.6

125 10.7 8.0 12.0





#89

Benzo(k)fluoranthene

Concen: 42.352 ng

RT: 23.826 min Scan# 3529

Delta R.T. -0.002 min

Lab File: BG060223.D

Acq: 3 Jan 2024 12:10

Instrument :

BNA_G

ClientSampleId :





Tgt Ion:252 Resp: 4887728

Ion Ratio Lower Upper

252 100

253 24.3 19.1 28.7

125 11.0 7.7 11.5



#90

Benzo(a)pyrene

Concen: 42.346 ng

RT: 24.619 min Scan# 3664

Delta R.T. 0.003 min

Lab File: BG060223.D

Acq: 3 Jan 2024 12:10




Tgt Ion:252 Resp: 4392835


Ion Ratio Lower Upper

252 100

253 22.5 18.1 27.1

125 11.0 8.2 12.2





#91

Dibenzo(a,h)anthracene

Concen: 43.595 ng

RT: 28.456 min Scan# 41

Delta R.T. 0.003 min


Lab File: BG060223.D

Acq: 3 Jan 2024 12:10

Instrument :

BNA_G

ClientSampleId :






Tgt Ion:278 Resp: 4818503

Ion Ratio Lower Upper

278 100

139 14.3 11.0 16.4

279 25.4 18.5 27.7



#92

Benzo(g,h,i)perylene

Concen: 42.049 ng

RT: 29.525 min Scan# 4499

Delta R.T. -0.002 min

Lab File: BG060223.D

Acq: 3 Jan 2024 12:10

Tgt Ion:276 Resp: 4707601

Ion Ratio Lower Upper

276 100

277 24.3 18.7 28.1

138 20.1 15.9 23.9

