

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG010324\
 Data File : BG060225.D
 Acq On : 3 Jan 2024 13:31
 Operator : MA/JU
 Sample : PB157753BSD
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB157753BSD

Quant Time: Jan 03 14:09:32 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG122923.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Dec 30 03:14:04 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.937	152	200155	20.000	ng	0.00
21) Naphthalene-d8	10.740	136	863999	20.000	ng	0.00
39) Acenaphthene-d10	14.576	164	678367	20.000	ng	0.00
64) Phenanthrene-d10	17.326	188	1652685	20.000	ng	0.00
76) Chrysene-d12	21.592	240	1452009	20.000	ng	0.00
86) Perylene-d12	24.764	264	1581116	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.510	112	1948744	146.952	ng	0.00
7) Phenol-d6	7.103	99	2885054	146.526	ng	0.00
23) Nitrobenzene-d5	9.100	82	1661141	88.806	ng	0.00
42) 2,4,6-Tribromophenol	16.069	330	1349848	148.651	ng	0.00
45) 2-Fluorobiphenyl	13.196	172	4010216	84.962	ng	0.00
79) Terphenyl-d14	19.941	244	5440369	72.032	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.407	88	194034	32.887	ng	96
3) Pyridine	3.801	79	419502	25.071	ng	98
4) n-Nitrosodimethylamine	3.718	42	243974	39.085	ng	89
6) Aniline	7.261	93	674328	34.182	ng	96
8) 2-Chlorophenol	7.502	128	659248	51.727	ng	99
10) Phenol	7.132	94	1046894	52.726	ng	95
11) bis(2-Chloroethyl)ether	7.355	93	704506	43.848	ng	96
12) 1,3-Dichlorobenzene	7.825	146	655271	41.650	ng	98
13) 1,4-Dichlorobenzene	7.972	146	671082	42.192	ng	96
14) 1,2-Dichlorobenzene	8.290	146	675508	43.443	ng	97
15) Benzyl Alcohol	8.172	79	668803	54.724	ng	95
16) 2,2'-oxybis(1-Chloropr...	8.466	45	924808	44.849	ng	98
17) 2-Methylphenol	8.378	107	659662	53.058	ng	98
18) Hexachloroethane	9.018	117	226792	45.274	ng	94
19) n-Nitroso-di-n-propyla...	8.742	70	642647	47.777	ng	96
20) 3+4-Methylphenols	8.707	107	916660	52.021	ng	95
22) Acetophenone	8.760	105	1130378	44.158	ng	# 98
24) Nitrobenzene	9.141	77	871963	45.561	ng	98
25) Isophorone	9.658	82	1731417	44.242	ng	99
26) 2-Nitrophenol	9.852	139	362066	54.215	ng	96
27) 2,4-Dimethylphenol	9.911	122	594917	62.889	ng	99
28) bis(2-Chloroethoxy)met...	10.146	93	1063998	46.419	ng	98
29) 2,4-Dichlorophenol	10.387	162	804429	53.806	ng	97
30) 1,2,4-Trichlorobenzene	10.599	180	776561	42.676	ng	95
31) Naphthalene	10.792	128	2015276	44.181	ng	99
32) Benzoic acid	10.058	122	448974	52.015	ng	89
33) 4-Chloroaniline	10.898	127	421463	23.659	ng	99
34) Hexachlorobutadiene	11.074	225	442423	40.880	ng	97
35) Caprolactam	11.668	113	160977	32.369	ng	89
36) 4-Chloro-3-methylphenol	12.026	107	815645	53.011	ng	99
37) 2-Methylnaphthalene	12.396	142	1521772	46.188	ng	98
38) 1-Methylnaphthalene	12.620	142	1511674	45.381	ng	98
40) 1,2,4,5-Tetrachloroben...	12.767	216	980886	45.141	ng	99
41) Hexachlorocyclopentadiene	12.743	237	944582	134.488	ng	98
43) 2,4,6-Trichlorophenol	13.008	196	719682	50.400	ng	96
44) 2,4,5-Trichlorophenol	13.084	196	809640	50.685	ng	99


Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG010324\
 Data File : BG060225.D
 Acq On : 3 Jan 2024 13:31
 Operator : MA/JU
 Sample : PB157753BSD
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB157753BSD

Quant Time: Jan 03 14:09:32 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG122923.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Dec 30 03:14:04 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
46) 1,1'-Biphenyl	13.407	154	2283951	45.761	ng	98
47) 2-Chloronaphthalene	13.448	162	1909445	44.905	ng	99
48) 2-Nitroaniline	13.654	65	617881	55.602	ng	99
49) Acenaphthylene	14.300	152	3069452	50.099	ng	98
50) Dimethylphthalate	14.030	163	2471674	47.192	ng	99
51) 2,6-Dinitrotoluene	14.147	165	565025	51.866	ng	95
52) Acenaphthene	14.641	154	1779055	46.533	ng	99
53) 3-Nitroaniline	14.482	138	344786	33.589	ng	99
54) 2,4-Dinitrophenol	14.688	184	683695	104.913	ng	94
55) Dibenzofuran	14.976	168	3007015	46.954	ng	98
56) 4-Nitrophenol	14.794	139	916211	118.082	ng	97
57) 2,4-Dinitrotoluene	14.941	165	765647	51.687	ng	98
58) Fluorene	15.622	166	2468729	47.001	ng	100
59) 2,3,4,6-Tetrachlorophenol	15.199	232	733657	52.694	ng	99
60) Diethylphthalate	15.393	149	2428192	48.616	ng	99
61) 4-Chlorophenyl-phenyle...	15.616	204	1258616	46.019	ng	99
62) 4-Nitroaniline	15.651	138	539191	49.838	ng	97
63) Azobenzene	15.910	77	2451074	47.334	ng	97
65) 4,6-Dinitro-2-methylph...	15.698	198	448269	54.207	ng	94
66) n-Nitrosodiphenylamine	15.834	169	2213261	49.697	ng	100
67) 4-Bromophenyl-phenylether	16.509	248	813435	46.424	ng	99
68) Hexachlorobenzene	16.627	284	946072	46.051	ng	97
69) Atrazine	16.780	200	658581	40.236	ng	98
70) Pentachlorophenol	16.973	266	1191904	105.611	ng	96
71) Phenanthrene	17.367	178	3833456	46.926	ng	96
72) Anthracene	17.455	178	3908134	48.163	ng	96
73) Carbazole	17.726	167	3584218	46.572	ng	97
74) Di-n-butylphthalate	18.284	149	3758317	50.392	ng	97
75) Fluoranthene	19.382	202	4242803	44.278	ng	95
77) Benzidine	19.565	184	1312471	32.659	ng	98
78) Pyrene	19.747	202	4411092	45.193	ng	94
80) Butylbenzylphthalate	20.634	149	1790394	62.209	ng	99
81) Benzo(a)anthracene	21.574	228	4389136	47.543	ng	95
82) 3,3'-Dichlorobenzidine	21.492	252	1501637	44.729	ng	99
83) Chrysene	21.639	228	4155963	46.337	ng	95
84) Bis(2-ethylhexyl)phtha...	21.480	149	2620239	60.035	ng	98
85) Di-n-octyl phthalate	22.673	149	4351406	60.908	ng	100
87) Indeno(1,2,3-cd)pyrene	28.384	276	5645132	50.641	ng	99
88) Benzo(b)fluoranthene	23.760	252	4601916	48.433	ng	98
89) Benzo(k)fluoranthene	23.824	252	4610105	48.206	ng	98
90) Benzo(a)pyrene	24.617	252	4272528	49.702	ng	99
91) Dibenzo(a,h)anthracene	28.454	278	4706000	51.380	ng	99
92) Benzo(g,h,i)perylene	29.523	276	4521485	48.737	ng	98





(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.937 min Scan# 81
 Delta R.T. -0.004 min
 Lab File: BG060225.D
 Acq: 3 Jan 2024 13:31




Instrument :
 BNA_G
 ClientSampleId :
 PB157753BSD


Tgt Ion:152 Resp: 200155
 Ion Ratio Lower Upper
 152 100
 150 140.2 123.4 185.0
 115 48.1 45.4 68.0



#2
 1,4-Dioxane
 Concen: 32.887 ng
 RT: 3.407 min Scan# 54
 Delta R.T. -0.010 min
 Lab File: BG060225.D
 Acq: 3 Jan 2024 13:31

Tgt Ion: 88 Resp: 194034
 Ion Ratio Lower Upper
 88 100
 58 73.2 60.5 90.7
 43 27.2 18.9 28.3









#3
Pyridine
Concen: 25.071 ng
RT: 3.801 min Scan# 11
Delta R.T. -0.010 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion: 79 Resp: 419502
Ion Ratio Lower Upper
79 100
52 64.0 52.9 79.3
51 30.5 24.6 37.0



#4
n-Nitrosodimethylamine
Concen: 39.085 ng
RT: 3.718 min Scan# 107
Delta R.T. -0.010 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion: 42 Resp: 243974
Ion Ratio Lower Upper
42 100
74 177.8 129.5 194.3
44 7.2 5.9 8.9









#5
2-Fluorophenol
Concen: 146.952 ng
RT: 5.510 min Scan# 412
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion:112 Resp: 1948744
Ion Ratio Lower Upper
112 100
64 65.4 52.2 78.4
63 33.2 25.4 38.0



#6
Aniline
Concen: 34.182 ng
RT: 7.261 min Scan# 710
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion: 93 Resp: 674328
Ion Ratio Lower Upper
93 100
66 36.9 31.7 47.5
65 18.7 16.7 25.1









#7
Phenol-d6
Concen: 146.526 ng
RT: 7.103 min Scan# 61
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Instrument :
BNA_G
ClientSampleId :
PB157753BSD

Tgt Ion: 99 Resp: 2885054




Ion	Ratio	Lower	Upper
99	100		
42	16.1	12.5	18.7
71	30.8	24.1	36.1




#8
2-Chlorophenol
Concen: 51.727 ng
RT: 7.502 min Scan# 751
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion:128 Resp: 659248

Ion	Ratio	Lower	Upper
128	100		
130	32.4	11.3	51.3
64	55.8	36.4	76.4









#10
Phenol
Concen: 52.726 ng
RT: 7.132 min Scan# 61
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion: 94 Resp: 1046894
Ion Ratio Lower Upper
94 100
65 25.7 8.4 48.4
66 32.2 15.0 55.0



#11
bis(2-Chloroethyl)ether
Concen: 43.848 ng
RT: 7.355 min Scan# 726
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion: 93 Resp: 704506
Ion Ratio Lower Upper
93 100
63 78.9 63.8 103.8
95 31.3 12.3 52.3









#12
1,3-Dichlorobenzene
Concen: 41.650 ng
RT: 7.825 min Scan# 807
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion:146 Resp: 655271
Ion Ratio Lower Upper
146 100
148 66.3 52.2 78.4
75 31.7 23.4 35.2



#13
1,4-Dichlorobenzene
Concen: 42.192 ng
RT: 7.972 min Scan# 831
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion:146 Resp: 671082
Ion Ratio Lower Upper
146 100
148 70.4 53.0 79.4
111 41.1 32.0 48.0









#14
1,2-Dichlorobenzene
Concen: 43.443 ng
RT: 8.290 min Scan# 886
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion:146 Resp: 675508
Ion Ratio Lower Upper
146 100
148 62.1 52.9 79.3
111 40.2 31.8 47.8



#15
Benzyl Alcohol
Concen: 54.724 ng
RT: 8.172 min Scan# 865
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion: 79 Resp: 668803
Ion Ratio Lower Upper
79 100
108 79.5 60.6 91.0
77 63.1 53.8 80.6









#16
2,2'-oxybis(1-Chloropropane)
Concen: 44.849 ng
RT: 8.466 min Scan# 915
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion: 45 Resp: 924808
Ion Ratio Lower Upper
45 100
77 15.2 0.0 35.5
79 12.7 0.0 31.5



#17
2-Methylphenol
Concen: 53.058 ng
RT: 8.378 min Scan# 900
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion: 107 Resp: 659662
Ion Ratio Lower Upper
107 100
108 109.2 88.7 133.1
77 43.7 36.4 54.6
79 42.7 34.2 51.4









#18
Hexachloroethane
Concen: 45.274 ng
RT: 9.018 min Scan# 1010
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion:117 Resp: 226792
Ion Ratio Lower Upper
117 100
119 97.3 76.0 114.0
201 125.1 107.5 161.3



#19
n-Nitroso-di-n-propylamine
Concen: 47.777 ng
RT: 8.742 min Scan# 962
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion: 70 Resp: 642647
Ion Ratio Lower Upper
70 100
42 50.5 37.9 56.9
101 8.7 6.2 9.2
130 15.8 13.0 19.4









#20
3+4-Methylphenols
Concen: 52.021 ng
RT: 8.707 min Scan# 91
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion:107	Resp:	916660	
Ion	Ratio	Lower	Upper
107	100		
108	92.6	67.4	107.4
77	34.0	12.8	52.8
79	28.9	4.5	44.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.740 min Scan# 1302
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt	Ion:136	Resp:	863999
Ion	Ratio	Lower	Upper
136	100		
137	11.0	9.4	14.0
54	9.9	7.4	11.2
68	7.8	6.2	9.4









#22
Acetophenone
Concen: 44.158 ng
RT: 8.760 min Scan# 90
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion:105 Resp: 1130378
Ion Ratio Lower Upper
105 100
71 1.8 2.6 3.8#
51 24.5 20.0 30.0
120 19.7 14.6 22.0



#23
Nitrobenzene-d5
Concen: 88.806 ng
RT: 9.100 min Scan# 1023
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion: 82 Resp: 1661141
Ion Ratio Lower Upper
82 100
128 36.9 28.7 43.1
54 44.8 36.9 55.3









#24
Nitrobenzene
Concen: 45.561 ng
RT: 9.141 min Scan# 1031
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion: 77 Resp: 871963
Ion Ratio Lower Upper
77 100
123 41.8 31.9 47.9
65 12.2 9.9 14.9



#25
Isophorone
Concen: 44.242 ng
RT: 9.658 min Scan# 1118
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion: 82 Resp: 1731417
Ion Ratio Lower Upper
82 100
95 5.6 4.4 6.6
138 15.0 11.5 17.3









#26
2-Nitrophenol
Concen: 54.215 ng
RT: 9.852 min Scan# 1151
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion:139 Resp: 362066
Ion Ratio Lower Upper
139 100
109 24.5 19.8 29.8
65 54.9 40.8 61.2



#27
2,4-Dimethylphenol
Concen: 62.889 ng
RT: 9.911 min Scan# 1161
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion:122 Resp: 594917
Ion Ratio Lower Upper
122 100
107 120.2 95.8 143.6
121 55.3 46.2 69.4









#28
bis(2-Chloroethoxy)methane
Concen: 46.419 ng
RT: 10.146 min Scan# 11
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion: 93 Resp: 1063998
Ion Ratio Lower Upper
93 100
95 30.9 25.8 38.6
123 9.3 7.8 11.6



#29
2,4-Dichlorophenol
Concen: 53.806 ng
RT: 10.387 min Scan# 1242
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion:162 Resp: 804429
Ion Ratio Lower Upper
162 100
164 61.8 40.7 80.7
98 34.5 11.7 51.7









#30
1,2,4-Trichlorobenzene
Concen: 42.676 ng
RT: 10.599 min Scan# 1278
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion:180 Resp: 776561
Ion Ratio Lower Upper
180 100
182 100.1 75.7 113.5
145 24.5 18.4 27.6



#31
Naphthalene
Concen: 44.181 ng
RT: 10.792 min Scan# 1311
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion:128 Resp: 2015276
Ion Ratio Lower Upper
128 100
129 10.8 9.2 13.8
127 13.4 10.6 16.0









#32
Benzoic acid
Concen: 52.015 ng
RT: 10.058 min Scan# 1186
Delta R.T. 0.013 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion:122 Resp: 448974
Ion Ratio Lower Upper
122 100
105 137.0 99.2 139.2
77 95.3 81.0 121.0



#33
4-Chloroaniline
Concen: 23.659 ng
RT: 10.898 min Scan# 1329
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion:127 Resp: 421463
Ion Ratio Lower Upper
127 100
129 31.6 26.0 39.0
65 34.5 27.4 41.0
92 21.0 15.8 23.8









#34
Hexachlorobutadiene
Concen: 40.880 ng
RT: 11.074 min Scan# 11
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion:225 Resp: 442423
Ion Ratio Lower Upper
225 100
223 66.7 49.0 73.6
227 63.7 51.0 76.4



#35
Caprolactam
Concen: 32.369 ng
RT: 11.668 min Scan# 1460
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion:113 Resp: 160977
Ion Ratio Lower Upper
113 100
55 205.8 202.1 242.1
56 147.5 142.4 182.4









#36
4-Chloro-3-methylphenol
Concen: 53.011 ng
RT: 12.026 min Scan# 1521
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion:107 Resp: 815645
Ion Ratio Lower Upper
107 100
144 26.9 20.8 31.2
142 80.5 63.4 95.2



#37
2-Methylnaphthalene
Concen: 46.188 ng
RT: 12.396 min Scan# 1584
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion:142 Resp: 1521772
Ion Ratio Lower Upper
142 100
141 91.2 71.1 106.7
115 30.9 25.5 38.3









#38
1-Methylnaphthalene
Concen: 45.381 ng
RT: 12.620 min Scan# 1
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion:142 Resp: 1511674
Ion Ratio Lower Upper
142 100
141 93.9 76.6 114.8
116 3.1 2.6 3.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.576 min Scan# 1955
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion:164 Resp: 678367
Ion Ratio Lower Upper
164 100
162 104.2 83.9 125.9
160 44.1 34.2 51.4









#40
1,2,4,5-Tetrachlorobenzene
Concen: 45.141 ng
RT: 12.767 min Scan# 1
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion:216 Resp: 980886
Ion Ratio Lower Upper
216 100
214 79.6 63.4 95.0
179 19.1 15.2 22.8
108 16.2 11.0 16.4



#41
Hexachlorocyclopentadiene
Concen: 134.488 ng
RT: 12.743 min Scan# 1643
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion:237 Resp: 944582
Ion Ratio Lower Upper
237 100
235 63.7 42.2 82.2
272 12.9 0.0 32.0









#42
2,4,6-Tribromophenol
Concen: 148.651 ng
RT: 16.069 min Scan# 21
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion:330 Resp: 1349848
Ion Ratio Lower Upper
330 100
332 96.0 76.7 115.1
141 26.5 21.0 31.4



#43
2,4,6-Trichlorophenol
Concen: 50.400 ng
RT: 13.008 min Scan# 1688
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion:196 Resp: 719682
Ion Ratio Lower Upper
196 100
198 93.0 78.3 117.5
200 29.3 23.9 35.9









#44
2,4,5-Trichlorophenol
Concen: 50.685 ng
RT: 13.084 min Scan# 1701
Delta R.T. 0.008 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion:196 Resp: 809640
Ion Ratio Lower Upper
196 100
198 96.2 76.6 115.0
97 40.6 32.9 49.3
132 18.7 15.9 23.9



#45
2-Fluorobiphenyl
Concen: 84.962 ng
RT: 13.196 min Scan# 1720
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion:172 Resp: 4010216
Ion Ratio Lower Upper
172 100
171 43.1 32.6 48.8
170 29.8 21.8 32.6









#46
1,1'-Biphenyl
Concen: 45.761 ng
RT: 13.407 min Scan# 1
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion:154 Resp: 2283951
Ion Ratio Lower Upper
154 100
153 42.1 20.9 60.9
76 15.9 0.0 35.4



#47
2-Chloronaphthalene
Concen: 44.905 ng
RT: 13.448 min Scan# 1763
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion:162 Resp: 1909445
Ion Ratio Lower Upper
162 100
127 29.4 23.0 34.6
164 32.7 26.7 40.1









#48
2-Nitroaniline
Concen: 55.602 ng
RT: 13.654 min Scan# 11
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion: 65 Resp: 617881
Ion Ratio Lower Upper
65 100
92 65.5 52.9 79.3
138 95.1 76.4 114.6



#49
Acenaphthylene
Concen: 50.099 ng
RT: 14.300 min Scan# 1908
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion:152 Resp: 3069452
Ion Ratio Lower Upper
152 100
151 21.1 15.8 23.6
153 14.4 11.0 16.6









#50
Dimethylphthalate
Concen: 47.192 ng
RT: 14.030 min Scan# 1862
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion:163 Resp: 2471674
Ion Ratio Lower Upper
163 100
194 3.5 2.6 4.0
164 10.8 8.3 12.5



#51
2,6-Dinitrotoluene
Concen: 51.866 ng
RT: 14.147 min Scan# 1882
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion:165 Resp: 565025
Ion Ratio Lower Upper
165 100
63 52.0 39.3 58.9
89 53.0 39.8 59.8









#52
Acenaphthene
Concen: 46.533 ng
RT: 14.641 min Scan# 1967
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion:154 Resp: 1779055
Ion Ratio Lower Upper
154 100
153 115.5 91.5 137.3
152 55.7 43.8 65.8



#53
3-Nitroaniline
Concen: 33.589 ng
RT: 14.482 min Scan# 1939
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion:138 Resp: 344786
Ion Ratio Lower Upper
138 100
108 8.4 6.2 9.4
92 121.7 98.5 147.7









#54
2,4-Dinitrophenol
Concen: 104.913 ng
RT: 14.688 min Scan# 1973
Delta R.T. 0.008 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion:184 Resp: 683695
Ion Ratio Lower Upper
184 100
63 52.7 45.4 68.2
154 45.3 40.0 60.0



#55
Dibenzofuran
Concen: 46.954 ng
RT: 14.976 min Scan# 2023
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion:168 Resp: 3007015
Ion Ratio Lower Upper
168 100
139 30.3 23.1 34.7
169 15.4 11.9 17.9









#56
4-Nitrophenol
Concen: 118.082 ng
RT: 14.794 min Scan# 1991
Delta R.T. 0.008 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion:139 Resp: 916211
Ion Ratio Lower Upper
139 100
109 62.4 44.4 84.4
65 103.2 87.4 127.4



#57
2,4-Dinitrotoluene
Concen: 51.687 ng
RT: 14.941 min Scan# 2017
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion:165 Resp: 765647
Ion Ratio Lower Upper
165 100
63 37.7 31.0 46.6
89 69.0 53.3 79.9
182 2.2 1.7 2.5





#58

Fluorene

Concen: 47.001 ng

RT: 15.622 min Scan# 21

Delta R.T. -0.004 min

Lab File: BG060225.D

Acq: 3 Jan 2024 13:31

Instrument :

BNA_G

ClientSampleId :

PB157753BSD





Tgt Ion:166 Resp: 2468729

Ion Ratio Lower Upper

166 100

165 100.9 80.4 120.6

167 13.9 11.3 16.9



#59

2,3,4,6-Tetrachlorophenol

Concen: 52.694 ng

RT: 15.199 min Scan# 2061

Delta R.T. 0.002 min

Lab File: BG060225.D

Acq: 3 Jan 2024 13:31

Tgt Ion:232 Resp: 733657




Ion Ratio Lower Upper


232 100

131 30.4 23.8 35.6

130 1.5 1.2 1.8

166 26.9 21.7 32.5









#60
Diethylphthalate
Concen: 48.616 ng
RT: 15.393 min Scan# 2094
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion:149 Resp: 2428192
Ion Ratio Lower Upper
149 100
177 25.6 20.2 30.2
150 12.7 9.6 14.4



#61
4-Chlorophenyl-phenylether
Concen: 46.019 ng
RT: 15.616 min Scan# 2132
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion:204 Resp: 1258616
Ion Ratio Lower Upper
204 100
206 34.1 26.9 40.3
141 42.5 33.2 49.8









#62
4-Nitroaniline
Concen: 49.838 ng
RT: 15.651 min Scan# 2138
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion:138 Resp: 539191
Ion Ratio Lower Upper
138 100
92 52.9 35.1 75.1
108 63.2 40.9 80.9



#63
Azobenzene
Concen: 47.334 ng
RT: 15.910 min Scan# 2182
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion: 77 Resp: 2451074
Ion Ratio Lower Upper
77 100
182 26.8 4.3 44.3
105 22.1 0.3 40.3
51 24.2 4.9 44.9





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.326 min Scan# 24

Delta R.T. 0.002 min

Lab File: BG060225.D

Acq: 3 Jan 2024 13:31

Instrument :

BNA_G

ClientSampleId :

PB157753BSD





Tgt Ion:188 Resp: 1652685

Ion Ratio Lower Upper

188 100

94 10.1 7.8 11.6

80 11.1 8.6 13.0



#65

4,6-Dinitro-2-methylphenol

Concen: 54.207 ng

RT: 15.698 min Scan# 2146

Delta R.T. -0.005 min

Lab File: BG060225.D

Acq: 3 Jan 2024 13:31




Tgt Ion:198 Resp: 448269


Ion Ratio Lower Upper

198 100

51 39.3 14.8 54.8

105 40.7 17.5 57.5





#66

n-Nitrosodiphenylamine

Concen: 49.697 ng

RT: 15.834 min Scan# 21

Delta R.T. 0.002 min

Lab File: BG060225.D

Acq: 3 Jan 2024 13:31

Instrument :

BNA_G

ClientSampleId :

PB157753BSD





Tgt Ion:169 Resp: 2213261

Ion Ratio Lower Upper

169 100

168 70.7 56.6 84.8

167 40.0 32.1 48.1



#67

4-Bromophenyl-phenylether

Concen: 46.424 ng

RT: 16.509 min Scan# 2284

Delta R.T. -0.004 min

Lab File: BG060225.D

Acq: 3 Jan 2024 13:31




Tgt Ion:248 Resp: 813435


Ion Ratio Lower Upper

248 100

250 96.3 76.2 114.4

141 46.4 36.0 54.0





#68

Hexachlorobenzene

Concen: 46.051 ng

RT: 16.627 min Scan# 21

Delta R.T. -0.004 min

Lab File: BG060225.D

Acq: 3 Jan 2024 13:31

Instrument :

BNA_G

ClientSampleId :

PB157753BSD





Tgt Ion:284 Resp: 946072

Ion Ratio Lower Upper

284 100

142 25.0 18.7 28.1

249 30.9 23.5 35.3



#69

Atrazine

Concen: 40.236 ng

RT: 16.780 min Scan# 2330

Delta R.T. 0.002 min

Lab File: BG060225.D

Acq: 3 Jan 2024 13:31




Tgt Ion:200 Resp: 658581


Ion Ratio Lower Upper

200 100

173 24.8 5.2 45.2

215 45.5 26.9 66.9









#70
 Pentachlorophenol
 Concen: 105.611 ng
 RT: 16.973 min Scan# 21
 Delta R.T. 0.002 min
 Lab File: BG060225.D
 Acq: 3 Jan 2024 13:31

Instrument :
 BNA_G
 ClientSampleId :
 PB157753BSD

Tgt Ion:266 Resp: 1191904




Ion	Ratio	Lower	Upper
266	100		
268	66.8	50.4	75.6
264	63.7	52.6	79.0




#71
 Phenanthrene
 Concen: 46.926 ng
 RT: 17.367 min Scan# 2430
 Delta R.T. 0.002 min
 Lab File: BG060225.D
 Acq: 3 Jan 2024 13:31

Tgt Ion:178 Resp: 3833456

Ion	Ratio	Lower	Upper
178	100		
176	23.5	17.5	26.3
179	19.1	13.8	20.8





#72

Anthracene

Concen: 48.163 ng

RT: 17.455 min Scan# 2446

Delta R.T. -0.004 min

Lab File: BG060225.D

Acq: 3 Jan 2024 13:31

Instrument :

BNA_G

ClientSampleId :

PB157753BSD





Tgt Ion:178 Resp: 3908134

Ion Ratio Lower Upper

178 100

176 22.6 16.2 24.2

179 19.1 14.0 21.0



#73

Carbazole

Concen: 46.572 ng

RT: 17.726 min Scan# 2491

Delta R.T. -0.004 min

Lab File: BG060225.D

Acq: 3 Jan 2024 13:31




Tgt Ion:167 Resp: 3584218


Ion Ratio Lower Upper

167 100

166 25.5 18.8 28.2

139 11.5 8.8 13.2









#74
Di-n-butylphthalate
Concen: 50.392 ng
RT: 18.284 min Scan# 21
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion:149 Resp: 3758317
Ion Ratio Lower Upper
149 100
150 11.6 8.3 12.5
104 5.8 4.2 6.4



#75
Fluoranthene
Concen: 44.278 ng
RT: 19.382 min Scan# 2773
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Tgt Ion:202 Resp: 4242803
Ion Ratio Lower Upper
202 100
101 14.5 0.0 32.8
203 24.4 2.0 42.0





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.592 min Scan# 3149

Delta R.T. 0.002 min

Lab File: BG060225.D

Acq: 3 Jan 2024 13:31

Instrument :

BNA_G

ClientSampleId :

PB157753BSD





Tgt Ion:240 Resp: 1452009

Ion Ratio Lower Upper

240 100

120 9.3 8.5 12.7

236 25.1 21.4 32.2



#77

Benzidine

Concen: 32.659 ng

RT: 19.565 min Scan# 2804

Delta R.T. 0.002 min

Lab File: BG060225.D

Acq: 3 Jan 2024 13:31




Tgt Ion:184 Resp: 1312471


Ion Ratio Lower Upper

184 100

185 14.4 11.7 17.5

183 10.2 9.4 14.2





#78

Pyrene

Concen: 45.193 ng

RT: 19.747 min Scan# 2835

Delta R.T. 0.002 min

Lab File: BG060225.D

Acq: 3 Jan 2024 13:31

Instrument :

BNA_G

ClientSampleId :

PB157753BSD





Tgt Ion:202 Resp: 4411092

Ion Ratio Lower Upper

202 100

200 29.4 20.3 30.5

203 23.8 17.8 26.6



#79

Terphenyl-d14

Concen: 72.032 ng

RT: 19.941 min Scan# 2868

Delta R.T. -0.004 min

Lab File: BG060225.D

Acq: 3 Jan 2024 13:31




Tgt Ion:244 Resp: 5440369


Ion Ratio Lower Upper

244 100

212 13.5 9.5 14.3

122 17.1 11.4 17.2





#80

Butylbenzylphthalate

Concen: 62.209 ng

RT: 20.634 min Scan# 2986

Delta R.T. 0.002 min

Lab File: BG060225.D

Acq: 3 Jan 2024 13:31

Instrument :

BNA_G

ClientSampleId :

PB157753BSD





Tgt Ion:149 Resp: 1790394

Ion Ratio Lower Upper

149 100

91 73.6 59.4 89.2

206 21.3 16.6 25.0



#81

Benzo(a)anthracene

Concen: 47.543 ng

RT: 21.574 min Scan# 3146

Delta R.T. 0.002 min

Lab File: BG060225.D

Acq: 3 Jan 2024 13:31




Tgt Ion:228 Resp: 4389136


Ion Ratio Lower Upper

228 100

226 34.0 24.6 36.8

229 24.7 18.4 27.6









#82
 3,3'-Dichlorobenzidine
 Concen: 44.729 ng
 RT: 21.492 min Scan# 3132
 Delta R.T. 0.002 min
 Lab File: BG060225.D
 Acq: 3 Jan 2024 13:31




Instrument :
 BNA_G
 ClientSampleId :
 PB157753BSD


Tgt Ion:252 Resp: 1501637
 Ion Ratio Lower Upper
 252 100
 254 64.9 52.6 78.8
 126 8.8 6.9 10.3



#83
 Chrysene
 Concen: 46.337 ng
 RT: 21.639 min Scan# 3157
 Delta R.T. 0.002 min
 Lab File: BG060225.D
 Acq: 3 Jan 2024 13:31

Tgt Ion:228 Resp: 4155963
 Ion Ratio Lower Upper
 228 100
 226 36.7 26.8 40.2
 229 23.8 17.7 26.5









#84
 Bis(2-ethylhexyl)phthalate
 Concen: 60.035 ng
 RT: 21.480 min Scan# 3131
 Delta R.T. -0.004 min
 Lab File: BG060225.D
 Acq: 3 Jan 2024 13:31




Instrument :
 BNA_G
 ClientSampleId :
 PB157753BSD


Tgt Ion:149 Resp: 2620239
 Ion Ratio Lower Upper
 149 100
 167 29.0 22.2 33.4
 279 3.4 2.9 4.3



#85
 Di-n-octyl phthalate
 Concen: 60.908 ng
 RT: 22.673 min Scan# 3333
 Delta R.T. -0.004 min
 Lab File: BG060225.D
 Acq: 3 Jan 2024 13:31

Tgt Ion:149 Resp: 4351406
 Ion Ratio Lower Upper
 149 100
 167 1.6 1.3 1.9
 43 10.0 7.8 11.8





#86

Perylene-d12

Concen: 20.000 ng

RT: 24.764 min Scan# 3

Delta R.T. -0.004 min

Lab File: BG060225.D

Acq: 3 Jan 2024 13:31

Instrument :

BNA_G

ClientSampleId :

PB157753BSD





Tgt Ion:264 Resp: 1581116

Ion Ratio Lower Upper

264 100

260 23.1 18.0 27.0

265 22.9 17.4 26.0



#87

Indeno(1,2,3-cd)pyrene

Concen: 50.641 ng

RT: 28.384 min Scan# 4305

Delta R.T. -0.004 min

Lab File: BG060225.D

Acq: 3 Jan 2024 13:31




Tgt Ion:276 Resp: 5645132


Ion Ratio Lower Upper

276 100

138 23.1 18.0 27.0

277 25.3 20.0 30.0





#88

Benzo(b)fluoranthene

Concen: 48.433 ng

RT: 23.760 min Scan# 3519

Delta R.T. -0.004 min

Lab File: BG060225.D

Acq: 3 Jan 2024 13:31

Instrument :

BNA_G

ClientSampleId :

PB157753BSD





Tgt Ion:252 Resp: 4601916

Ion Ratio Lower Upper

252 100

253 24.5 18.4 27.6

125 10.1 8.0 12.0



#89

Benzo(k)fluoranthene

Concen: 48.206 ng

RT: 23.824 min Scan# 3529

Delta R.T. -0.004 min

Lab File: BG060225.D

Acq: 3 Jan 2024 13:31




Tgt Ion:252 Resp: 4610105


Ion Ratio Lower Upper

252 100

253 24.3 19.1 28.7

125 10.9 7.7 11.5









#90
Benzo(a)pyrene
Concen: 49.702 ng
RT: 24.617 min Scan# 30
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31




Instrument :
BNA_G
ClientSampleId :
PB157753BSD


Tgt Ion:252 Resp: 4272528
Ion Ratio Lower Upper
252 100
253 22.3 18.1 27.1
125 10.7 8.2 12.2



#91
Dibenzo(a,h)anthracene
Concen: 51.380 ng
RT: 28.454 min Scan# 4317
Delta R.T. 0.002 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31


Tgt Ion:278 Resp: 4706000
Ion Ratio Lower Upper
278 100
139 14.0 11.0 16.4
279 23.5 18.5 27.7





#92
Benzo(g,h,i)perylene
Concen: 48.737 ng
RT: 29.523 min Scan# 44
Delta R.T. -0.004 min
Lab File: BG060225.D
Acq: 3 Jan 2024 13:31

Instrument :
BNA_G
ClientSampleId :
PB157753BSD



Tgt Ion:276 Resp: 4521485
Ion Ratio Lower Upper
276 100
277 24.4 18.7 28.1
138 20.5 15.9 23.9

