

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG012219\
 Data File : BG039250.D
 Acq On : 22 Jan 2019 13:00
 Operator : JU/SJ
 Sample : K1013-08
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PL-01-011819-D

Quant Time: Jan 22 13:45:32 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG010919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jan 18 04:20:14 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.00	152	18219	20.00	ng	-0.01
21) Naphthalene-d8	10.82	136	67593	20.00	ng	0.00
39) Acenaphthene-d10	14.65	164	52080	20.00	ng	0.00
64) Phenanthrene-d10	17.40	188	136140	20.00	ng	0.00
76) Chrysene-d12	21.66	240	136990	20.00	ng	-0.02
87) Perylene-d12	24.92	264	138898	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.56	112	110107	114.64	ng	0.00
7) Phenol-d6	7.17	99	139827	101.16	ng	0.00
23) Nitrobenzene-d5	9.18	82	116687	94.46	ng	0.00
42) 2,4,6-Tribromophenol	16.14	330	105840	121.24	ng	-0.01
45) 2-Fluorobiphenyl	13.27	172	317296	83.38	ng	0.00
79) Terphenyl-d14	20.00	244	633028	85.48	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG012219\
Data File : BG039250.D
Acq On : 22 Jan 2019 13:00
Operator : JU/SJ
Sample : K1013-08
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PL-01-011819-D

Quant Time: Jan 22 13:45:32 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG010919.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jan 18 04:20:14 2019
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 8.00 min Scan# 836

Delta R.T. -0.01 min

Lab File: BG039250.D

Acq: 22 Jan 2019 13:00

Instrument :

BNA_G

ClientSampleId :

PL-01-011819-D


Tot Ion:152 Resp: 18219

Ion Ratio Lower Upper

152 100

150 155.1 124.7 187.1




115 48.9 46.5 69.7



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 114.645 ng

RT: 5.56 min Scan# 420

Delta R.T. -0.01 min

Lab File: BG039250.D

Acq: 22 Jan 2019 13:00


Tgt Ion:112 Resp: 110107

Ion Ratio Lower Upper

112 100

64 60.7 47.0 70.6



63 33.9 28.0 42.0




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG

Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 101.165 ng

RT: 7.17 min Scan# 694

Delta R.T. -0.01 min

Lab File: BG039250.D

Acq: 22 Jan 2019 13:00

Instrument :

BNA_G

ClientSampleId :

PL-01-011819-D


Tot Ion: 99 Resp: 139827

Ion Ratio Lower Upper




99 100

42 19.8 15.8 23.6

71 38.3 30.2 45.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.82 min Scan# 1316

Delta R.T. -0.01 min

Lab File: BG039250.D

Acq: 22 Jan 2019 13:00

Tgt Ion: 136 Resp: 67593


Ion Ratio Lower Upper

136 100



137 12.6 9.4 14.2


54 9.3 7.2 10.8

68 4.0 3.5 5.3



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 94.463 ng
 RT: 9.18 min Scan# 1037
 Delta R.T. -0.01 min
 Lab File: BG039250.D
 Acq: 22 Jan 2019 13:00

Instrument :
 BNA_G
 ClientSampleId :
 PL-01-011819-D

Tot Ion	Ratio	Lower	Upper
82	100		
128	43.7	37.3	55.9
54	59.0	46.4	69.6




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.65 min Scan# 1967
 Delta R.T. -0.01 min
 Lab File: BG039250.D
 Acq: 22 Jan 2019 13:00

Tgt Ion	Ratio	Lower	Upper
164	100		
162	107.0	87.2	130.8
160	48.0	33.3	49.9



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#42
 2,4,6-Tribromophenol
 Concen: 121.236 ng
 RT: 16.14 min Scan# 2221
 Delta R.T. -0.01 min
 Lab File: BG039250.D
 Acq: 22 Jan 2019 13:00

Instrument :
 BNA_G
 ClientSampleId :
 PL-01-011819-D

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.1	75.7	113.5
141	30.4	24.9	37.3




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 83.379 ng
 RT: 13.27 min Scan# 1732
 Delta R.T. -0.01 min
 Lab File: BG039250.D
 Acq: 22 Jan 2019 13:00

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.5	29.4	44.0
170	24.3	20.1	30.1



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.40 min Scan# 2435

Delta R.T. -0.01 min

Lab File: BG039250.D

Acq: 22 Jan 2019 13:00

Instrument :

BNA_G

ClientSampleId :

PL-01-011819-D


Tot Ion:188 Resp: 136140

Ion Ratio Lower Upper

188 100

94 6.0 5.0 7.4




80 6.4 4.7 7.1



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG

Ion 80.00 (79.70 to 80.70): BG



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.66 min Scan# 3161

Delta R.T. -0.02 min

Lab File: BG039250.D

Acq: 22 Jan 2019 13:00


Tgt Ion:240 Resp: 136990

Ion Ratio Lower Upper

240 100

120 6.3 4.3 6.5



236 25.4 20.1 30.1




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 85.483 ng

RT: 20.00 min Scan# 2878

Delta R.T. -0.01 min

Lab File: BG039250.D

Acq: 22 Jan 2019 13:00

Instrument :

BNA_G

ClientSampleId :

PL-01-011819-D


Tot Ion:244 Resp: 633028

Ion Ratio Lower Upper

244 100

212 7.4 6.1 9.1




122 7.1 6.1 9.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 24.92 min Scan# 3716

Delta R.T. -0.03 min

Lab File: BG039250.D

Acq: 22 Jan 2019 13:00


Tgt Ion:264 Resp: 138898

Ion Ratio Lower Upper

264 100

260 22.5 17.0 25.6

265 21.7 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

