

Data File : BG042143.D
Acq On : 12 Aug 2019 13:14
Operator : HP/JU
Sample : K4161-05
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
ETOE2

Quant Time: Aug 13 04:49:28 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG080319MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Aug 13 04:44:41 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.02	152	95600	20.00	ng/ul	0.00
18) Naphthalene-d8	10.85	136	386454	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.69	164	272960	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.44	188	570200	20.00	ng/ul	0.00
77) Chrysene-d12	21.72	240	574263	20.00	ng/ul	0.00
85) Perylene-d12	24.99	264	642064	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.41	96	8817	4.04	ng/uL	0.00
5) Phenol-d5	7.18	99	45283	6.04	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.34	67	80172	19.11	ng/ul	0.00
9) 2-Chlorophenol-d4	7.55	132	125028	19.49	ng/ul	0.00
13) 4-Methylphenol-d8	8.73	113	84073	13.35	ng/ul	0.00
19) Nitrobenzene-d5	9.19	128	73043	25.11	ng/ul	0.00
22) 2-Nitrophenol-d4	9.92	143	90776	26.88	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.47	165	160550	23.55	ng/ul	0.00
29) 4-Chloroaniline-d4	10.99	131	9607	1.27	ng/ul	0.00
43) Dimethylphthalate-d6	14.09	166	517714	24.46	ng/ul	0.00
46) Acenaphthylene-d8	14.38	160	593384	24.54	ng/ul	0.00
51) 4-Nitrophenol-d4	14.89	143	17096	4.81	ng/ul	0.00
57) Fluorene-d10	15.68	176	458682	24.35	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.80	200	80330	21.96	ng/ul	0.00
70) Anthracene-d10	17.54	188	707086	25.85	ng/ul	0.00
78) Pyrene-d10	19.82	212	805174	25.13	ng/ul	0.00
89) Benzo(a)pyrene-d12	24.76	264	899546	26.82	ng/ul	0.00


Target Compounds					Qvalue	
44) Dimethylphthalate	14.13	163	49664	2.363	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BG042143.D
Acq On : 12 Aug 2019 13:14
Operator : HP/JU
Sample : K4161-05
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
ETOE2

Quant Time: Aug 13 04:49:28 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG080319MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Aug 13 04:44:41 2019
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 2.363 ng/ul

RT: 14.13 min Scan# 1880

Delta R.T. 0.00 min

Lab File: BG042143.D

Acq: 12 Aug 2019 13:14

Instrument :

BNA_G

ClientSampleId :

ETOE2

Tgt Ion:163 Resp: 49664

Ion Ratio Lower Upper

163 100

194 5.2 4.2 6.2

164 10.5 7.8 11.8

