

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG081919\
 Data File : BG042331.D
 Acq On : 19 Aug 2019 17:57
 Operator : HP/JU
 Sample : K4290-03
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 B-3

Quant Time: Aug 20 05:51:45 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG081919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 19 13:40:37 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.01	152	63145	20.00	ng	0.00
21) Naphthalene-d8	10.83	136	245943	20.00	ng	0.00
39) Acenaphthene-d10	14.66	164	180087	20.00	ng	0.00
64) Phenanthrene-d10	17.41	188	414227	20.00	ng	0.00
76) Chrysene-d12	21.69	240	442110	20.00	ng	0.00
87) Perylene-d12	24.93	264	517602	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.56	112	317834	101.98	ng	0.00
7) Phenol-d6	7.17	99	445279	105.20	ng	0.00
23) Nitrobenzene-d5	9.17	82	250760	71.71	ng	0.00
42) 2,4,6-Tribromophenol	16.16	330	255662	104.24	ng	0.00
45) 2-Fluorobiphenyl	13.28	172	813089	76.40	ng	0.00
79) Terphenyl-d14	20.03	244	1442973	71.49	ng	0.00
Target Compounds						
50) Dimethylphthalate	14.11	163	173827	13.584	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG081919\
Data File : BG042331.D
Acq On : 19 Aug 2019 17:57
Operator : HP/JU
Sample : K4290-03
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
B-3

Quant Time: Aug 20 05:51:45 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG081919.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 19 13:40:37 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.01 min Scan# 837
 Delta R.T. 0.00 min
 Lab File: BG042331.D
 Acq: 19 Aug 2019 17:57

Instrument :
 BNA_G
 ClientSampleId :
 B-3

Tot Ion	152	Resp	63145
Ion Ratio	100	Lower	Upper
152	100		
150	151.5	124.3	186.5
115	52.9	40.5	60.7




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 101.981 ng
 RT: 5.56 min Scan# 421
 Delta R.T. 0.00 min
 Lab File: BG042331.D
 Acq: 19 Aug 2019 17:57

Tgt Ion	112	Resp	317834
Ion Ratio	100	Lower	Upper
112	100		
64	54.2	42.5	63.7
63	27.2	21.7	32.5



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BG
 Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 105.200 ng

RT: 7.17 min Scan# 694

Delta R.T. 0.00 min

Lab File: BG042331.D

Acq: 19 Aug 2019 17:57

Instrument :

BNA_G

ClientSampleId :

B-3


Tot Ion: 99 Resp: 445279

Ion Ratio Lower Upper




99 100

42 13.8 11.4 17.0

71 32.1 25.1 37.7



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.83 min Scan# 1318

Delta R.T. 0.01 min

Lab File: BG042331.D

Acq: 19 Aug 2019 17:57

Tgt Ion: 136 Resp: 245943


Ion Ratio Lower Upper

136 100



137 9.9 8.4 12.6


54 6.1 5.0 7.4

68 4.7 3.8 5.8



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 71.710 ng
RT: 9.17 min Scan# 1035
Delta R.T. -0.01 min
Lab File: BG042331.D
Acq: 19 Aug 2019 17:57




Instrument :
BNA_G
ClientSampleId :
B-3


Tot Ion	82	Resp	250760
Ion Ratio	Lower	Upper	
82	100		
128	52.3	41.0	61.4
54	48.5	38.0	57.0



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.66 min Scan# 1970
Delta R.T. -0.01 min
Lab File: BG042331.D
Acq: 19 Aug 2019 17:57

Tgt Ion	164	Resp	180087
Ion Ratio	Lower	Upper	
164	100		
162	101.0	80.6	120.8
160	43.5	35.7	53.5





#42

2,4,6-Tribromophenol

Concen: 104.235 ng

RT: 16.16 min Scan# 2224

Delta R.T. 0.00 min

Lab File: BG042331.D

Acq: 19 Aug 2019 17:57

Instrument :

BNA_G

ClientSampleId :

B-3


Tot Ion:330 Resp: 255662

Ion Ratio Lower Upper

330 100

332 97.5 76.9 115.3




141 27.9 21.8 32.6



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 76.401 ng

RT: 13.28 min Scan# 1735

Delta R.T. -0.01 min

Lab File: BG042331.D

Acq: 19 Aug 2019 17:57


Tgt Ion:172 Resp: 813089

Ion Ratio Lower Upper

172 100

171 38.2 30.3 45.5



170 25.2 20.0 30.0




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 13.584 ng

RT: 14.11 min Scan# 1876

Delta R.T. -0.01 min

Lab File: BG042331.D

Acq: 19 Aug 2019 17:57

Instrument :

BNA_G

ClientSampleId :

B-3


Tot Ion:163 Resp: 173827

Ion Ratio Lower Upper

163 100

194 5.1 4.2 6.2




164 10.9 8.8 13.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.41 min Scan# 2438

Delta R.T. -0.01 min

Lab File: BG042331.D

Acq: 19 Aug 2019 17:57


Tgt Ion:188 Resp: 414227

Ion Ratio Lower Upper

188 100

94 6.6 4.9 7.3



80 6.8 5.4 8.0




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG0

Ion 80.00 (79.70 to 80.70): BG0









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.69 min Scan# 3166
Delta R.T. -0.01 min
Lab File: BG042331.D
Acq: 19 Aug 2019 17:57




Instrument :
BNA_G
ClientSampleId :
B-3


Tot Ion	Ratio	Lower	Upper
240	100		
120	7.5	6.0	9.0
236	26.8	21.6	32.4



#79
Terphenyl-d14
Concen: 71.487 ng
RT: 20.03 min Scan# 2883
Delta R.T. -0.01 min
Lab File: BG042331.D
Acq: 19 Aug 2019 17:57

Tgt Ion	Ratio	Lower	Upper
244	100		
212	7.8	6.4	9.6
122	8.6	6.6	10.0





#87
Pervlene-d12
Concen: 20.000 ng
RT: 24.93 min Scan# 3718
Delta R.T. -0.01 min
Lab File: BG042331.D
Acq: 19 Aug 2019 17:57

Instrument :
BNA_G
ClientSampleId :
B-3

Tot Ion: 264 Resp: 517602

Ion	Ratio	Lower	Upper
264	100		
260	24.5	18.4	27.6
265	22.3	17.4	26.0

