

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG082119\
 Data File : BG042389.D
 Acq On : 21 Aug 2019 18:42
 Operator : HP/JU
 Sample : K4330-06
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 0650-ELUTRIATE-COMP-D

Quant Time: Aug 28 07:54:30 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG081919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 19 13:40:37 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.01	152	60865	20.00	ng	0.00
21) Naphthalene-d8	10.83	136	237078	20.00	ng	0.00
39) Acenaphthene-d10	14.66	164	173698	20.00	ng	0.00
64) Phenanthrene-d10	17.42	188	391589	20.00	ng	0.00
76) Chrysene-d12	21.70	240	407220	20.00	ng	0.00
87) Perylene-d12	24.94	264	475670	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.57	112	196098	65.28	ng	0.00
7) Phenol-d6	7.17	99	172267	42.22	ng	0.00
23) Nitrobenzene-d5	9.18	82	307545	91.24	ng	0.00
42) 2,4,6-Tribromophenol	16.16	330	324512	137.17	ng	0.00
45) 2-Fluorobiphenyl	13.29	172	959998	93.52	ng	0.00
79) Terphenyl-d14	20.03	244	1532500	82.43	ng	0.00
Target Compounds						
10) Phenol	7.20	94	10358	2.497	ng	92
50) Dimethylphthalate	14.11	163	185012	14.990	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG082119\
Data File : BG042389.D
Acq On : 21 Aug 2019 18:42
Operator : HP/JU
Sample : K4330-06
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
0650-ELUTRIATE-COMP-D

Quant Time: Aug 28 07:54:30 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG081919.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 19 13:40:37 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.01 min Scan# 837
 Delta R.T. 0.00 min
 Lab File: BG042389.D
 Acq: 21 Aug 2019 18:42

Instrument :
 BNA_G
 ClientSampleId :
 0650-ELUTRIATE-COMP-D

Tgt Ion	Ratio	Lower	Upper
152	100		
150	160.3	124.3	186.5
115	52.5	40.5	60.7






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
 Concen: 65.278 ng
 RT: 5.57 min Scan# 422
 Delta R.T. 0.01 min
 Lab File: BG042389.D
 Acq: 21 Aug 2019 18:42

Tgt Ion	Ratio	Lower	Upper
112	100		
64	53.4	42.5	63.7
63	27.8	21.7	32.5






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG

Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 42.224 ng

RT: 7.17 min Scan# 695

Delta R.T. 0.01 min

Lab File: BG042389.D

Acq: 21 Aug 2019 18:42

Instrument :

BNA_G

ClientSampleId :

0650-ELUTRIATE-COMP-D


Tgt Ion: 99 Resp: 172267

Ion Ratio Lower Upper




99 100

42 15.6 11.4 17.0

71 33.4 25.1 37.7



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 2.497 ng

RT: 7.20 min Scan# 700

Delta R.T. 0.01 min

Lab File: BG042389.D

Acq: 21 Aug 2019 18:42


Tgt Ion: 94 Resp: 10358

Ion Ratio Lower Upper



94 100


65 28.3 6.1 46.1

66 41.6 15.7 55.7



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.83 min Scan# 1318
Delta R.T. 0.01 min
Lab File: BG042389.D
Acq: 21 Aug 2019 18:42

Instrument :
BNA_G
ClientSampleId :
0650-ELUTRIATE-COMP-D

Tgt Ion:	136	Resp:	237078
Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.4	12.6
54	6.2	5.0	7.4
68	3.9	3.8	5.8




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
Nitrobenzene-d5
Concen: 91.238 ng
RT: 9.18 min Scan# 1036
Delta R.T. 0.00 min
Lab File: BG042389.D
Acq: 21 Aug 2019 18:42

Tgt Ion:	82	Resp:	307545
Ion	Ratio	Lower	Upper
82	100		
128	51.5	41.0	61.4
54	46.8	38.0	57.0



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BGC









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.66 min Scan# 1970
Delta R.T. -0.01 min
Lab File: BG042389.D
Acq: 21 Aug 2019 18:42




Instrument :
BNA_G
ClientSampleId :
0650-ELUTRIATE-COMP-D


Tgt Ion:164 Resp: 173698
Ion Ratio Lower Upper
164 100
162 98.8 80.6 120.8
160 44.1 35.7 53.5



#42
2,4,6-Tribromophenol
Concen: 137.172 ng
RT: 16.16 min Scan# 2225
Delta R.T. 0.01 min
Lab File: BG042389.D
Acq: 21 Aug 2019 18:42

Tgt Ion:330 Resp: 324512
Ion Ratio Lower Upper
330 100
332 97.2 76.9 115.3
141 27.5 21.8 32.6






#45
2-Fluorobiphenyl
Concen: 93.523 ng
RT: 13.29 min Scan# 1736
Delta R.T. 0.00 min
Lab File: BG042389.D
Acq: 21 Aug 2019 18:42

Instrument :
BNA_G
ClientSampleId :
0650-ELUTRIATE-COMP-D

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.3	30.3	45.5
170	25.3	20.0	30.0






Abundance

Ion 172.00 (171.70 to 172.70): E


Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E



#50
Dimethylphthalate
Concen: 14.990 ng
RT: 14.11 min Scan# 1876
Delta R.T. -0.01 min
Lab File: BG042389.D
Acq: 21 Aug 2019 18:42

Tgt Ion	Ratio	Lower	Upper
163	100		
194	4.7	4.2	6.2
164	10.4	8.8	13.2






Abundance

Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.42 min Scan# 2439
Delta R.T. 0.00 min
Lab File: BG042389.D
Acq: 21 Aug 2019 18:42




Instrument :
BNA_G
ClientSampleId :
0650-ELUTRIATE-COMP-D


Tgt Ion:188 Resp: 391589
Ion Ratio Lower Upper
188 100
94 5.7 4.9 7.3
80 6.0 5.4 8.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.70 min Scan# 3167
Delta R.T. 0.00 min
Lab File: BG042389.D
Acq: 21 Aug 2019 18:42

Tgt Ion:240 Resp: 407220
Ion Ratio Lower Upper
240 100
120 6.6 6.0 9.0
236 25.5 21.6 32.4





#79

Terphenyl-d14

Concen: 82.427 ng

RT: 20.03 min Scan# 2884

Delta R.T. 0.00 min

Lab File: BG042389.D

Acq: 21 Aug 2019 18:42

Instrument :

BNA_G

ClientSampleId :

0650-ELUTRIATE-COMP-D


Tgt Ion:244 Resp: 1532500

Ion Ratio Lower Upper




244 100

212 8.1 6.4 9.6

122 8.0 6.6 10.0



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 24.94 min Scan# 3719

Delta R.T. 0.00 min

Lab File: BG042389.D

Acq: 21 Aug 2019 18:42


Tgt Ion:264 Resp: 475670

Ion Ratio Lower Upper

264 100

260 23.0 18.4 27.6

265 21.8 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

