

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG083119\
 Data File : BG042638.D
 Acq On : 31 Aug 2019 17:08
 Operator : HP/JU
 Sample : K4613-09
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-11-GW

Quant Time: Sep 01 00:26:45 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082219.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 22 14:29:15 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.99	152	37721	20.00	ng	-0.01
21) Naphthalene-d8	10.82	136	141635	20.00	ng	0.00
39) Acenaphthene-d10	14.66	164	104345	20.00	ng	0.00
64) Phenanthrene-d10	17.41	188	245431	20.00	ng	-0.01
76) Chrysene-d12	21.68	240	270418	20.00	ng	-0.01
87) Perylene-d12	24.92	264	315060	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.55	112	158620	85.17	ng	-0.01
7) Phenol-d6	7.16	99	142083	56.48	ng	-0.01
23) Nitrobenzene-d5	9.16	82	207616	101.30	ng	-0.01
42) 2,4,6-Tribromophenol	16.15	330	235105	158.52	ng	-0.01
45) 2-Fluorobiphenyl	13.27	172	639938	103.72	ng	0.00
79) Terphenyl-d14	20.02	244	1287747	102.95	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG083119\
Data File : BG042638.D
Acq On : 31 Aug 2019 17:08
Operator : HP/JU
Sample : K4613-09
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP-11-GW

Quant Time: Sep 01 00:26:45 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082219.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 22 14:29:15 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.99 min Scan# 835
Delta R.T. -0.01 min
Lab File: BG042638.D
Acq: 31 Aug 2019 17:08

Instrument :
BNA_G
ClientSampleId :
TP-11-GW

Tot Ion:152 Resp: 37721
Ion Ratio Lower Upper
152 100
150 153.3 125.4 188.0
115 52.2 38.5 57.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 85.165 ng
RT: 5.55 min Scan# 419
Delta R.T. -0.01 min
Lab File: BG042638.D
Acq: 31 Aug 2019 17:08

Tgt Ion:112 Resp: 158620
Ion Ratio Lower Upper
112 100
64 52.3 42.8 64.2
63 29.5 22.7 34.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 56.476 ng

RT: 7.16 min Scan# 693

Delta R.T. -0.01 min

Lab File: BG042638.D

Acq: 31 Aug 2019 17:08

Instrument :

BNA_G

ClientSampled :

TP-11-GW


Tot Ion: 99 Resp: 142083

Ion Ratio Lower Upper




99 100

42 14.8 12.0 18.0

71 36.6 26.3 39.5



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.82 min Scan# 1316

Delta R.T. -0.01 min

Lab File: BG042638.D

Acq: 31 Aug 2019 17:08

Tgt Ion: 136 Resp: 141635


Ion Ratio Lower Upper

136 100



137 11.6 8.7 13.1

54 6.4 4.9 7.3

68 3.6 3.6 5.4#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC








#23
Nitrobenzene-d5
Concen: 101.296 ng
RT: 9.16 min Scan# 1034
Delta R.T. -0.01 min
Lab File: BG042638.D
Acq: 31 Aug 2019 17:08

Instrument :
BNA_G
ClientSampled :
TP-11-GW

Tot Ion	82	Resp	207616
Ion Ratio	Lower	Upper	
82	100		
128	50.5	40.7	61.1
54	48.2	36.3	54.5




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.66 min Scan# 1969
Delta R.T. -0.01 min
Lab File: BG042638.D
Acq: 31 Aug 2019 17:08

Tgt Ion	164	Resp	104345
Ion Ratio	Lower	Upper	
164	100		
162	99.9	79.9	119.9
160	44.0	34.3	51.5



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC





#42

2,4,6-Tribromophenol

Concen: 158.523 ng

RT: 16.15 min Scan# 2223

Delta R.T. -0.01 min

Lab File: BG042638.D

Acq: 31 Aug 2019 17:08

Instrument :

BNA_G

ClientSampleId :

TP-11-GW


Tot Ion:330 Resp: 235105

Ion Ratio Lower Upper




330 100

332 96.7 77.4 116.0

141 27.2 21.4 32.0



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 103.725 ng

RT: 13.27 min Scan# 1734

Delta R.T. -0.01 min

Lab File: BG042638.D

Acq: 31 Aug 2019 17:08


Tgt Ion:172 Resp: 639938

Ion Ratio Lower Upper



172 100

171 37.6 30.5 45.7

170 24.4 20.2 30.2



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.41 min Scan# 2437

Delta R.T. -0.01 min

Lab File: BG042638.D

Acq: 31 Aug 2019 17:08

Instrument :

BNA_G

ClientSampleId :

TP-11-GW


Tot Ion:188 Resp: 245431

Ion Ratio Lower Upper

188 100

94 5.0 4.5 6.7

80 5.7 4.9 7.3



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC

200000

150000

100000

50000



0

17.41

17.40

17.50

Time-->



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.68 min Scan# 3165

Delta R.T. -0.01 min

Lab File: BG042638.D

Acq: 31 Aug 2019 17:08


Tgt Ion:240 Resp: 270418

Ion Ratio Lower Upper

240 100

120 5.9 5.7 8.5

236 25.9 21.0 31.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E

200000

150000

100000

50000

0


21.68

21.60

21.70

21.80

Time-->





#79

Terphenyl-d14

Concen: 102.952 ng

RT: 20.02 min Scan# 2882

Delta R.T. -0.01 min

Lab File: BG042638.D

Acq: 31 Aug 2019 17:08

Instrument :

BNA_G

ClientSampleId :

TP-11-GW


Tot Ion:244 Resp: 1287747

Ion Ratio Lower Upper

244 100

212 7.8 6.0 9.0




122 7.3 6.7 10.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 24.92 min Scan# 3716

Delta R.T. -0.02 min

Lab File: BG042638.D

Acq: 31 Aug 2019 17:08


Tgt Ion:264 Resp: 315060

Ion Ratio Lower Upper

264 100

260 22.0 18.5 27.7

265 22.2 17.6 26.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

