

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG083119\
 Data File : BG042657.D
 Acq On : 1 Sep 2019 7:15
 Operator : HP/JU
 Sample : K4603-30
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PAR-12-F1-F4-(0-3.11)

Quant Time: Sep 02 08:04:19 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082219.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 22 14:29:15 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.99	152	35679	20.00	ng	-0.01
21) Naphthalene-d8	10.81	136	127333	20.00	ng	-0.01
39) Acenaphthene-d10	14.66	164	93818	20.00	ng	0.00
64) Phenanthrene-d10	17.41	188	225440	20.00	ng	-0.01
76) Chrysene-d12	21.68	240	255070	20.00	ng	-0.01
87) Perylene-d12	24.92	264	295000	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.55	112	234639	133.19	ng	-0.01
7) Phenol-d6	7.16	99	277071	116.43	ng	-0.01
23) Nitrobenzene-d5	9.16	82	194784	105.71	ng	-0.01
42) 2,4,6-Tribromophenol	16.15	330	210529	157.88	ng	-0.01
45) 2-Fluorobiphenyl	13.28	172	630639	113.69	ng	0.00
79) Terphenyl-d14	20.02	244	1304847	110.60	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG083119\
Data File : BG042657.D
Acq On : 1 Sep 2019 7:15
Operator : HP/JU
Sample : K4603-30
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PAR-12-F1-F4-(0-3.11)

Quant Time: Sep 02 08:04:19 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082219.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 22 14:29:15 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.99 min Scan# 835
Delta R.T. -0.01 min
Lab File: BG042657.D
Acq: 1 Sep 2019 7:15

Instrument :
BNA_G
ClientSampleId :
PAR-12-F1-F4-(0-3.11)

Tot Ion:152 Resp: 35679
Ion Ratio Lower Upper
152 100
150 156.0 125.4 188.0
115 51.6 38.5 57.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 133.191 ng
RT: 5.55 min Scan# 419
Delta R.T. -0.01 min
Lab File: BG042657.D
Acq: 1 Sep 2019 7:15

Tgt Ion:112 Resp: 234639
Ion Ratio Lower Upper
112 100
64 54.4 42.8 64.2
63 29.6 22.7 34.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 116.435 ng

RT: 7.16 min Scan# 693

Delta R.T. -0.01 min

Lab File: BG042657.D

Acq: 1 Sep 2019 7:15

Instrument :

BNA_G

ClientSampleId :

PAR-12-F1-F4-(0-3.11)


Tot Ion: 99 Resp: 277071

Ion Ratio Lower Upper




99 100

42 15.0 12.0 18.0

71 36.0 26.3 39.5



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.81 min Scan# 1315

Delta R.T. -0.01 min

Lab File: BG042657.D

Acq: 1 Sep 2019 7:15

Tgt Ion: 136 Resp: 127333


Ion Ratio Lower Upper

136 100



137 10.7 8.7 13.1

54 5.9 4.9 7.3

68 3.5 3.6 5.4#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC








#23
Nitrobenzene-d5
Concen: 105.710 ng
RT: 9.16 min Scan# 1034
Delta R.T. -0.01 min
Lab File: BG042657.D
Acq: 1 Sep 2019 7:15

Instrument :
BNA_G
ClientSampleId :
PAR-12-F1-F4-(0-3.11)

Tot Ion	82	Resp	194784
Ion Ratio	Lower	Upper	
82	100		
128	52.9	40.7	61.1
54	47.6	36.3	54.5




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.66 min Scan# 1969
Delta R.T. -0.01 min
Lab File: BG042657.D
Acq: 1 Sep 2019 7:15

Tgt Ion	164	Resp	93818
Ion Ratio	Lower	Upper	
164	100		
162	99.0	79.9	119.9
160	42.8	34.3	51.5



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC









#42
 2,4,6-Tribromophenol
 Concen: 157.881 ng
 RT: 16.15 min Scan# 2223
 Delta R.T. -0.01 min
 Lab File: BG042657.D
 Acq: 1 Sep 2019 7:15

Instrument :
 BNA_G
 ClientSampleId :
 PAR-12-F1-F4-(0-3.11)

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.8	77.4	116.0
141	25.9	21.4	32.0




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#45
 2-Fluorobiphenyl
 Concen: 113.687 ng
 RT: 13.28 min Scan# 1734
 Delta R.T. -0.01 min
 Lab File: BG042657.D
 Acq: 1 Sep 2019 7:15

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.4	30.5	45.7
170	23.5	20.2	30.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.41 min Scan# 2437
Delta R.T. -0.01 min
Lab File: BG042657.D
Acq: 1 Sep 2019 7:15

Instrument :
BNA_G
ClientSampleId :
PAR-12-F1-F4-(0-3.11)

Tot Ion:188 Resp: 225440
Ion Ratio Lower Upper
188 100
94 5.2 4.5 6.7
80 5.3 4.9 7.3




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGO
Ion 80.00 (79.70 to 80.70): BGO





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.68 min Scan# 3165
Delta R.T. -0.01 min
Lab File: BG042657.D
Acq: 1 Sep 2019 7:15

Tgt Ion:240 Resp: 255070
Ion Ratio Lower Upper
240 100
120 6.0 5.7 8.5
236 25.2 21.0 31.4



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 110.596 ng

RT: 20.02 min Scan# 2882

Delta R.T. -0.01 min

Lab File: BG042657.D

Acq: 1 Sep 2019 7:15

Instrument :


BNA_G

ClientSampleId :

PAR-12-F1-F4-(0-3.11)

Tot Ion:244 Resp: 1304847




Ion	Ratio	Lower	Upper
244	100		
212	7.1	6.0	9.0
122	6.8	6.7	10.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 24.92 min Scan# 3716


Delta R.T. -0.02 min

Lab File: BG042657.D

Acq: 1 Sep 2019 7:15

Tgt Ion:264 Resp: 295000

Ion	Ratio	Lower	Upper
264	100		
260	22.0	18.5	27.7
265	21.6	17.6	26.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

