




Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG121421\
Data File : BG051584.D
Acq On : 17 Dec 2021 00:19
Operator : CG/JU
Sample : M5013-04DL2 250X
Misc :
ALS Vial : 84 Sample Multiplier: 1

Quant Time: Dec 17 01:25:55 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG121421.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Dec 14 14:19:57 2021
Response via : Initial Calibration






TIC: BG051584.D\data.ms

(60) Fluorene-d10 (S)**15.901min (-0.005) 0.15 ng/u1****response 892**

Ion	Exp%	Act%
176.00	100.00	100.00
174.00	97.50	67.95#
87.00	10.60	0.00#
86.00	10.90	0.00#

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG121421\
Data File : BG051584.D
Acq On : 17 Dec 2021 00:19
Operator : CG/JU
Sample : M5013-04DL2 250X
Misc :
ALS Vial : 84 Sample Multiplier: 1

Quant Time: Dec 17 01:25:55 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG121421.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Dec 14 14:19:57 2021
Response via : Initial Calibration






TIC: BG051584.D\data.ms

(60) Fluorene-d10 (S)**15.901min (-0.005) 0.15 ng/u1****response 892**

Ion	Exp%	Act%
176.00	100.00	100.00
174.00	97.50	67.95#
87.00	10.60	0.00#
86.00	10.90	0.00#

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG121421\
Data File : BG051584.D
Acq On : 17 Dec 2021 00:19
Operator : CG/JU
Sample : M5013-04DL2 250X
Misc :
ALS Vial : 84 Sample Multiplier: 1

Quant Time: Dec 17 01:25:55 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG121421.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Dec 14 14:19:57 2021
Response via : Initial Calibration






TIC: BG051584.D\data.ms

(60) Fluorene-d10 (S)**15.901min (-0.005) 0.16 ng/ul m****response 963**

Ion	Exp%	Act%
176.00	100.00	100.00
174.00	97.50	67.95#
87.00	10.60	0.00#
86.00	10.90	0.00#

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG121421\
Data File : BG051584.D
Acq On : 17 Dec 2021 00:19
Operator : CG/JU
Sample : M5013-04DL2 250X
Misc :
ALS Vial : 84 Sample Multiplier: 1

Quant Time: Dec 17 01:25:55 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG121421.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Dec 14 14:19:57 2021
Response via : Initial Calibration



TIC: BG051584.D\data.ms

(92) Benzo(a)pyrene-d12 (S)




25.229min (-0.023) 0.03 ng/u1

response 309

Ion	Exp%	Act%
264.00	100.00	100.00
132.00	15.50	38.66#
118.00	11.00	0.00#
0.00	0.00	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG121421\
Data File : BG051584.D
Acq On : 17 Dec 2021 00:19
Operator : CG/JU
Sample : M5013-04DL2 250X
Misc :
ALS Vial : 84 Sample Multiplier: 1

Quant Time: Dec 17 01:25:55 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG121421.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Dec 14 14:19:57 2021
Response via : Initial Calibration



TIC: BG051584.D\data.ms

(92) Benzo(a)pyrene-d12 (S)

25.241min (-0.011) 0.14 ng/ul m

response 1554

Ion	Exp%	Act%
264.00	100.00	100.00
132.00	15.50	0.00#
118.00	11.00	0.00#
0.00	0.00	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG121421\
 Data File : BG051584.D
 Acq On : 17 Dec 2021 00:19
 Operator : CG/JU
 Sample : M5013-04DL2 250X
 Misc :
 ALS Vial : 84 Sample Multiplier: 1

Quant Time: Dec 17 01:25:55 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG121421.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Dec 14 14:19:57 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.281	152	28353	20.000	ng/ul	0.00
20) Naphthalene-d8	11.113	136	111281	20.000	ng/ul	-0.01
38) Acenaphthene-d10	14.914	164	83187	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.657	188	214511	20.000	ng/ul	# 0.00
79) Chrysene-d12	21.975	240	216957	20.000	ng/ul	#-0.01
88) Perylene-d12	25.470	264	217148	20.000	ng/ul	-0.02
System Monitoring Compounds						
3) 1,4-Dioxane-d8	0.000	96	0	0.000	ng/uL	
4) Pyridine-d5	0.000	84	0d	0.000	ng/ul	
7) Phenol-d5	0.000	99	0d	0.000	ng/ul	
9) Bis-(2-Chloroethyl)eth...	0.000	67	0	0.000	ng/ul	
11) 2-Chlorophenol-d4	0.000	132	0	0.000	ng/ul	
15) 4-Methylphenol-d8	0.000	113	0d	0.000	ng/ul	
21) Nitrobenzene-d5	0.000	128	0	0.000	ng/ul	
24) 2-Nitrophenol-d4	0.000	143	0	0.000	ng/ul	
28) 2,4-Dichlorophenol-d3	0.000	165	0d	0.000	ng/ul	
31) 4-Chloroaniline-d4	0.000	131	0d	0.000	ng/ul	
46) Dimethylphthalate-d6	14.303	166	1079	0.162	ng/ul	-0.01
49) Acenaphthylene-d8	14.608	160	1377	0.167	ng/ul	0.00
54) 4-Nitrophenol-d4	0.000	143	0	0.000	ng/ul	
60) Fluorene-d10	15.901	176	963m	0.161	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	0.000	200	0	0.000	ng/ul	
73) Anthracene-d10	17.757	188	2692	0.263	ng/ul	0.00
81) Pyrene-d10	20.030	212	2205	0.169	ng/ul	-0.01
92) Benzo(a)pyrene-d12	25.241	264	1554m	0.136	ng/ul	-0.01
Target Compounds						
					Qvalue	
30) Naphthalene	11.166	128	340430	56.783	ng/ul	98
36) 2-Methylnaphthalene	12.758	142	25047	5.856	ng/ul	91
37) 1-Methylnaphthalene	12.969	142	11762	2.648	ng/ul	95
52) Acenaphthene	14.972	153	6630	1.240	ng/ul#	88
56) Dibenzofuran	15.301	168	11619	1.476	ng/ul	98
77) Carbazole	18.051	167	10294	1.031	ng/ul	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG121421\
Data File : BG051584.D
Acq On : 17 Dec 2021 00:19
Operator : CG/JU
Sample : M5013-04DL2 250X
Misc :
ALS Vial : 84 Sample Multiplier: 1

Quant Time: Dec 17 01:25:55 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\SFAM-EPA-BG121421.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Dec 14 14:19:57 2021
Response via : Initial Calibration

