

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA_G\DATA\BG010318\
 Data File : BG031888.D
 Acq On : 3 Jan 2018 13:29
 Operator : SJ/JU
 Sample : I7102-07
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 BISP-SB-05

Quant Time: Jan 03 15:31:55 2018
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG122117.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 29 15:51:46 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.79	152	41676	20.00	ng	0.00
21) Naphthalene-d8	11.67	136	179752	20.00	ng	0.00
38) Acenaphthene-d10	15.41	164	133610	20.00	ng	-0.01
63) Phenanthrene-d10	18.15	188	377138	20.00	ng	-0.01
75) Chrysene-d12	22.49	240	451718	20.00	ng	-0.02
86) Perylene-d12	26.22	264	457736	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	6.21	112	206982	90.46	ng	0.00
7) Phenol-d6	7.89	99	273030	91.91	ng	0.00
23) Nitrobenzene-d5	9.99	82	149629	62.86	ng	0.00
41) 2,4,6-Tribromophenol	16.89	330	195262	95.78	ng	0.00
44) 2-Fluorobiphenyl	14.05	172	513669	48.25	ng	0.00
78) Terphenyl-d14	20.68	244	1073110	54.27	ng	-0.01
Target Compounds						
10) Phenol	7.92	94	10571	3.524	ng	Qvalue 87
49) Dimethylphthalate	14.84	163	45541	3.869	ng	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA_G\DATA\BG010318\
Data File : BG031888.D
Acq On : 3 Jan 2018 13:29
Operator : SJ/JU
Sample : I7102-07
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
BISP-SB-05

Quant Time: Jan 03 15:31:55 2018
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG122117.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 29 15:51:46 2017
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.79 min Scan# 936
 Delta R.T. -0.01 min
 Lab File: BG031888.D
 Acq: 3 Jan 2018 13:29

Instrument :
 BNA_G
 ClientSampleId :
 BISP-SB-05




Tgt Ion:152 Resp: 41676
 Ion Ratio Lower Upper
 152 100
 150 161.3 126.6 189.8
 115 52.1 53.0 79.4#






#5

2-Fluorophenol
 Concen: 90.458 ng
 RT: 6.21 min Scan# 497
 Delta R.T. -0.01 min
 Lab File: BG031888.D
 Acq: 3 Jan 2018 13:29

Tgt Ion:112 Resp: 206982
 Ion Ratio Lower Upper
 112 100
 64 48.1 56.3 84.5#
 63 26.7 30.1 45.1#





#7

Phenol-d6

Concen: 91.905 ng

RT: 7.89 min Scan# 783

Delta R.T. -0.01 min

Lab File: BG031888.D

Acq: 3 Jan 2018 13:29

Instrument :

BNA_G

ClientSampleId :

BISP-SB-05





Tgt Ion: 99 Resp: 273030

Ion Ratio Lower Upper

99 100

42 14.1 14.1 21.1

71 32.7 26.1 39.1



#10

Phenol

Concen: 3.524 ng

RT: 7.92 min Scan# 788

Delta R.T. -0.01 min

Lab File: BG031888.D

Acq: 3 Jan 2018 13:29


Tgt Ion: 94 Resp: 10571


Ion Ratio Lower Upper

94 100

65 26.6 11.9 51.9

66 32.3 22.2 62.2









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 11.67 min Scan# 1427
Delta R.T. -0.01 min
Lab File: BG031888.D
Acq: 3 Jan 2018 13:29

Instrument :
BNA_G
ClientSampleId :
BISP-SB-05

Tgt Ion	Ratio	Lower	Upper
136	100		
137	10.7	9.2	13.8
54	5.0	10.3	15.5#
68	3.5	4.5	6.7#




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
Nitrobenzene-d5
Concen: 62.858 ng
RT: 9.99 min Scan# 1140
Delta R.T. -0.00 min
Lab File: BG031888.D
Acq: 3 Jan 2018 13:29

Tgt Ion	Ratio	Lower	Upper
82	100		
128	50.6	29.7	44.5#
54	42.0	43.1	64.7#



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BGC





#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 15.41 min Scan# 2064

Delta R.T. -0.01 min

Lab File: BG031888.D

Acq: 3 Jan 2018 13:29

Instrument :

BNA_G

ClientSampleId :

BISP-SB-05


Tgt Ion:164 Resp: 133610

Ion Ratio Lower Upper

164 100

162 106.0 78.8 118.2




160 46.4 35.4 53.0



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 95.778 ng

RT: 16.89 min Scan# 2315

Delta R.T. -0.01 min

Lab File: BG031888.D

Acq: 3 Jan 2018 13:29


Tgt Ion:330 Resp: 195262

Ion Ratio Lower Upper

330 100

332 98.1 77.0 115.6



141 26.4 25.2 37.8




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 48.254 ng
RT: 14.05 min Scan# 1831
Delta R.T. -0.01 min
Lab File: BG031888.D
Acq: 3 Jan 2018 13:29




Instrument :
BNA_G
ClientSampleId :
BISP-SB-05


Tgt Ion:172 Resp: 513669
Ion Ratio Lower Upper
172 100
171 36.6 30.0 45.0
170 23.0 19.5 29.3



#49
Dimethylphthalate
Concen: 3.869 ng
RT: 14.84 min Scan# 1966
Delta R.T. -0.01 min
Lab File: BG031888.D
Acq: 3 Jan 2018 13:29

Tgt Ion:163 Resp: 45541
Ion Ratio Lower Upper
163 100
194 4.2 3.4 5.2
164 12.1 8.2 12.4









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 18.15 min Scan# 2529
Delta R.T. -0.01 min
Lab File: BG031888.D
Acq: 3 Jan 2018 13:29




Instrument :
BNA_G
ClientSampleId :
BISP-SB-05


Tgt Ion:188 Resp: 377138
Ion Ratio Lower Upper
188 100
94 6.1 6.9 10.3#
80 5.9 7.7 11.5#



#75
Chrysene-d12
Concen: 20.000 ng
RT: 22.49 min Scan# 3268
Delta R.T. -0.02 min
Lab File: BG031888.D
Acq: 3 Jan 2018 13:29

Tgt Ion:240 Resp: 451718
Ion Ratio Lower Upper
240 100
120 6.1 6.8 10.2#
236 25.9 20.9 31.3









#78
 Terphenyl-d14
 Concen: 54.275 ng
 RT: 20.68 min Scan# 2960
 Delta R.T. -0.01 min
 Lab File: BG031888.D
 Acq: 3 Jan 2018 13:29

Instrument :
 BNA_G
 ClientSampled :
 BISP-SB-05

Tgt Ion:244 Resp: 1073110
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.8 8.8
 122 6.9 7.0 10.4#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 26.22 min Scan# 3903
 Delta R.T. -0.04 min
 Lab File: BG031888.D
 Acq: 3 Jan 2018 13:29

Tgt Ion:264 Resp: 457736
 Ion Ratio Lower Upper
 264 100
 260 22.9 17.4 26.0
 265 21.5 17.7 26.5

