

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG010319\
 Data File : BG038904.D
 Acq On : 3 Jan 2019 13:05
 Operator : JU/SJ
 Sample : J6598-02
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Jan 03 15:26:52 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG121218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 12 15:26:27 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.04	152	27068	20.00	ng	-0.02
21) Naphthalene-d8	10.87	136	112900	20.00	ng	-0.01
39) Acenaphthene-d10	14.69	164	83823	20.00	ng	-0.01
64) Phenanthrene-d10	17.44	188	208401	20.00	ng	0.00
76) Chrysene-d12	21.71	240	202527	20.00	ng	-0.01
87) Perylene-d12	25.01	264	208820	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.60	112	77182	50.57	ng	0.00
7) Phenol-d6	7.21	99	65573	31.30	ng	0.00
23) Nitrobenzene-d5	9.22	82	166600	75.39	ng	-0.02
42) 2,4,6-Tribromophenol	16.18	330	172626	149.43	ng	-0.01
45) 2-Fluorobiphenyl	13.31	172	492227	80.56	ng	-0.01
79) Terphenyl-d14	20.04	244	846836	91.00	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.22	70	21903	14.885	ng	Qvalue # 65
50) Dimethylphthalate	14.13	163	45306	6.619	ng	# 99
57) 2,4-Dinitrotoluene	14.68	165	10898	4.988	ng	# 23
67) 4-Bromophenyl-phenylether	16.18	248	10825	4.253	ng	# 1
77) Benzidine	20.04	184	14218	2.374	ng	# 95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG010319\
Data File : BG038904.D
Acq On : 3 Jan 2019 13:05
Operator : JU/SJ
Sample : J6598-02
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Jan 03 15:26:52 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG121218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 12 15:26:27 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.04 min Scan# 843
Delta R.T. -0.02 min
Lab File: BG038904.D
Acq: 3 Jan 2019 13:05

Instrument :
BNA_G
ClientSampleId :

Tot Ion:152 Resp: 27068
Ion Ratio Lower Upper
152 100
150 157.7 119.5 179.3
115 55.6 49.6 74.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 50.574 ng
RT: 5.60 min Scan# 427
Delta R.T. -0.01 min
Lab File: BG038904.D
Acq: 3 Jan 2019 13:05

Tgt Ion:112 Resp: 77182
Ion Ratio Lower Upper
112 100
64 61.3 53.4 80.2
63 36.4 29.3 43.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 31.299 ng

RT: 7.21 min Scan# 701

Delta R.T. -0.00 min

Lab File: BG038904.D

Acq: 3 Jan 2019 13:05

Instrument :

BNA_G

ClientSampled :


Tot Ion: 99 Resp: 65573

Ion Ratio Lower Upper




99 100

42 20.6 18.5 27.7

71 38.4 31.1 46.7



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 14.885 ng

RT: 9.22 min Scan# 1044

Delta R.T. 0.36 min

Lab File: BG038904.D

Acq: 3 Jan 2019 13:05

Tgt Ion: 70 Resp: 21903


Ion Ratio Lower Upper

70 100



42 49.7 63.6 95.4#

101 0.0 9.2 13.8#

130 2.2 18.5 27.7#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.87 min Scan# 1324
Delta R.T. -0.01 min
Lab File: BG038904.D
Acq: 3 Jan 2019 13:05

Instrument :
BNA_G
ClientSampleId :

Tot Ion:136	Resp:	112900
Ion	Ratio	Lower Upper
136	100	
137	10.9	9.3 13.9
54	9.0	8.5 12.7
68	4.4	3.5 5.3




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
Nitrobenzene-d5
Concen: 75.386 ng
RT: 9.22 min Scan# 1044
Delta R.T. -0.02 min
Lab File: BG038904.D
Acq: 3 Jan 2019 13:05

Tgt Ion: 82	Resp:	166600
Ion	Ratio	Lower Upper
82	100	
128	43.8	34.6 52.0
54	58.3	50.6 76.0



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.69 min Scan# 1974

Delta R.T. -0.01 min

Lab File: BG038904.D

Acq: 3 Jan 2019 13:05

Instrument :

BNA_G

ClientSampleId :


Tot Ion:164 Resp: 83823

Ion Ratio Lower Upper

164 100

162 99.7 86.6 130.0




160 42.9 34.2 51.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 149.430 ng

RT: 16.18 min Scan# 2228

Delta R.T. -0.01 min

Lab File: BG038904.D

Acq: 3 Jan 2019 13:05


Tgt Ion:330 Resp: 172626

Ion Ratio Lower Upper

330 100

332 95.4 76.9 115.3



141 32.2 28.8 43.2



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 80.558 ng
 RT: 13.31 min Scan# 1739
 Delta R.T. -0.01 min
 Lab File: BG038904.D
 Acq: 3 Jan 2019 13:05

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion:172 Resp: 492227
 Ion Ratio Lower Upper
 172 100
 171 37.3 29.8 44.6
 170 24.0 19.5 29.3




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#50
 Dimethylphthalate
 Concen: 6.619 ng
 RT: 14.13 min Scan# 1879
 Delta R.T. -0.02 min
 Lab File: BG038904.D
 Acq: 3 Jan 2019 13:05

Tgt Ion:163 Resp: 45306
 Ion Ratio Lower Upper
 163 100
 194 4.9 3.7 5.5
 164 10.2 8.6 12.8



Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E









#57
 2,4-Dinitrotoluene
 Concen: 4.988 ng
 RT: 14.68 min Scan# 1973
 Delta R.T. -0.38 min
 Lab File: BG038904.D
 Acq: 3 Jan 2019 13:05

Instrument :
 BNA_G
 ClientSampled :

Tot Ion:165 Resp: 10898
 Ion Ratio Lower Upper
 165 100
 63 0.0 39.0 58.4#
 89 2.9 58.0 87.0#
 182 0.0 2.3 3.5#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BGC
 Ion 89.00 (88.70 to 89.70): BGC
 Ion 182.00 (181.70 to 182.70): E






#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.44 min Scan# 2442
 Delta R.T. -0.01 min
 Lab File: BG038904.D
 Acq: 3 Jan 2019 13:05

Tgt Ion:188 Resp: 208401
 Ion Ratio Lower Upper
 188 100
 94 5.9 5.1 7.7
 80 7.2 6.1 9.1



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BGC
 Ion 80.00 (79.70 to 80.70): BGC





#67

4-Bromophenyl-phenylether

Concen: 4.253 ng

RT: 16.18 min Scan# 2228

Delta R.T. -0.45 min

Lab File: BG038904.D

Acq: 3 Jan 2019 13:05

Instrument :

BNA_G

ClientSampleId :


Tot Ion:248 Resp: 10825

Ion Ratio Lower Upper

248 100

250 187.6 73.4 110.2#




141 355.2 52.9 79.3#



Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.71 min Scan# 3170

Delta R.T. -0.01 min

Lab File: BG038904.D

Acq: 3 Jan 2019 13:05


Tgt Ion:240 Resp: 202527

Ion Ratio Lower Upper

240 100

120 6.0 5.3 7.9



236 24.1 21.4 32.2




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#77

Benzidine

Concen: 2.374 ng

RT: 20.04 min Scan# 2885

Delta R.T. 0.36 min

Lab File: BG038904.D

Acq: 3 Jan 2019 13:05

Instrument :

BNA_G

ClientSampleId :


Tot Ion:184 Resp: 14218

Ion Ratio Lower Upper

184 100

185 15.5 12.2 18.2




183 7.6 9.6 14.4#



Abundance Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E



#79

Terphenyl-d14

Concen: 91.000 ng

RT: 20.04 min Scan# 2885

Delta R.T. -0.01 min

Lab File: BG038904.D

Acq: 3 Jan 2019 13:05


Tgt Ion:244 Resp: 846836

Ion Ratio Lower Upper

244 100

212 7.6 6.2 9.2



122 7.1 6.3 9.5




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
 Pervlene-d12
 Concen: 20.000 ng
 RT: 25.01 min Scan# 3731
 Delta R.T. -0.01 min
 Lab File: BG038904.D
 Acq: 3 Jan 2019 13:05

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	21.8	18.9	28.3
265	19.8	17.0	25.4

