

Data Path : Z:\HPCHEM1\BNA G\DATA\BG010516\
 Data File : BG020665.D
 Acq On : 5 Jan 2016 22:16
 Operator : UM/SJ
 Sample : SSTDC0020
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_G
 LabSampleId :
 SSTD02013

Quant Time: Jan 06 04:25:40 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG123015.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Jan 06 00:15:22 2016
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	93	0.00
2	1,4-Dioxane	0.422	0.462	-9.5	100	0.00
3 S	1,4-Dioxane-d8	0.334	0.386	-15.6	89	0.00
4	Benzaldehyde	1.035	1.188	-14.8	91	0.00
5 S	Phenol-d5	1.689	1.733	-2.6	90	0.00
6	Phenol	1.820	1.905	-4.7	90	0.00
7 S	Bis-(2-Chloroethyl)ether-d8	1.022	1.064	-4.1	90	0.00
8	Bis(2-Chloroethyl)ether	1.298	1.401	-7.9	92	0.00
9 S	2-Chlorophenol-d4	1.292	1.422	-10.1	94	0.00
10	2-Chlorophenol	1.350	1.433	-6.1	92	0.00
11	2-Methylphenol	1.402	1.456	-3.9	91	0.00
12	2,2'-oxybis(1-Chloropropane	1.697	1.871	-10.3	93	0.00
13 S	4-Methylphenol-d8	1.449	1.528	-5.5	91	0.00
14	Acetophenone	2.375	2.562	-7.9	92	0.00
15 P	N-Nitroso-di-n-propylamine	1.199	1.307	-9.0	91	0.00
16	4-Methylphenol	1.551	1.644	-6.0	92	0.00
17	Hexachloroethane	0.567	0.598	-5.5	91	0.00
18 I	Naphthalene-d8	1.000	1.000	0.0	91	0.00
19 S	Nitrobenzene-d5	0.155	0.160	-3.2	88	0.00
20	Nitrobenzene	0.386	0.428	-10.9	94	0.00
21	Isophorone	0.751	0.832	-10.8	91	0.00
22 S	2-Nitrophenol-d4	0.179	0.197	-10.1	89	0.00
23 C	2-Nitrophenol	0.189	0.209	-10.6	95	0.00
24	2,4-Dimethylphenol	0.398	0.445	-11.8	93	0.00
25	Bis(2-Chloroethoxy)methane	0.415	0.469	-13.0	94	0.00
26 S	2,4-Dichlorophenol-d3	0.341	0.371	-8.8	90	0.00
27 C	2,4-Dichlorophenol	0.352	0.387	-9.9	92	0.00
28	Naphthalene	1.059	1.138	-7.5	91	0.00
29 S	4-Chloroaniline-d4	0.405	0.456	-12.6	90	0.00
30	4-Chloroaniline	0.416	0.468	-12.5	90	0.00
31 C	Hexachlorobutadiene	0.284	0.315	-10.9	95	0.00
32	Caprolactam	0.121	0.129	-6.6	92	0.00
33 C	4-Chloro-3-methylphenol	0.381	0.427	-12.1	94	0.00
34	2-Methylnaphthalene	0.793	0.856	-7.9	91	0.00
35	1-Methylnaphthalene	0.765	0.818	-6.9	90	0.00
36 I	Acenaphthene-d10	1.000	1.000	0.0	89	0.00
37	1,2,4,5-Tetrachlorobenzene	0.770	0.811	-5.3	89	0.00
38	Hexachlorocyclopentadiene	0.277	0.176	36.5#	69	0.00
39 C	2,4,6-Trichlorophenol	0.431	0.461	-7.0	88	0.00
40	2,4,5-Trichlorophenol	0.473	0.544	-15.0	94	0.00
41	1,1'-Biphenyl	1.505	1.606	-6.7	90	0.00
42	2-Chloronaphthalene	1.211	1.299	-7.3	91	0.00
43	2-Nitroaniline	0.348	0.379	-8.9	88	0.00
44 S	Dimethylphthalate-d6	1.637	1.762	-7.6	90	0.00

Data Path : Z:\HPCHEM1\BNA G\DATA\BG010516\
 Data File : BG020665.D
 Acq On : 5 Jan 2016 22:16
 Operator : UM/SJ
 Sample : SSTDC0020
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_G
 LabSampleId :
 SSTD02013

Quant Time: Jan 06 04:25:40 2016
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG123015.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Jan 06 00:15:22 2016
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
45	Dimethylphthalate	1.672	1.786	-6.8	89	0.00
46	2,6-Dinitrotoluene	0.347	0.368	-6.1	88	0.00
47 S	Acenaphthylene-d8	1.859	1.990	-7.0	90	0.00
48	Acenaphthylene	1.980	2.099	-6.0	89	0.00
49	3-Nitroaniline	0.316	0.358	-13.3	93	0.00
50 C	Acenaphthene	1.340	1.400	-4.5	88	0.00
51	2,4-Dinitrophenol	0.146	0.077	47.3#	56	0.00
52 S	4-Nitrophenol-d4	0.257	0.255	0.8	84	0.00
53	4-Nitrophenol	0.227	0.232	-2.2	89	0.00
54	Dibenzofuran	2.025	2.134	-5.4	89	0.00
55	2,4-Dinitrotoluene	0.506	0.541	-6.9	87	0.00
56	2,3,4,6-Tetrachlorophenol	0.441	0.478	-8.4	87	0.00
57	Diethylphthalate	1.723	1.850	-7.4	91	0.00
58 S	Fluorene-d10	1.484	1.559	-5.1	90	0.00
59	Fluorene	1.629	1.693	-3.9	87	0.00
60	4-Chlorophenyl-phenylether	0.941	0.996	-5.8	88	0.00
61	4-Nitroaniline	0.345	0.379	-9.9	91	0.00
62 I	Phenanthrene-d10	1.000	1.000	0.0	89	0.00
63 S	4,6-Dinitro-2-methylphenol-	0.121	0.108	10.7	81	0.00
64	4,6-Dinitro-2-methylphenol	0.130	0.117	10.0	78	0.00
65	N-Nitrosodiphenylamine	0.551	0.584	-6.0	88	0.00
66	4-Bromophenyl-phenylether	0.243	0.255	-4.9	87	0.00
67	Hexachlorobenzene	0.267	0.276	-3.4	87	0.00
68	Atrazine	0.243	0.258	-6.2	88	0.00
69 C	Pentachlorophenol	0.107	0.084	21.5	74	0.00
70	Phenanthrene	1.087	1.137	-4.6	87	0.00
71 S	Anthracene-d10	0.932	0.985	-5.7	88	0.00
72	Anthracene	1.112	1.163	-4.6	87	0.00
73	1,2,3,4-Tetrachlorobenzene	0.318	0.334	-5.0	90	0.00
74	Pentachlorobenzene	0.303	0.323	-6.6	89	0.00
75	Carbazole	0.938	1.002	-6.8	86	0.00
76	Di-n-butylphthalate	1.101	1.187	-7.8	88	0.00
77 C	Fluoranthene	1.328	1.443	-8.7	86	0.00
78 I	Chrysene-d12	1.000	1.000	0.0	91	0.00
79 S	Pyrene-d10	0.897	0.942	-5.0	88	0.00
80	Pyrene	1.158	1.193	-3.0	86	0.00
81	Butylbenzylphthalate	0.408	0.448	-9.8	93	0.00
82	3,3'-Dichlorobenzidine	0.381	0.412	-8.1	90	0.00
83	Benzo(a)anthracene	1.170	1.241	-6.1	90	0.00
84	Bis(2-ethylhexyl)phthalate	0.586	0.632	-7.8	91	0.00
85	Chrysene	1.101	1.168	-6.1	90	0.00
86 I	Perylene-d12	1.000	1.000	0.0	88	0.00
87	Di-n-octyl phthalate	1.050	1.170	-11.4	93	0.00

Data Path : Z:\HPCHEM1\BNA G\DATA\BG010516\
Data File : BG020665.D
Acq On : 5 Jan 2016 22:16
Operator : UM/SJ
Sample : SSTDCCC020
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_G
LabSampleId :
SSTD02013

Quant Time: Jan 06 04:25:40 2016
Quant Method : Z:\HPCHEM1\BNA G\METHODS\SOM02.2-EPA-BG123015.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Jan 06 00:15:22 2016
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 20% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
88	Benzo(b)fluoranthene	1.188	1.255	-5.6	86	0.00
89	Benzo(k)fluoranthene	1.138	1.253	-10.1	91	0.00
90 S	Benzo(a)pyrene-d12	0.998	1.068	-7.0	88	0.00
91 C	Benzo(a)pyrene	1.141	1.222	-7.1	88	0.00
92	Indeno(1,2,3-cd)pyrene	1.361	1.444	-6.1	87	0.00
93	Dibenzo(a,h)anthracene	1.135	1.227	-8.1	89	0.00
94	Benzo(a,h,i)perylene	1.118	1.192	-6.6	88	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0