

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA_G\DATA\BG010918\
 Data File : BG031966.D
 Acq On : 10 Jan 2018 4:34
 Operator : SJ/JU
 Sample : J1023-02
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TR-04-010817

Quant Time: Jan 10 06:29:30 2018
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG122117.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jan 05 15:31:34 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.78	152	65413	20.00	ng	0.00
21) Naphthalene-d8	11.66	136	271883	20.00	ng	-0.01
38) Acenaphthene-d10	15.41	164	190196	20.00	ng	-0.02
63) Phenanthrene-d10	18.14	188	481775	20.00	ng	-0.02
75) Chrysene-d12	22.48	240	536116	20.00	ng	-0.04
86) Perylene-d12	26.21	264	541140	20.00	ng	-0.09
System Monitoring Compounds						
5) 2-Fluorophenol	6.21	112	441674	122.98	ng	0.00
7) Phenol-d6	7.88	99	506791	108.69	ng	0.00
23) Nitrobenzene-d5	9.98	82	366976	101.92	ng	0.00
41) 2,4,6-Tribromophenol	16.88	330	427608	147.34	ng	-0.02
44) 2-Fluorobiphenyl	14.04	172	1294294	85.41	ng	-0.01
78) Terphenyl-d14	20.67	244	2141881	91.28	ng	-0.02


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA_G\DATA\BG010918\
Data File : BG031966.D
Acq On : 10 Jan 2018 4:34
Operator : SJ/JU
Sample : J1023-02
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TR-04-010817

Quant Time: Jan 10 06:29:30 2018
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG122117.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jan 05 15:31:34 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.78 min Scan# 935
Delta R.T. -0.01 min
Lab File: BG031966.D
Acq: 10 Jan 2018 4:34

Instrument :
BNA_G
ClientSampleId :
TR-04-010817

Tgt Ion:152 Resp: 65413
Ion Ratio Lower Upper
152 100
150 155.8 126.6 189.8
115 55.0 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 122.981 ng
RT: 6.21 min Scan# 497
Delta R.T. -0.00 min
Lab File: BG031966.D
Acq: 10 Jan 2018 4:34

Tgt Ion:112 Resp: 441674
Ion Ratio Lower Upper
112 100
64 48.6 56.3 84.5#
63 26.9 30.1 45.1#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 108.688 ng

RT: 7.88 min Scan# 782

Delta R.T. -0.01 min

Lab File: BG031966.D

Acq: 10 Jan 2018 4:34

Instrument :

BNA_G

ClientSampleId :

TR-04-010817


Tgt Ion: 99 Resp: 506791

Ion Ratio Lower Upper




99 100

42 14.6 14.1 21.1

71 35.3 26.1 39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.66 min Scan# 1425

Delta R.T. -0.01 min

Lab File: BG031966.D

Acq: 10 Jan 2018 4:34

Tgt Ion: 136 Resp: 271883


Ion Ratio Lower Upper

136 100



137 10.8 9.2 13.8


54 5.1 10.3 15.5#

68 3.8 4.5 6.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 101.923 ng
 RT: 9.98 min Scan# 1139
 Delta R.T. -0.01 min
 Lab File: BG031966.D
 Acq: 10 Jan 2018 4:34




Instrument :
 BNA_G
 ClientSampleId :
 TR-04-010817


Tgt Ion: 82 Resp: 366976
 Ion Ratio Lower Upper
 82 100
 128 52.5 29.7 44.5#
 54 44.0 43.1 64.7



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 15.41 min Scan# 2063
 Delta R.T. -0.02 min
 Lab File: BG031966.D
 Acq: 10 Jan 2018 4:34

Tgt Ion: 164 Resp: 190196
 Ion Ratio Lower Upper
 164 100
 162 103.5 78.8 118.2
 160 45.6 35.4 53.0









#41
 2,4,6-Tribromophenol
 Concen: 147.343 ng
 RT: 16.88 min Scan# 2314
 Delta R.T. -0.02 min
 Lab File: BG031966.D
 Acq: 10 Jan 2018 4:34

Instrument :
 BNA_G
 ClientSampleId :
 TR-04-010817

Tgt Ion:330 Resp: 427608
 Ion Ratio Lower Upper
 330 100
 332 97.2 77.0 115.6
 141 27.9 25.2 37.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 85.413 ng
 RT: 14.04 min Scan# 1830
 Delta R.T. -0.01 min
 Lab File: BG031966.D
 Acq: 10 Jan 2018 4:34

Tgt Ion:172 Resp: 1294294
 Ion Ratio Lower Upper
 172 100
 171 38.8 30.0 45.0
 170 24.2 19.5 29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 18.14 min Scan# 2528
Delta R.T. -0.02 min
Lab File: BG031966.D
Acq: 10 Jan 2018 4:34




Instrument :
BNA_G
ClientSampleId :
TR-04-010817


Tgt Ion:188 Resp: 481775
Ion Ratio Lower Upper
188 100
94 5.6 6.9 10.3#
80 6.0 7.7 11.5#



#75
Chrysene-d12
Concen: 20.000 ng
RT: 22.48 min Scan# 3267
Delta R.T. -0.04 min
Lab File: BG031966.D
Acq: 10 Jan 2018 4:34

Tgt Ion:240 Resp: 536116
Ion Ratio Lower Upper
240 100
120 5.5 6.8 10.2#
236 25.2 20.9 31.3





#78

Terphenyl-d14

Concen: 91.276 ng

RT: 20.67 min Scan# 2959

Delta R.T. -0.02 min

Lab File: BG031966.D

Acq: 10 Jan 2018 4:34

Instrument :

BNA_G

ClientSampleId :

TR-04-010817


Tgt Ion:244 Resp: 2141881

Ion Ratio Lower Upper

244 100

212 8.2 5.8 8.8




122 7.6 7.0 10.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 26.21 min Scan# 3901

Delta R.T. -0.09 min

Lab File: BG031966.D

Acq: 10 Jan 2018 4:34


Tgt Ion:264 Resp: 541140

Ion Ratio Lower Upper

264 100

260 22.8 17.4 26.0

265 21.0 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

