

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG011123\
 Data File : BG056249.D
 Acq On : 11 Jan 2023 13:55
 Operator : CG/JU
 Sample : 01053-02
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-201

Quant Time: Jan 12 04:18:19 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG122722.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jan 12 03:38:40 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.317	152	45394	20.000	ng	0.00
21) Naphthalene-d8	11.149	136	162717	20.000	ng	0.00
39) Acenaphthene-d10	14.927	164	125885	20.000	ng	0.00
64) Phenanthrene-d10	17.659	188	355088	20.000	ng	0.00
76) Chrysene-d12	21.954	240	365173	20.000	ng	0.00
86) Perylene-d12	25.397	264	385144	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.838	112	392396	154.342	ng	0.01
7) Phenol-d6	7.454	99	496368	127.132	ng	0.00
23) Nitrobenzene-d5	9.486	82	312566	98.258	ng	0.00
42) 2,4,6-Tribromophenol	16.408	330	265356	166.439	ng	0.00
45) 2-Fluorobiphenyl	13.558	172	920343	100.957	ng	0.00
79) Terphenyl-d14	20.239	244	2129409	104.440	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG011123\
Data File : BG056249.D
Acq On : 11 Jan 2023 13:55
Operator : CG/JU
Sample : 01053-02
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP-201

Quant Time: Jan 12 04:18:19 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG122722.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jan 12 03:38:40 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.317 min Scan# 81
Delta R.T. 0.000 min
Lab File: BG056249.D
Acq: 11 Jan 2023 13:55




Instrument :
BNA_G
ClientSampleId :
TP-201


Tgt Ion:152 Resp: 45394
Ion Ratio Lower Upper
152 100
150 158.5 127.9 191.9
115 52.2 44.2 66.2



#5
2-Fluorophenol
Concen: 154.342 ng
RT: 5.838 min Scan# 434
Delta R.T. 0.012 min
Lab File: BG056249.D
Acq: 11 Jan 2023 13:55

Tgt Ion:112 Resp: 392396
Ion Ratio Lower Upper
112 100
64 42.6 33.3 49.9
63 23.2 19.0 28.4









#7
Phenol-d6
Concen: 127.132 ng
RT: 7.454 min Scan# 70
Delta R.T. 0.006 min
Lab File: BG056249.D
Acq: 11 Jan 2023 13:55




Instrument :
BNA_G
ClientSampleId :
TP-201

Tgt Ion: 99 Resp: 496368
Ion Ratio Lower Upper
99 100
42 7.3 5.9 8.9
71 29.5 25.4 38.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 11.149 min Scan# 1338
Delta R.T. 0.001 min
Lab File: BG056249.D
Acq: 11 Jan 2023 13:55

Tgt Ion: 136 Resp: 162717
Ion Ratio Lower Upper
136 100
137 10.9 9.4 14.0
54 2.6 2.2 3.2
68 4.0 3.4 5.0





#23

Nitrobenzene-d5

Concen: 98.258 ng

RT: 9.486 min Scan# 1055

Delta R.T. -0.005 min

Lab File: BG056249.D

Acq: 11 Jan 2023 13:55

Instrument :

BNA_G

ClientSampleId :

TP-201





Tgt Ion: 82 Resp: 312566

Ion Ratio Lower Upper

82 100

128 41.0 33.4 50.2

54 25.9 20.3 30.5



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.927 min Scan# 1981

Delta R.T. 0.001 min

Lab File: BG056249.D

Acq: 11 Jan 2023 13:55




Tgt Ion:164 Resp: 125885


Ion Ratio Lower Upper

164 100

162 99.8 84.7 127.1

160 41.9 36.3 54.5









#42
 2,4,6-Tribromophenol
 Concen: 166.439 ng
 RT: 16.408 min Scan# 21
 Delta R.T. 0.001 min
 Lab File: BG056249.D
 Acq: 11 Jan 2023 13:55




Instrument :
 BNA_G
 ClientSampleId :
 TP-201


Tgt Ion:330 Resp: 265356
 Ion Ratio Lower Upper
 330 100
 332 97.6 77.3 115.9
 141 34.4 27.9 41.9



#45
 2-Fluorobiphenyl
 Concen: 100.957 ng
 RT: 13.558 min Scan# 1748
 Delta R.T. 0.001 min
 Lab File: BG056249.D
 Acq: 11 Jan 2023 13:55

Tgt Ion:172 Resp: 920343
 Ion Ratio Lower Upper
 172 100
 171 36.3 29.6 44.4
 170 23.7 19.4 29.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.659 min Scan# 2446
Delta R.T. -0.005 min
Lab File: BG056249.D
Acq: 11 Jan 2023 13:55




Instrument :
BNA_G
ClientSampleId :
TP-201


Tgt Ion:188 Resp: 355088
Ion Ratio Lower Upper
188 100
94 4.9 4.2 6.2
80 6.3 5.0 7.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.954 min Scan# 3177
Delta R.T. -0.005 min
Lab File: BG056249.D
Acq: 11 Jan 2023 13:55

Tgt Ion:240 Resp: 365173
Ion Ratio Lower Upper
240 100
120 3.9 2.6 4.0
236 25.0 20.8 31.2





#79

Terphenyl-d14

Concen: 104.440 ng

RT: 20.239 min Scan# 2885

Delta R.T. 0.001 min

Lab File: BG056249.D

Acq: 11 Jan 2023 13:55

Instrument :

BNA_G

ClientSampleId :

TP-201





Tgt Ion:244 Resp: 2129409

Ion Ratio Lower Upper

244 100

212 7.5 5.7 8.5

122 5.2 3.5 5.3



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.397 min Scan# 3763

Delta R.T. -0.005 min

Lab File: BG056249.D

Acq: 11 Jan 2023 13:55

Tgt Ion:264 Resp: 385144

Ion Ratio Lower Upper

264 100

260 23.3 18.6 28.0

265 21.6 16.7 25.1

