

Data Path : Z:\HPCHEM1\BNA G\DATA\BG011217\
 Data File : BG025506.D
 Acq On : 13 Jan 2017 6:56
 Operator : UM/SJ
 Sample : I1138-01
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MW-1

Quant Time: Jan 13 12:45:35 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG122116.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jan 10 11:26:22 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.20	152	60218	20.00	ng	0.00
21) Naphthalene-d8	11.03	136	245985	20.00	ng	0.00
38) Acenaphthene-d10	14.83	164	204593	20.00	ng	0.00
63) Phenanthrene-d10	17.57	188	467737	20.00	ng	0.00
75) Chrysene-d12	21.86	240	653962	20.00	ng	0.00
86) Perylene-d12	25.26	264	688510	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.74	112	227452	68.66	ng	0.00
7) Phenol-d6	7.36	99	206223	44.20	ng	0.00
23) Nitrobenzene-d5	9.38	82	630752	113.28	ng	0.00
41) 2,4,6-Tribromophenol	16.32	330	475910	144.48	ng	0.00
44) 2-Fluorobiphenyl	13.45	172	1352644	107.04	ng	0.00
78) Terphenyl-d14	20.15	244	2413138	97.84	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG011217\
Data File : BG025506.D
Acq On : 13 Jan 2017 6:56
Operator : UM/SJ
Sample : I1138-01
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MW-1

Quant Time: Jan 13 12:45:35 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG122116.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jan 10 11:26:22 2017
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 8.20 min Scan# 913

Delta R.T. 0.00 min

Lab File: BG025506.D

Acq: 13 Jan 2017 6:56

Instrument :

BNA_G

ClientSampleId :

MW-1


Tot Ion:152 Resp: 60218

Ion Ratio Lower Upper

152 100

150 153.4 114.0 171.0




115 62.4 48.1 72.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 68.66 ng

RT: 5.74 min Scan# 494

Delta R.T. 0.00 min

Lab File: BG025506.D

Acq: 13 Jan 2017 6:56


Tgt Ion:112 Resp: 227452

Ion Ratio Lower Upper

112 100

64 84.0 61.8 92.6



63 44.9 37.2 55.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 44.20 ng

RT: 7.36 min Scan# 770

Delta R.T. 0.00 min

Lab File: BG025506.D

Acq: 13 Jan 2017 6:56

Instrument :

BNA_G

ClientSampleId :

MW-1


Tot Ion: 99 Resp: 206223

Ion Ratio Lower Upper

99 100

42 27.0 20.5 30.7




71 53.7 37.6 56.4



Abundance Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 11.03 min Scan# 1394

Delta R.T. -0.00 min

Lab File: BG025506.D

Acq: 13 Jan 2017 6:56

Tgt Ion: 136 Resp: 245985


Ion Ratio Lower Upper

136 100

137 10.1 8.9 13.3

54 10.9 9.3 13.9

68 5.9 5.1 7.7






Abundance Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 113.28 ng
RT: 9.38 min Scan# 1114
Delta R.T. -0.00 min
Lab File: BG025506.D
Acq: 13 Jan 2017 6:56




Instrument :
BNA_G
ClientSampleId :
MW-1


Tot Ion	82	Resp	630752
Ion Ratio	100	Lower	Upper
128	30.7	26.4	39.6
54	59.8	49.4	74.2



#38
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.83 min Scan# 2041
Delta R.T. 0.00 min
Lab File: BG025506.D
Acq: 13 Jan 2017 6:56

Tgt Ion	164	Resp	204593
Ion Ratio <td>100</td> <td>Lower</td> <td>Upper</td>	100	Lower	Upper
162	104.6	85.1	127.7
160	44.8	34.7	52.1









#41
 2,4,6-Tribromophenol
 Concen: 144.48 ng
 RT: 16.32 min Scan# 2294
 Delta R.T. -0.00 min
 Lab File: BG025506.D
 Acq: 13 Jan 2017 6:56

Instrument :
 BNA_G
 ClientSampleId :
 MW-1

Tot Ion:330 Resp: 475910




Ion	Ratio	Lower	Upper
330	100		
332	96.2	77.3	115.9
141	35.5	32.1	48.1




#44
 2-Fluorobiphenyl
 Concen: 107.04 ng
 RT: 13.45 min Scan# 1806
 Delta R.T. -0.00 min
 Lab File: BG025506.D
 Acq: 13 Jan 2017 6:56

Tgt Ion:172 Resp: 1352644

Ion	Ratio	Lower	Upper
172	100		
171	37.8	32.2	48.2
170	25.9	21.8	32.6









#63
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.57 min Scan# 2508
Delta R.T. -0.00 min
Lab File: BG025506.D
Acq: 13 Jan 2017 6:56




Instrument :
BNA_G
ClientSampleId :
MW-1


Tot Ion:188 Resp: 467737
Ion Ratio Lower Upper
188 100
94 6.6 5.8 8.8
80 7.8 7.5 11.3



#75
Chrysene-d12
Concen: 20.00 ng
RT: 21.86 min Scan# 3238
Delta R.T. -0.00 min
Lab File: BG025506.D
Acq: 13 Jan 2017 6:56

Tgt Ion:240 Resp: 653962
Ion Ratio Lower Upper
240 100
120 5.1 5.7 8.5#
236 27.4 22.2 33.4





#78

Terphenyl-d14

Concen: 97.84 ng

RT: 20.15 min Scan# 2947

Delta R.T. -0.00 min

Lab File: BG025506.D

Acq: 13 Jan 2017 6:56

Instrument :


BNA_G

ClientSampleId :

MW-1

Tot Ion:244 Resp: 2413138




Ion	Ratio	Lower	Upper
244	100		
212	10.6	10.0	15.0
122	8.5	8.6	12.8#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.00 ng

RT: 25.26 min Scan# 3816


Delta R.T. -0.01 min

Lab File: BG025506.D

Acq: 13 Jan 2017 6:56

Tgt Ion:264 Resp: 688510

Ion	Ratio	Lower	Upper
264	100		
260	24.2	21.8	32.8
265	21.5	18.2	27.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

