

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG011224\
 Data File : BG060321.D
 Acq On : 12 Jan 2024 18:30
 Operator : MA/JU
 Sample : P1104-04MS
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-1MS

Quant Time: Jan 12 23:43:26 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG010824.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jan 09 04:07:12 2024
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :Jagrut Upadhyay 01/15/2024
 Supervised By :mohammad ahmed 01/16/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.931	152	301426	20.000	ng	0.00
21) Naphthalene-d8	10.734	136	1036275	20.000	ng	0.00
39) Acenaphthene-d10	14.565	164	754748	20.000	ng	0.00
64) Phenanthrene-d10	17.314	188	1895619	20.000	ng	0.00
76) Chrysene-d12	21.580	240	1775265	20.000	ng	0.00
86) Perylene-d12	24.741	264	1960057	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.505	112	1958937	106.893	ng	0.00
7) Phenol-d6	7.097	99	2908568	107.182	ng	0.00
23) Nitrobenzene-d5	9.095	82	2003456	91.292	ng	0.00
42) 2,4,6-Tribromophenol	16.057	330	1543378	138.986	ng	0.00
45) 2-Fluorobiphenyl	13.190	172	4504686	82.981	ng	0.00
79) Terphenyl-d14	19.935	244	5970591	84.706	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.419	88	228252	27.266	ng	# 69
3) Pyridine	3.813	79	537799	22.770	ng	97
4) n-Nitrosodimethylamine	3.719	42	225416	30.495	ng	96
6) Aniline	7.256	93	569106	20.981	ng	99
8) 2-Chlorophenol	7.496	128	734353	40.433	ng	95
9) Benzaldehyde	7.068	77	139420m	8.951	ng	
10) Phenol	7.126	94	1056290	38.823	ng	99
11) bis(2-Chloroethyl)ether	7.350	93	840115	37.893	ng	96
12) 1,3-Dichlorobenzene	7.820	146	804862	35.306	ng	99
13) 1,4-Dichlorobenzene	7.966	146	924776	39.982	ng	98
14) 1,2-Dichlorobenzene	8.284	146	807656	33.958	ng	99
15) Benzyl Alcohol	8.166	79	732517m	41.700	ng	
16) 2,2'-oxybis(1-Chloropr...	8.448	45	1062152m	39.472	ng	
17) 2-Methylphenol	8.372	107	802169	42.925	ng	99
18) Hexachloroethane	9.012	117	275803	34.009	ng	97
19) n-Nitroso-di-n-propyla...	8.730	70	726413	38.677	ng	# 96
20) 3+4-Methylphenols	8.701	107	1093736	43.408	ng	96
22) Acetophenone	8.754	105	1435786	50.404	ng	# 99
24) Nitrobenzene	9.136	77	977453	42.965	ng	98
25) Isophorone	9.653	82	1914458	43.439	ng	98
26) 2-Nitrophenol	9.847	139	411740	49.224	ng	95
27) 2,4-Dimethylphenol	9.899	122	641051	57.999	ng	99
28) bis(2-Chloroethoxy)met...	10.140	93	1188978	44.154	ng	100
29) 2,4-Dichlorophenol	10.381	162	879017	49.077	ng	97
30) 1,2,4-Trichlorobenzene	10.593	180	934473	41.937	ng	93
31) Naphthalene	10.781	128	2280535	41.983	ng	99
32) Benzoic acid	10.035	122	316904	35.768	ng	90
33) 4-Chloroaniline	10.898	127	102427	4.894	ng	# 93
34) Hexachlorobutadiene	11.063	225	582870	40.154	ng	97
35) Caprolactam	11.668	113	253435m	43.932	ng	
36) 4-Chloro-3-methylphenol	12.015	107	881275	48.433	ng	99
37) 2-Methylnaphthalene	12.391	142	1711622	42.485	ng	98
38) 1-Methylnaphthalene	12.608	142	1699834	42.018	ng	99
40) 1,2,4,5-Tetrachloroben...	12.761	216	1217660	45.426	ng	99
41) Hexachlorocyclopentadiene	12.737	237	1193568	134.117	ng	99
43) 2,4,6-Trichlorophenol	12.996	196	817334	47.913	ng	97

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG011224\
 Data File : BG060321.D
 Acq On : 12 Jan 2024 18:30
 Operator : MA/JU
 Sample : P1104-04MS
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-1MS


Quant Time: Jan 12 23:43:26 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG010824.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jan 09 04:07:12 2024
 Response via : Initial Calibration

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 01/15/2024
 Supervised By :mohammad ahmed 01/16/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	13.072	196	905764	48.140	ng	96
46) 1,1'-Biphenyl	13.401	154	2577113	45.235	ng	99
47) 2-Chloronaphthalene	13.442	162	2138664	43.819	ng	99
48) 2-Nitroaniline	13.648	65	618543	50.889	ng	99
49) Acenaphthylene	14.288	152	3294470	49.018	ng	98
50) Dimethylphthalate	14.024	163	2584557	44.811	ng	100
51) 2,6-Dinitrotoluene	14.142	165	591070	48.027	ng	92
52) Acenaphthene	14.629	154	1873456	44.766	ng	99
53) 3-Nitroaniline	14.471	138	251077	22.389	ng	98
54) 2,4-Dinitrophenol	14.676	184	491053	67.331	ng	96
55) Dibenzofuran	14.964	168	3195269	45.737	ng	97
56) 4-Nitrophenol	14.788	139	831958	100.020	ng	99
57) 2,4-Dinitrotoluene	14.929	165	821676	48.688	ng	97
58) Fluorene	15.616	166	2687431	46.452	ng	98
59) 2,3,4,6-Tetrachlorophenol	15.193	232	838499	52.481	ng	99
60) Diethylphthalate	15.387	149	2489044	44.952	ng	100
61) 4-Chlorophenyl-phenyle...	15.605	204	1422567	44.636	ng	97
62) 4-Nitroaniline	15.640	138	571949	47.921	ng	97
63) Azobenzene	15.898	77	2576857	46.011	ng	99
65) 4,6-Dinitro-2-methylph...	15.693	198	431219	41.120	ng	96
66) n-Nitrosodiphenylamine	15.822	169	2376305	47.211	ng	98
67) 4-Bromophenyl-phenylether	16.504	248	931620	44.727	ng	98
68) Hexachlorobenzene	16.621	284	1091165	44.256	ng	99
69) Atrazine	16.768	200	951852	50.152	ng	97
70) Pentachlorophenol	16.962	266	1240752	93.361	ng	94
71) Phenanthrene	17.355	178	4095088	44.694	ng	96
72) Anthracene	17.449	178	4183935	45.737	ng	97
73) Carbazole	17.720	167	3829390	44.403	ng	99
74) Di-n-butylphthalate	18.278	149	3923509	44.215	ng	99
75) Fluoranthene	19.371	202	4643832	42.197	ng	97
77) Benzidine	19.553	184	653736	16.950	ng	98
78) Pyrene	19.735	202	4784893	42.207	ng	98
80) Butylbenzylphthalate	20.622	149	1922349	49.287	ng	97
81) Benzo(a)anthracene	21.556	228	4899874	44.584	ng	96
82) 3,3'-Dichlorobenzidine	21.480	252	1107323	26.309	ng	99
83) Chrysene	21.627	228	4699591	43.479	ng	98
84) Bis(2-ethylhexyl)phtha...	21.462	149	2815053	47.763	ng	96
85) Di-n-octyl phthalate	22.655	149	4659304	48.784	ng	100
87) Indeno(1,2,3-cd)pyrene	28.354	276	6419875	47.106	ng	# 92
88) Benzo(b)fluoranthene	23.742	252	5295739	45.735	ng	99
89) Benzo(k)fluoranthene	23.807	252	5277206	46.184	ng	100
90) Benzo(a)pyrene	24.594	252	4914716	46.985	ng	98
91) Dibenzo(a,h)anthracene	28.413	278	5178787	46.530	ng	99
92) Benzo(g,h,i)perylene	29.482	276	4949295	43.388	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed







#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.931 min Scan# 81
Delta R.T. 0.001 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30

Instrument :
BNA_G
ClientSampleId :
TP-1MS

Tgt Ion:152 Resp: 301420
Ion Ratio Lower Upper
152 100
150 151.3 114.5 171.7
115 56.4 43.0 64.6




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#2
1,4-Dioxane
Concen: 27.266 ng
RT: 3.419 min Scan# 56
Delta R.T. 0.007 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30

Tgt Ion: 88 Resp: 228252
Ion Ratio Lower Upper
88 100
58 70.0 55.9 83.9
43 83.2 16.6 24.8#





#3

Pyridine

Concen: 22.770 ng

RT: 3.813 min Scan# 107

Delta R.T. 0.007 min

Lab File: BG060321.D

Acq: 12 Jan 2024 18:30

Instrument :

BNA_G

ClientSampleId :

TP-1MS

Tgt Ion: 79 Resp: 53779

Ion Ratio Lower Upper

79 100





52 57.1 43.2 64.8

51 27.6 21.4 32.2

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#4

n-Nitrosodimethylamine

Concen: 30.495 ng

RT: 3.719 min Scan# 107

Delta R.T. -0.004 min

Lab File: BG060321.D

Acq: 12 Jan 2024 18:30




Tgt Ion: 42 Resp: 225416


Ion Ratio Lower Upper

42 100

74 186.9 145.1 217.7


44 7.3 5.2 7.8





#5
2-Fluorophenol
Concen: 106.893 ng
RT: 5.505 min Scan# 411
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Instrument :
BNA_G
ClientSampleId :
TP-1MS



Tgt Ion:112 Resp: 195893
Ion Ratio Lower Upper
112 100
64 65.0 49.8 74.6
63 33.2 24.4 36.6




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#6
Aniline
Concen: 20.981 ng
RT: 7.256 min Scan# 709
Delta R.T. -0.004 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30


Tgt Ion: 93 Resp: 569106
Ion Ratio Lower Upper
93 100
66 37.0 29.0 43.4
65 18.8 15.1 22.7





#7
Phenol-d6
Concen: 107.182 ng
RT: 7.097 min Scan# 682
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Instrument :
BNA_G
ClientSampleId :
TP-1MS



Tgt Ion: 99 Resp: 290856
Ion Ratio Lower Upper
99 100
42 14.3 10.9 16.3
71 29.3 21.5 32.3




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#8
2-Chlorophenol
Concen: 40.433 ng
RT: 7.496 min Scan# 750
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30

Tgt Ion:128 Resp: 734353
Ion Ratio Lower Upper
128 100
130 32.9 9.9 49.9
64 54.3 37.8 77.8









#9
Benzaldehyde
Concen: 8.951 ng m
RT: 7.068 min Scan# 61
Delta R.T. -0.004 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30

Instrument :
BNA_G
ClientSampleId :
TP-1MS

Tgt Ion: 77 Resp: 139420
Ion Ratio Lower Upper
77 100
105 96.7 73.6 113.6
106 93.0 66.2 106.2




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#10
Phenol
Concen: 38.823 ng
RT: 7.126 min Scan# 687
Delta R.T. 0.008 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30


Tgt Ion: 94 Resp: 1056290
Ion Ratio Lower Upper
94 100
65 26.7 6.7 46.7
66 29.8 10.6 50.6





#11
bis(2-Chloroethyl)ether
Concen: 37.893 ng
RT: 7.350 min Scan# 726
Delta R.T. -0.004 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Instrument :
BNA_G
ClientSampleId :
TP-1MS



Tgt Ion: 93 Resp: 840115
Ion Ratio Lower Upper
93 100
63 75.8 59.3 99.3
95 29.9 12.8 52.8




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#12
1,3-Dichlorobenzene
Concen: 35.306 ng
RT: 7.820 min Scan# 805
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30


Tgt Ion:146 Resp: 804862
Ion Ratio Lower Upper
146 100
148 65.2 52.3 78.5
75 29.9 22.9 34.3





#13
1,4-Dichlorobenzene
Concen: 39.982 ng
RT: 7.966 min Scan# 830
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Instrument :
BNA_G
ClientSampleId :
TP-1MS



Tgt Ion:146 Resp: 924770
Ion Ratio Lower Upper
146 100
148 67.4 52.7 79.1
111 40.3 31.4 47.0




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#14
1,2-Dichlorobenzene
Concen: 33.958 ng
RT: 8.284 min Scan# 884
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30


Tgt Ion:146 Resp: 807656
Ion Ratio Lower Upper
146 100
148 66.0 51.8 77.8
111 40.8 32.6 48.8





#15
Benzyl Alcohol
Concen: 41.700 ng m
RT: 8.166 min Scan# 80
Delta R.T. -0.004 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Instrument :
BNA_G
ClientSampleId :
TP-1MS



Tgt Ion: 79 Resp: 73251
Ion Ratio Lower Upper
79 100
108 77.2 61.2 91.8
77 62.6 50.3 75.5




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#16
2,2'-oxybis(1-Chloropropane)
Concen: 39.472 ng m
RT: 8.448 min Scan# 912
Delta R.T. -0.004 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30


Tgt Ion: 45 Resp: 1062152
Ion Ratio Lower Upper
45 100
77 18.4 0.0 37.3
79 14.2 0.0 34.0





#17
2-Methylphenol
Concen: 42.925 ng
RT: 8.372 min Scan# 899
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Instrument :
BNA_G
ClientSampleId :
TP-1MS



Tgt Ion:107 Resp: 802169
Ion Ratio Lower Upper
107 100
108 113.5 90.5 135.7
77 42.9 35.0 52.6
79 43.0 34.0 51.0




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#18
Hexachloroethane
Concen: 34.009 ng
RT: 9.012 min Scan# 1008
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30


Tgt Ion:117 Resp: 275803
Ion Ratio Lower Upper
117 100
119 97.9 74.5 111.7
201 130.9 106.3 159.5





#19
n-Nitroso-di-n-propylamine
Concen: 38.677 ng
RT: 8.730 min Scan# 961
Delta R.T. -0.004 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Instrument :
BNA_G
ClientSampleId :
TP-1MS




Tgt Ion: 70 Resp: 726411
Ion Ratio Lower Upper
70 100
42 45.8 34.3 51.5
101 9.3 6.2 9.2
130 16.2 12.2 18.2

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024




#20
3+4-Methylphenols
Concen: 43.408 ng
RT: 8.701 min Scan# 955
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Tgt Ion:107 Resp: 1093736
Ion Ratio Lower Upper
107 100
108 87.6 72.5 112.5
77 33.8 13.0 53.0
79 27.5 6.3 46.3





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.734 min Scan# 1301
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Instrument :
BNA_G
ClientSampleId :
TP-1MS



Tgt Ion:136 Resp: 1036279
Ion Ratio Lower Upper
136 100
137 10.2 8.2 12.4
54 7.8 6.2 9.2
68 7.4 6.3 9.5




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#22
Acetophenone
Concen: 50.404 ng
RT: 8.754 min Scan# 964
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30


Tgt Ion:105 Resp: 1435786
Ion Ratio Lower Upper
105 100
71 1.3 1.7 2.5#
51 21.7 18.2 27.2
120 19.6 15.5 23.3





#23
Nitrobenzene-d5
Concen: 91.292 ng
RT: 9.095 min Scan# 1022
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Instrument :
BNA_G
ClientSampleId :
TP-1MS




Tgt Ion: 82 Resp: 200345
Ion Ratio Lower Upper
82 100
128 37.4 29.6 44.4
54 41.7 33.6 50.4

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024




#24
Nitrobenzene
Concen: 42.965 ng
RT: 9.136 min Scan# 1029
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Tgt Ion: 77 Resp: 977453
Ion Ratio Lower Upper
77 100
123 40.6 31.4 47.0
65 12.3 9.6 14.4





#25
Isophorone
Concen: 43.439 ng
RT: 9.653 min Scan# 1117
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Instrument :
BNA_G
ClientSampleId :
TP-1MS



Tgt Ion: 82 Resp: 191445
Ion Ratio Lower Upper
82 100
95 5.9 4.7 7.1
138 14.9 11.1 16.7




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#26
2-Nitrophenol
Concen: 49.224 ng
RT: 9.847 min Scan# 1150
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30

Tgt Ion:139 Resp: 411740
Ion Ratio Lower Upper
139 100
109 23.2 17.6 26.4
65 49.9 43.6 65.4





#27
2,4-Dimethylphenol
Concen: 57.999 ng
RT: 9.899 min Scan# 1159
Delta R.T. -0.004 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30

Instrument :

BNA_G

ClientSampleId :





TP-IMS

Tgt Ion:122 Resp: 64105
Ion Ratio Lower Upper
122 100
107 118.9 95.4 143.0
121 58.2 47.7 71.5

Manual Integrations




APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#28
bis(2-Chloroethoxy)methane
Concen: 44.154 ng
RT: 10.140 min Scan# 1200
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30

Tgt Ion: 93 Resp: 1188978
Ion Ratio Lower Upper
93 100
95 31.7 25.4 38.0
123 9.0 6.7 10.1









#29
2,4-Dichlorophenol
Concen: 49.077 ng
RT: 10.381 min Scan# 1241
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30

Instrument :
BNA_G
ClientSampleId :
TP-1MS

Tgt Ion:162 Resp: 87901
Ion Ratio Lower Upper
162 100
164 60.6 44.3 84.3
98 33.2 13.4 53.4




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#30
1,2,4-Trichlorobenzene
Concen: 41.937 ng
RT: 10.593 min Scan# 1277
Delta R.T. -0.004 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30

Tgt Ion:180 Resp: 934473
Ion Ratio Lower Upper
180 100
182 99.0 72.7 109.1
145 24.1 18.2 27.2









#31
Naphthalene
Concen: 41.983 ng
RT: 10.781 min Scan# 1182
Delta R.T. -0.004 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30

Instrument :
BNA_G
ClientSampleId :
TP-1MS

Tgt Ion:128 Resp: 228053
Ion Ratio Lower Upper
128 100
129 11.6 8.9 13.3
127 13.5 10.9 16.3




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#32
Benzoic acid
Concen: 35.768 ng
RT: 10.035 min Scan# 1182
Delta R.T. -0.010 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30

Tgt Ion:122 Resp: 316904
Ion Ratio Lower Upper
122 100
105 132.4 96.0 136.0
77 105.0 80.1 120.1






#33
4-Chloroaniline
Concen: 4.894 ng
RT: 10.898 min Scan# 1329
Delta R.T. 0.008 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30

Instrument :

BNA_G

ClientSampleId :

TP-IMS






Tgt Ion:127 Resp: 102427
Ion Ratio Lower Upper
127 100
129 31.0 25.5 38.3
65 28.2 27.5 41.3
92 15.3 15.8 23.8#


Manual Integrations

APPROVED



Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024




#34
Hexachlorobutadiene
Concen: 40.154 ng
RT: 11.063 min Scan# 1357
Delta R.T. -0.004 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Tgt Ion:225 Resp: 582870
Ion Ratio Lower Upper
225 100
223 63.7 48.7 73.1
227 62.5 48.7 73.1





#35
Caprolactam
Concen: 43.932 ng m
RT: 11.668 min Scan# 1460
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Instrument :
BNA_G
ClientSampleId :
TP-1MS




Tgt Ion:113 Resp: 25343
Ion Ratio Lower Upper
113 100
55 177.0 166.4 206.4
56 125.7 121.0 161.0

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024




#36
4-Chloro-3-methylphenol
Concen: 48.433 ng
RT: 12.015 min Scan# 1519
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30



Tgt Ion:107 Resp: 881275
Ion Ratio Lower Upper
107 100
144 26.0 20.6 31.0
142 77.7 61.5 92.3









#37
2-Methylnaphthalene
Concen: 42.485 ng
RT: 12.391 min Scan# 1583
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30

Instrument :
BNA_G
ClientSampleId :
TP-1MS

Tgt Ion:142 Resp: 171162
Ion Ratio Lower Upper
142 100
141 90.0 71.0 106.4
115 32.2 24.7 37.1




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#38
1-Methylnaphthalene
Concen: 42.018 ng
RT: 12.608 min Scan# 1620
Delta R.T. -0.004 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30

Tgt Ion:142 Resp: 1699834
Ion Ratio Lower Upper
142 100
141 94.3 76.2 114.2
116 3.6 2.6 3.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.565 min Scan# 1953
Delta R.T. -0.004 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30

Instrument :

BNA_G

ClientSampleId :





TP-1MS

Tgt Ion:164 Resp: 754748
Ion Ratio Lower Upper
164 100
162 105.6 84.4 126.6
160 44.2 34.6 52.0

Manual Integrations




APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#40
1,2,4,5-Tetrachlorobenzene
Concen: 45.426 ng
RT: 12.761 min Scan# 1646
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30


Tgt Ion:216 Resp: 1217660
Ion Ratio Lower Upper
216 100
214 78.1 62.6 93.8
179 18.3 14.8 22.2
108 14.7 10.6 16.0





#41
Hexachlorocyclopentadiene
Concen: 134.117 ng
RT: 12.737 min Scan# 1
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Instrument :
BNA_G
ClientSampleId :
TP-1MS



Tgt Ion:237 Resp: 1193568
Ion Ratio Lower Upper
237 100
235 62.1 41.6 81.6
272 12.2 0.0 31.8




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#42
2,4,6-Tribromophenol
Concen: 138.986 ng
RT: 16.057 min Scan# 2207
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30


Tgt Ion:330 Resp: 1543378
Ion Ratio Lower Upper
330 100
332 96.4 76.7 115.1
141 24.1 18.6 28.0





#43
2,4,6-Trichlorophenol
Concen: 47.913 ng
RT: 12.996 min Scan# 1686
Delta R.T. -0.004 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Instrument :
BNA_G
ClientSampleId :
TP-1MS



Tgt Ion:196 Resp: 817334
Ion Ratio Lower Upper
196 100
198 98.1 75.7 113.5
200 30.6 24.7 37.1




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#44
2,4,5-Trichlorophenol
Concen: 48.140 ng
RT: 13.072 min Scan# 1699
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30


Tgt Ion:196 Resp: 905764
Ion Ratio Lower Upper
196 100
198 95.4 78.6 118.0
97 40.7 30.6 46.0
132 20.9 14.4 21.6





#45
2-Fluorobiphenyl
Concen: 82.981 ng
RT: 13.190 min Scan# 1719
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Instrument :
BNA_G
ClientSampleId :
TP-1MS




Tgt Ion:172 Resp: 450468
Ion Ratio Lower Upper
172 100
171 43.9 34.6 51.8
170 30.8 24.4 36.6

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024




#46
1,1'-Biphenyl
Concen: 45.235 ng
RT: 13.401 min Scan# 1755
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Tgt Ion:154 Resp: 2577113
Ion Ratio Lower Upper
154 100
153 42.1 22.0 62.0
76 16.1 0.0 35.2





#47
2-Chloronaphthalene
Concen: 43.819 ng
RT: 13.442 min Scan# 1762
Delta R.T. -0.004 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Instrument :
BNA_G
ClientSampleId :
TP-1MS




Tgt Ion:162 Resp: 213866
Ion Ratio Lower Upper
162 100
127 29.0 23.5 35.3
164 33.4 26.9 40.3

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024




#48
2-Nitroaniline
Concen: 50.889 ng
RT: 13.648 min Scan# 1797
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30



Tgt Ion: 65 Resp: 618543
Ion Ratio Lower Upper
65 100
92 66.6 55.0 82.6
138 97.9 78.1 117.1









#49
Acenaphthylene
Concen: 49.018 ng
RT: 14.288 min Scan# 1907
Delta R.T. -0.004 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30

Instrument :
BNA_G
ClientSampleId :
TP-1MS

Tgt Ion:152 Resp: 3294470
Ion Ratio Lower Upper
152 100
151 21.5 16.1 24.1
153 15.0 11.5 17.3




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#50
Dimethylphthalate
Concen: 44.811 ng
RT: 14.024 min Scan# 1861
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30


Tgt Ion:163 Resp: 2584557
Ion Ratio Lower Upper
163 100
194 3.8 3.0 4.4
164 11.0 8.8 13.2





#51
2,6-Dinitrotoluene
Concen: 48.027 ng
RT: 14.142 min Scan# 1882
Delta R.T. -0.004 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Instrument :
BNA_G
ClientSampleId :
TP-1MS



Tgt Ion:165 Resp: 591070
Ion Ratio Lower Upper
165 100
63 49.4 35.0 52.4
89 50.3 36.2 54.2




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#52
Acenaphthene
Concen: 44.766 ng
RT: 14.629 min Scan# 1964
Delta R.T. -0.004 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30

Tgt Ion:154 Resp: 1873456
Ion Ratio Lower Upper
154 100
153 114.8 92.6 138.8
152 56.2 43.8 65.8









#53
3-Nitroaniline
Concen: 22.389 ng
RT: 14.471 min Scan# 1938
Delta R.T. -0.004 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30

Instrument :
BNA_G
ClientSampleId :
TP-1MS

Tgt Ion:138 Resp: 25107
Ion Ratio Lower Upper
138 100
108 9.0 7.8 11.8
92 125.3 102.4 153.6




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#54
2,4-Dinitrophenol
Concen: 67.331 ng
RT: 14.676 min Scan# 1972
Delta R.T. 0.001 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30


Tgt Ion:184 Resp: 491053
Ion Ratio Lower Upper
184 100
63 53.6 41.0 61.4
154 46.1 39.2 58.8





#55
Dibenzenofuran
Concen: 45.737 ng
RT: 14.964 min Scan# 2022
Delta R.T. -0.004 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Instrument :
BNA_G
ClientSampleId :
TP-1MS




Tgt Ion:168 Resp: 3195269
Ion Ratio Lower Upper
168 100
139 30.5 22.6 34.0
169 15.4 12.1 18.1

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024




#56
4-Nitrophenol
Concen: 100.020 ng
RT: 14.788 min Scan# 1991
Delta R.T. 0.007 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Tgt Ion:139 Resp: 831958
Ion Ratio Lower Upper
139 100
109 62.2 42.2 82.2
65 102.3 83.3 123.3





#57
2,4-Dinitrotoluene
Concen: 48.688 ng
RT: 14.929 min Scan# 2015
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Instrument :
BNA_G
ClientSampleId :
TP-1MS



Tgt Ion:165 Resp: 821670
Ion Ratio Lower Upper
165 100
63 37.0 30.4 45.6
89 66.2 55.4 83.0
182 2.1 1.6 2.4




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#58
Fluorene
Concen: 46.452 ng
RT: 15.616 min Scan# 2132
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30


Tgt Ion:166 Resp: 2687431
Ion Ratio Lower Upper
166 100
165 100.5 79.0 118.6
167 14.6 11.4 17.0





#59
2,3,4,6-Tetrachlorophenol
Concen: 52.481 ng
RT: 15.193 min Scan# 2060
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Instrument :
BNA_G
ClientSampleId :
TP-1MS



Tgt Ion:232 Resp: 838499
Ion Ratio Lower Upper
232 100
131 27.9 22.7 34.1
130 1.4 1.1 1.7
166 25.7 20.6 30.8




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#60
Diethylphthalate
Concen: 44.952 ng
RT: 15.387 min Scan# 2093
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30


Tgt Ion:149 Resp: 2489044
Ion Ratio Lower Upper
149 100
177 25.9 20.9 31.3
150 12.9 10.2 15.2





#61
4-Chlorophenyl-phenylether
Concen: 44.636 ng
RT: 15.605 min Scan# 2131
Delta R.T. -0.004 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Instrument :
BNA_G
ClientSampleId :
TP-1MS




Tgt Ion:204 Resp: 142256
Ion Ratio Lower Upper
204 100
206 34.2 27.1 40.7
141 43.2 32.2 48.2

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024




#62
4-Nitroaniline
Concen: 47.921 ng
RT: 15.640 min Scan# 2136
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Tgt Ion:138 Resp: 571949
Ion Ratio Lower Upper
138 100
92 54.1 37.0 77.0
108 65.0 43.1 83.1





#63
Azobenzene
Concen: 46.011 ng
RT: 15.898 min Scan# 2181
Delta R.T. -0.004 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Instrument :
BNA_G
ClientSampleId :
TP-1MS



Tgt Ion: 77 Resp: 257685
Ion Ratio Lower Upper
77 100
182 26.3 6.5 46.5
105 22.8 1.8 41.8
51 24.2 3.3 43.3




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.314 min Scan# 2421
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30


Tgt Ion:188 Resp: 1895619
Ion Ratio Lower Upper
188 100
94 9.1 7.1 10.7
80 10.5 8.5 12.7





#65
4,6-Dinitro-2-methylphenol
Concen: 41.120 ng
RT: 15.693 min Scan# 2145
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Instrument :
BNA_G
ClientSampleId :
TP-1MS



Tgt Ion:198 Resp: 431219
Ion Ratio Lower Upper
198 100
51 31.3 11.8 51.8
105 36.0 20.3 60.3




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#66
n-Nitrosodiphenylamine
Concen: 47.211 ng
RT: 15.822 min Scan# 2167
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30


Tgt Ion:169 Resp: 2376305
Ion Ratio Lower Upper
169 100
168 69.9 54.4 81.6
167 39.3 31.2 46.8





#67
4-Bromophenyl-phenylether
Concen: 44.727 ng
RT: 16.504 min Scan# 21
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Instrument :
BNA_G
ClientSampleId :
TP-1MS




Tgt Ion:248 Resp: 931620
Ion Ratio Lower Upper
248 100
250 98.8 77.6 116.4
141 44.3 34.2 51.4

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024




#68
Hexachlorobenzene
Concen: 44.256 ng
RT: 16.621 min Scan# 2303
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30



Tgt Ion:284 Resp: 1091165
Ion Ratio Lower Upper
284 100
142 22.1 18.2 27.4
249 30.3 24.3 36.5









#69
Atrazine
Concen: 50.152 ng
RT: 16.768 min Scan# 21
Delta R.T. -0.004 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30

Instrument :
BNA_G
ClientSampleId :
TP-1MS

Tgt Ion:200 Resp: 951852
Ion Ratio Lower Upper
200 100
173 24.3 4.1 44.1
215 44.7 27.4 67.4




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#70
Pentachlorophenol
Concen: 93.361 ng
RT: 16.962 min Scan# 2361
Delta R.T. -0.004 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30

Tgt Ion:266 Resp: 1240752
Ion Ratio Lower Upper
266 100
268 63.7 57.4 86.2
264 61.6 49.8 74.8





#71

Phenanthrene

Concen: 44.694 ng

RT: 17.355 min Scan# 2429

Delta R.T. -0.004 min

Lab File: BG060321.D

Acq: 12 Jan 2024 18:30

Instrument :

BNA_G

ClientSampleId :

TP-1MS

Tgt Ion:178 Resp: 4095088

Ion Ratio Lower Upper

178 100





176 24.1 17.4 26.2

179 19.6 14.7 22.1

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#72

Anthracene

Concen: 45.737 ng

RT: 17.449 min Scan# 2444

Delta R.T. 0.002 min

Lab File: BG060321.D

Acq: 12 Jan 2024 18:30




Tgt Ion:178 Resp: 4183935


Ion Ratio Lower Upper

178 100

176 22.9 17.8 26.6


179 19.5 14.1 21.1





#73
 Carbazole
 Concen: 44.403 ng
 RT: 17.720 min Scan# 2490
 Delta R.T. 0.002 min
 Lab File: BG060321.D
 Acq: 12 Jan 2024 18:30




Instrument :
 BNA_G
 ClientSampleId :
 TP-1MS




Tgt Ion:167 Resp: 3829390
 Ion Ratio Lower Upper
 167 100
 166 25.7 19.8 29.8
 139 11.7 9.3 13.9

Manual Integrations
 APPROVED



Reviewed By :Jagrut Upadhyay 01/15/2024
 Supervised By :mohammad ahmed 01/16/2024




#74
 Di-n-butylphthalate
 Concen: 44.215 ng
 RT: 18.278 min Scan# 2585
 Delta R.T. 0.002 min
 Lab File: BG060321.D
 Acq: 12 Jan 2024 18:30




Tgt Ion:149 Resp: 3923509
 Ion Ratio Lower Upper
 149 100
 150 11.9 9.1 13.7
 104 5.5 4.3 6.5





#75
Fluoranthene
Concen: 42.197 ng
RT: 19.371 min Scan# 21
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Instrument :
BNA_G
ClientSampleId :
TP-1MS



Tgt Ion:202 Resp: 464383
Ion Ratio Lower Upper
202 100
101 15.3 0.0 34.4
203 25.4 4.0 44.0




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.580 min Scan# 3147
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30

Tgt Ion:240 Resp: 1775265
Ion Ratio Lower Upper
240 100
120 9.2 7.3 10.9
236 26.5 20.3 30.5









#77
Benzidine
Concen: 16.950 ng
RT: 19.553 min Scan# 2802
Delta R.T. -0.004 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30

Instrument :
BNA_G
ClientSampleId :
TP-1MS

Tgt Ion:184 Resp: 653730
Ion Ratio Lower Upper
184 100
185 14.6 12.2 18.4
183 10.7 9.0 13.4




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#78
Pyrene
Concen: 42.207 ng
RT: 19.735 min Scan# 2833
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30

Tgt Ion:202 Resp: 4784893
Ion Ratio Lower Upper
202 100
200 30.2 23.5 35.3
203 25.7 19.6 29.4





#79

Terphenyl-d14

Concen: 84.706 ng

RT: 19.935 min Scan# 2867

Delta R.T. 0.002 min

Lab File: BG060321.D

Acq: 12 Jan 2024 18:30

Instrument :

BNA_G

ClientSampleId :

TP-1MS

Tgt Ion:244 Resp: 597059

Ion Ratio Lower Upper

244 100





212 13.9 10.9 16.3

122 15.8 12.6 18.8

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#80

Butylbenzylphthalate

Concen: 49.287 ng

RT: 20.622 min Scan# 2984

Delta R.T. 0.002 min

Lab File: BG060321.D

Acq: 12 Jan 2024 18:30




Tgt Ion:149 Resp: 1922349


Ion Ratio Lower Upper

149 100

91 73.9 61.4 92.2


206 23.0 18.0 27.0





#81
Benzo(a)anthracene
Concen: 44.584 ng
RT: 21.556 min Scan# 3143
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Instrument :
BNA_G
ClientSampleId :
TP-1MS



Tgt Ion:228 Resp: 4899874
Ion Ratio Lower Upper
228 100
226 35.3 26.2 39.2
229 25.6 19.4 29.2




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#82
3,3'-Dichlorobenzidine
Concen: 26.309 ng
RT: 21.480 min Scan# 3130
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30


Tgt Ion:252 Resp: 1107323
Ion Ratio Lower Upper
252 100
254 65.3 52.6 79.0
126 8.4 6.3 9.5





#83
Chrysene
Concen: 43.479 ng
RT: 21.627 min Scan# 3155
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Instrument :
BNA_G
ClientSampleId :
TP-1MS



Tgt Ion:228 Resp: 469959
Ion Ratio Lower Upper
228 100
226 38.6 29.4 44.2
229 24.6 19.2 28.8




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#84
Bis(2-ethylhexyl)phthalate
Concen: 47.763 ng
RT: 21.462 min Scan# 3127
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30


Tgt Ion:149 Resp: 2815053
Ion Ratio Lower Upper
149 100
167 30.1 22.2 33.2
279 3.8 2.7 4.1





#85
Di-n-octyl phthalate
Concen: 48.784 ng
RT: 22.655 min Scan# 31
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30




Instrument :
BNA_G
ClientSampleId :
TP-1MS



Tgt Ion:149 Resp: 4659304
Ion Ratio Lower Upper
149 100
167 1.7 1.3 1.9
43 8.6 6.8 10.2




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#86
Perylene-d12
Concen: 20.000 ng
RT: 24.741 min Scan# 3685
Delta R.T. 0.002 min
Lab File: BG060321.D
Acq: 12 Jan 2024 18:30

Tgt Ion:264 Resp: 1960057
Ion Ratio Lower Upper
264 100
260 22.9 17.8 26.6
265 21.4 16.8 25.2





#87

Indeno(1,2,3-cd)pyrene

Concen: 47.106 ng

RT: 28.354 min Scan# 41

Delta R.T. 0.008 min

Lab File: BG060321.D

Acq: 12 Jan 2024 18:30

Instrument :

BNA_G

ClientSampleId :

TP-1MS

Tgt Ion:276 Resp: 641987

Ion Ratio Lower Upper

276 100

138 8.9 12.5 18.7





277 24.3 20.5 30.7

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 01/15/2024

Supervised By :mohammad ahmed 01/16/2024



#88

Benzo(b)fluoranthene

Concen: 45.735 ng

RT: 23.742 min Scan# 3515

Delta R.T. 0.008 min

Lab File: BG060321.D

Acq: 12 Jan 2024 18:30




Tgt Ion:252 Resp: 5295739


Ion Ratio Lower Upper

252 100

253 24.7 20.0 30.0

125 9.8 8.1 12.1





#89

Benzo(k)fluoranthene

Concen: 46.184 ng

RT: 23.807 min Scan# 3526

Delta R.T. 0.002 min

Lab File: BG060321.D

Acq: 12 Jan 2024 18:30

Instrument :

BNA_G

ClientSampleId :

TP-1MS

Tgt Ion:252 Resp: 5277200

Ion Ratio Lower Upper

252 100





253 24.5 19.6 29.4

125 10.3 8.2 12.2

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#90

Benzo(a)pyrene

Concen: 46.985 ng

RT: 24.594 min Scan# 3660

Delta R.T. 0.002 min

Lab File: BG060321.D

Acq: 12 Jan 2024 18:30




Tgt Ion:252 Resp: 4914716


Ion Ratio Lower Upper

252 100

253 23.7 18.1 27.1

125 10.6 8.1 12.1





#91

Dibenzo(a,h)anthracene

Concen: 46.530 ng

RT: 28.413 min Scan# 4310

Delta R.T. 0.002 min

Lab File: BG060321.D

Acq: 12 Jan 2024 18:30

Instrument :

BNA_G

ClientSampleId :

TP-1MS

Tgt Ion:278 Resp: 517878

Ion Ratio Lower Upper

278 100





139 13.1 10.9 16.3

279 24.1 19.2 28.8

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 01/15/2024
Supervised By :mohammad ahmed 01/16/2024



#92

Benzo(g,h,i)perylene

Concen: 43.388 ng

RT: 29.482 min Scan# 4492

Delta R.T. 0.002 min

Lab File: BG060321.D

Acq: 12 Jan 2024 18:30

Tgt Ion:276 Resp: 4949295

Ion Ratio Lower Upper

276 100

277 24.4 19.4 29.0

138 17.1 14.2 21.4

