

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA_G\DATA\BG011518\
 Data File : BG032062.D
 Acq On : 16 Jan 2018 10:28
 Operator : SJ/JU
 Sample : PB105650BL
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB105650BL

Quant Time: Jan 16 11:03:05 2018
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG011218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jan 15 10:05:15 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.76	152	44278	20.00	ng	-0.01
21) Naphthalene-d8	11.65	136	169871	20.00	ng	-0.01
38) Acenaphthene-d10	15.40	164	114009	20.00	ng	0.00
63) Phenanthrene-d10	18.13	188	323295	20.00	ng	-0.01
75) Chrysene-d12	22.47	240	410730	20.00	ng	-0.02
86) Perylene-d12	26.18	264	421137	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	6.19	112	300504	124.13	ng	0.00
7) Phenol-d6	7.87	99	363805	119.32	ng	0.00
23) Nitrobenzene-d5	9.96	82	210300	83.76	ng	-0.01
41) 2,4,6-Tribromophenol	16.87	330	253010	134.11	ng	0.00
44) 2-Fluorobiphenyl	14.03	172	753093	81.91	ng	0.00
78) Terphenyl-d14	20.66	244	1589024	85.42	ng	-0.01


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA_G\DATA\BG011518\
Data File : BG032062.D
Acq On : 16 Jan 2018 10:28
Operator : SJ/JU
Sample : PB105650BL
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB105650BL

Quant Time: Jan 16 11:03:05 2018
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG011218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jan 15 10:05:15 2018
Response via : Initial Calibration






#1


1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.76 min Scan# 932
Delta R.T. -0.01 min
Lab File: BG032062.D
Acq: 16 Jan 2018 10:28

Instrument :
BNA_G
ClientSampleId :
PB105650BL



Tgt Ion:152 Resp: 44278
Ion Ratio Lower Upper
152 100
150 146.9 126.6 189.8
115 56.7 53.0 79.4



Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E




Time-->




#5

2-Fluorophenol
Concen: 124.125 ng
RT: 6.19 min Scan# 494
Delta R.T. -0.01 min
Lab File: BG032062.D
Acq: 16 Jan 2018 10:28


Tgt Ion:112 Resp: 300504
Ion Ratio Lower Upper
112 100
64 52.0 56.3 84.5#
63 29.7 30.1 45.1#




Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC



Time-->





#7

Phenol-d6

Concen: 119.317 ng

RT: 7.87 min Scan# 780

Delta R.T. -0.01 min

Lab File: BG032062.D

Acq: 16 Jan 2018 10:28

Instrument :

BNA_G

ClientSampleId :

PB105650BL


Tgt Ion: 99 Resp: 363805

Ion Ratio Lower Upper




99 100

42 16.0 14.1 21.1

71 39.9 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.65 min Scan# 1423

Delta R.T. -0.01 min

Lab File: BG032062.D

Acq: 16 Jan 2018 10:28

Tgt Ion: 136 Resp: 169871


Ion Ratio Lower Upper

136 100



137 9.9 9.2 13.8


54 4.7 10.3 15.5#

68 3.4 4.5 6.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 83.756 ng
 RT: 9.96 min Scan# 1136
 Delta R.T. -0.01 min
 Lab File: BG032062.D
 Acq: 16 Jan 2018 10:28

Instrument :
 BNA_G
 ClientSampleId :
 PB105650BL

Tgt Ion: 82 Resp: 210300
 Ion Ratio Lower Upper
 82 100
 128 48.8 29.7 44.5#
 54 43.6 43.1 64.7




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 15.40 min Scan# 2061
 Delta R.T. -0.01 min
 Lab File: BG032062.D
 Acq: 16 Jan 2018 10:28

Tgt Ion: 164 Resp: 114009
 Ion Ratio Lower Upper
 164 100
 162 104.1 78.8 118.2
 160 46.9 35.4 53.0



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 134.110 ng
 RT: 16.87 min Scan# 2312
 Delta R.T. -0.01 min
 Lab File: BG032062.D
 Acq: 16 Jan 2018 10:28

Instrument :
 BNA_G
 ClientSampleId :
 PB105650BL

Tgt Ion:330 Resp: 253010
 Ion Ratio Lower Upper
 330 100
 332 96.7 77.0 115.6
 141 28.6 25.2 37.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 81.906 ng
 RT: 14.03 min Scan# 1828
 Delta R.T. -0.01 min
 Lab File: BG032062.D
 Acq: 16 Jan 2018 10:28

Tgt Ion:172 Resp: 753093
 Ion Ratio Lower Upper
 172 100
 171 37.5 30.0 45.0
 170 23.7 19.5 29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 18.13 min Scan# 2526
Delta R.T. -0.01 min
Lab File: BG032062.D
Acq: 16 Jan 2018 10:28




Instrument :
BNA_G
ClientSampleId :
PB105650BL


Tgt Ion:188 Resp: 323295
Ion Ratio Lower Upper
188 100
94 4.9 6.9 10.3#
80 5.4 7.7 11.5#



#75
Chrysene-d12
Concen: 20.000 ng
RT: 22.47 min Scan# 3264
Delta R.T. -0.02 min
Lab File: BG032062.D
Acq: 16 Jan 2018 10:28

Tgt Ion:240 Resp: 410730
Ion Ratio Lower Upper
240 100
120 5.4 6.8 10.2#
236 25.7 20.9 31.3





#78

Terphenyl-d14

Concen: 85.424 ng

RT: 20.66 min Scan# 2957

Delta R.T. -0.01 min

Lab File: BG032062.D

Acq: 16 Jan 2018 10:28

Instrument :

BNA_G

ClientSampleId :

PB105650BL


Tgt Ion:244 Resp: 1589024

Ion Ratio Lower Upper

244 100

212 7.6 5.8 8.8




122 6.6 7.0 10.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 26.18 min Scan# 3897

Delta R.T. -0.03 min

Lab File: BG032062.D

Acq: 16 Jan 2018 10:28


Tgt Ion:264 Resp: 421137

Ion Ratio Lower Upper

264 100

260 22.5 17.4 26.0

265 21.2 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

