

Data Path : Z:\HPCHEM1\BNA G\DATA\BG011918\
 Data File : BG032155.D
 Acq On : 19 Jan 2018 17:13
 Operator : SJ/JU
 Sample : J1018-09
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 OR-02-011818-B

Quant Time: Jan 20 00:00:16 2018
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG011218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jan 18 10:13:16 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.74	152	39141	20.00	ng	0.00
21) Naphthalene-d8	11.62	136	157804	20.00	ng	0.00
38) Acenaphthene-d10	15.37	164	105559	20.00	ng	0.00
63) Phenanthrene-d10	18.11	188	311350	20.00	ng	0.00
75) Chrysene-d12	22.45	240	429581	20.00	ng	0.00
86) Perylene-d12	26.14	264	437313	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	6.17	112	306850	143.38	ng	0.00
7) Phenol-d6	7.85	99	347421	128.90	ng	0.00
23) Nitrobenzene-d5	9.94	82	254541	109.13	ng	0.00
41) 2,4,6-Tribromophenol	16.85	330	309908	177.42	ng	0.00
44) 2-Fluorobiphenyl	14.00	172	860534	101.08	ng	0.00
78) Terphenyl-d14	20.65	244	1937268	99.58	ng	0.00
Target Compounds						
31) Naphthalene	11.67	128	51433	6.579	ng	Qvalue 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG011918\
Data File : BG032155.D
Acq On : 19 Jan 2018 17:13
Operator : SJ/JU
Sample : J1018-09
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
OR-02-011818-B

Quant Time: Jan 20 00:00:16 2018
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG011218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jan 18 10:13:16 2018
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.74 min Scan# 928
Delta R.T. -0.00 min
Lab File: BG032155.D
Acq: 19 Jan 2018 17:13

Instrument :
BNA_G
ClientSampleId :
OR-02-011818-B




Tot Ion:152 Resp: 39141
Ion Ratio Lower Upper
152 100
150 152.9 126.6 189.8
115 51.7 53.0 79.4#




#5

2-Fluorophenol
Concen: 143.381 ng
RT: 6.17 min Scan# 491
Delta R.T. 0.00 min
Lab File: BG032155.D
Acq: 19 Jan 2018 17:13

Tgt Ion:112 Resp: 306850
Ion Ratio Lower Upper
112 100
64 50.8 56.3 84.5#
63 29.2 30.1 45.1#





#7

Phenol-d6

Concen: 128.898 ng

RT: 7.85 min Scan# 776

Delta R.T. -0.00 min

Lab File: BG032155.D

Acq: 19 Jan 2018 17:13

Instrument :

BNA_G

ClientSampleId :

OR-02-011818-B


Tot Ion: 99 Resp: 347421

Ion Ratio Lower Upper




99 100

42 16.9 14.1 21.1

71 40.9 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.62 min Scan# 1419

Delta R.T. -0.00 min

Lab File: BG032155.D

Acq: 19 Jan 2018 17:13

Tgt Ion: 136 Resp: 157804


Ion Ratio Lower Upper

136 100



137 11.4 9.2 13.8


54 5.5 10.3 15.5#

68 3.5 4.5 6.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 109.128 ng
 RT: 9.94 min Scan# 1132
 Delta R.T. -0.00 min
 Lab File: BG032155.D
 Acq: 19 Jan 2018 17:13

Instrument :
 BNA_G
 ClientSampleId :
 OR-02-011818-B

Tot Ion: 82 Resp: 254541
 Ion Ratio Lower Upper
 82 100
 128 47.8 29.7 44.5#
 54 47.5 43.1 64.7




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#31
 Naphthalene
 Concen: 6.579 ng
 RT: 11.67 min Scan# 1427
 Delta R.T. -0.01 min
 Lab File: BG032155.D
 Acq: 19 Jan 2018 17:13

Tgt Ion: 128 Resp: 51433
 Ion Ratio Lower Upper
 128 100
 129 10.0 8.6 12.8
 127 13.6 11.6 17.4



Abundance Ion 128.00 (127.70 to 128.70): BGC
 Ion 129.00 (128.70 to 129.70): BGC
 Ion 127.00 (126.70 to 127.70): BGC





#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 15.37 min Scan# 2057

Delta R.T. -0.01 min

Lab File: BG032155.D

Acq: 19 Jan 2018 17:13

Instrument :

BNA_G

ClientSampleId :

OR-02-011818-B


Tot Ion:164 Resp: 105559

Ion Ratio Lower Upper

164 100

162 104.0 78.8 118.2




160 48.3 35.4 53.0



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 177.419 ng

RT: 16.85 min Scan# 2309

Delta R.T. -0.00 min

Lab File: BG032155.D

Acq: 19 Jan 2018 17:13


Tgt Ion:330 Resp: 309908

Ion Ratio Lower Upper

330 100

332 96.9 77.0 115.6



141 29.1 25.2 37.8




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
 2-Fluorobiphenyl
 Concen: 101.083 ng
 RT: 14.00 min Scan# 1824
 Delta R.T. -0.00 min
 Lab File: BG032155.D
 Acq: 19 Jan 2018 17:13




Instrument :
 BNA_G
 ClientSampleId :
 OR-02-011818-B


Tot Ion:172 Resp: 860534
 Ion Ratio Lower Upper
 172 100
 171 36.8 30.0 45.0
 170 23.7 19.5 29.3



#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 18.11 min Scan# 2523
 Delta R.T. -0.00 min
 Lab File: BG032155.D
 Acq: 19 Jan 2018 17:13

Tgt Ion:188 Resp: 311350
 Ion Ratio Lower Upper
 188 100
 94 4.5 6.9 10.3#
 80 4.7 7.7 11.5#





#75

Chrysene-d12

Concen: 20.000 ng

RT: 22.45 min Scan# 3261

Delta R.T. -0.00 min

Lab File: BG032155.D

Acq: 19 Jan 2018 17:13

Instrument :

BNA_G

ClientSampleId :

OR-02-011818-B


Tot Ion:240 Resp: 429581

Ion Ratio Lower Upper

240 100

120 4.8 6.8 10.2#




236 24.9 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 99.575 ng

RT: 20.65 min Scan# 2955

Delta R.T. -0.00 min

Lab File: BG032155.D

Acq: 19 Jan 2018 17:13


Tgt Ion:244 Resp: 1937268

Ion Ratio Lower Upper

244 100

212 8.3 5.8 8.8



122 6.2 7.0 10.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 26.14 min Scan# 3890
 Delta R.T. -0.01 min
 Lab File: BG032155.D
 Acq: 19 Jan 2018 17:13

Instrument :
 BNA_G
 ClientSampleId :
 OR-02-011818-B

Tot Ion: 264 Resp: 437313
 Ion Ratio Lower Upper
 264 100
 260 22.2 17.4 26.0
 265 20.1 17.7 26.5

