

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG012020\
 Data File : BG044109.D
 Acq On : 20 Jan 2020 22:17
 Operator : JU
 Sample : L1184-04
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 CBH-594-(SETTLED)

Quant Time: Jan 21 07:10:57 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG123019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 31 13:32:23 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.93	152	73652	20.00	ng	-0.03
21) Naphthalene-d8	10.74	136	329761	20.00	ng	-0.03
39) Acenaphthene-d10	14.57	164	234694	20.00	ng	-0.03
64) Phenanthrene-d10	17.31	188	521232	20.00	ng	-0.03
76) Chrysene-d12	21.56	240	441745	20.00	ng	-0.03
87) Perylene-d12	24.67	264	502143	20.00	ng	-0.06
System Monitoring Compounds						
5) 2-Fluorophenol	5.51	112	273948	68.29	ng	-0.03
7) Phenol-d6	7.10	99	246517	43.97	ng	-0.03
23) Nitrobenzene-d5	9.08	82	533424	86.54	ng	-0.04
42) 2,4,6-Tribromophenol	16.06	330	398914	162.42	ng	-0.03
45) 2-Fluorobiphenyl	13.19	172	1284317	99.15	ng	-0.03
79) Terphenyl-d14	19.92	244	1828747	106.35	ng	-0.03
Target Compounds						
10) Phenol	7.13	94	16945	2.933	ng	Qvalue 92
50) Dimethylphthalate	14.02	163	119242	7.156	ng	# 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG012020\
Data File : BG044109.D
Acq On : 20 Jan 2020 22:17
Operator : JU
Sample : L1184-04
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
CBH-594-(SETTLED)

Quant Time: Jan 21 07:10:57 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG123019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Dec 31 13:32:23 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.93 min Scan# 824
Delta R.T. -0.03 min
Lab File: BG044109.D
Acq: 20 Jan 2020 22:17

Instrument :
BNA_G
ClientSampleId :
CBH-594-(SETTLED)

Tot Ion:152 Resp: 73652
Ion Ratio Lower Upper
152 100
150 154.4 127.0 190.4
115 57.8 47.8 71.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 68.294 ng
RT: 5.51 min Scan# 411
Delta R.T. -0.03 min
Lab File: BG044109.D
Acq: 20 Jan 2020 22:17

Tgt Ion:112 Resp: 273948
Ion Ratio Lower Upper
112 100
64 56.3 47.8 71.6
63 29.7 24.3 36.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 43.966 ng

RT: 7.10 min Scan# 682

Delta R.T. -0.03 min

Lab File: BG044109.D

Acq: 20 Jan 2020 22:17

Instrument :

BNA_G

ClientSampleId :

CBH-594-(SETTLED)


Tot Ion: 99 Resp: 246517

Ion Ratio Lower Upper




99 100

42 17.2 14.9 22.3

71 30.5 26.4 39.6



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 2.933 ng

RT: 7.13 min Scan# 687

Delta R.T. -0.03 min

Lab File: BG044109.D

Acq: 20 Jan 2020 22:17


Tgt Ion: 94 Resp: 16945

Ion Ratio Lower Upper



94 100


65 33.5 8.1 48.1

66 39.2 15.6 55.6



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.74 min Scan# 1301
Delta R.T. -0.03 min
Lab File: BG044109.D
Acq: 20 Jan 2020 22:17




Instrument :
BNA_G
ClientSampleId :
CBH-594-(SETTLED)


Tot Ion:136	Resp:	329761
Ion Ratio	Lower	Upper
136 100		
137 11.2	8.8	13.2
54 7.5	7.0	10.4
68 6.0	4.9	7.3



#23
Nitrobenzene-d5
Concen: 86.535 ng
RT: 9.08 min Scan# 1020
Delta R.T. -0.04 min
Lab File: BG044109.D
Acq: 20 Jan 2020 22:17

Tgt Ion: 82	Resp: 533424
Ion Ratio	Lower Upper
82 100	
128 46.3	35.1 52.7
54 49.0	40.1 60.1





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.57 min Scan# 1953

Delta R.T. -0.03 min

Lab File: BG044109.D

Acq: 20 Jan 2020 22:17

Instrument :

BNA_G

ClientSampleId :

CBH-594-(SETTLED)


Tot Ion:164 Resp: 234694

Ion Ratio Lower Upper

164 100

162 104.2 83.0 124.4




160 44.6 36.1 54.1



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 162.423 ng

RT: 16.06 min Scan# 2207

Delta R.T. -0.03 min

Lab File: BG044109.D

Acq: 20 Jan 2020 22:17


Tgt Ion:330 Resp: 398914

Ion Ratio Lower Upper

330 100

332 95.6 77.2 115.8



141 38.5 33.1 49.7




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 99.146 ng
 RT: 13.19 min Scan# 1719
 Delta R.T. -0.03 min
 Lab File: BG044109.D
 Acq: 20 Jan 2020 22:17

Instrument :
 BNA_G
 ClientSampleId :
 CBH-594-(SETTLED)

Tot Ion:172 Resp: 1284317




Ion	Ratio	Lower	Upper
172	100		
171	40.0	35.8	53.8
170	27.1	24.2	36.4




#50
 Dimethylphthalate
 Concen: 7.156 ng
 RT: 14.02 min Scan# 1860
 Delta R.T. -0.03 min
 Lab File: BG044109.D
 Acq: 20 Jan 2020 22:17

Tgt Ion:163 Resp: 119242

Ion	Ratio	Lower	Upper
163	100		
194	3.6	3.7	5.5#
164	10.3	9.3	13.9





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.31 min Scan# 2420

Delta R.T. -0.03 min

Lab File: BG044109.D

Acq: 20 Jan 2020 22:17

Instrument :

BNA_G

ClientSampleId :

CBH-594-(SETTLED)


Tot Ion:188 Resp: 521232

Ion Ratio Lower Upper

188 100

94 9.4 7.9 11.9




80 10.0 8.2 12.4



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.56 min Scan# 3143

Delta R.T. -0.03 min

Lab File: BG044109.D

Acq: 20 Jan 2020 22:17


Tgt Ion:240 Resp: 441745

Ion Ratio Lower Upper

240 100

120 11.2 9.6 14.4



236 28.2 22.2 33.2




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 106.345 ng

RT: 19.92 min Scan# 2865

Delta R.T. -0.03 min

Lab File: BG044109.D

Acq: 20 Jan 2020 22:17

Instrument :

BNA_G

ClientSampleId :

CBH-594-(SETTLED)


Tot Ion:244 Resp: 1828747

Ion Ratio Lower Upper

244 100

212 9.6 8.6 13.0




122 13.6 11.9 17.9



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 24.67 min Scan# 3672

Delta R.T. -0.06 min

Lab File: BG044109.D

Acq: 20 Jan 2020 22:17


Tgt Ion:264 Resp: 502143

Ion Ratio Lower Upper

264 100

260 24.0 20.4 30.6

265 23.4 17.4 26.2



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

