

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG012020\
 Data File : BG044123.D
 Acq On : 21 Jan 2020 8:14
 Operator : JU
 Sample : L1176-11
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 EP-9

Quant Time: Jan 21 10:22:30 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG123019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 31 13:32:23 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.93	152	83300	20.00	ng	-0.04
21) Naphthalene-d8	10.73	136	370032	20.00	ng	-0.04
39) Acenaphthene-d10	14.57	164	255877	20.00	ng	-0.03
64) Phenanthrene-d10	17.31	188	521054	20.00	ng	-0.03
76) Chrysene-d12	21.55	240	437280	20.00	ng	-0.04
87) Perylene-d12	24.66	264	485785	20.00	ng	-0.06
System Monitoring Compounds						
5) 2-Fluorophenol	5.51	112	701701	154.67	ng	-0.03
7) Phenol-d6	7.10	99	1023003	161.32	ng	-0.02
23) Nitrobenzene-d5	9.09	82	595374	86.07	ng	-0.04
42) 2,4,6-Tribromophenol	16.06	330	386854	144.47	ng	-0.03
45) 2-Fluorobiphenyl	13.19	172	1406135	99.56	ng	-0.04
79) Terphenyl-d14	19.93	244	1925808	116.41	ng	-0.03
Target Compounds						
10) Phenol	7.12	94	39620	6.064	ng	85
50) Dimethylphthalate	14.02	163	100249	5.518	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG012020\
Data File : BG044123.D
Acq On : 21 Jan 2020 8:14
Operator : JU
Sample : L1176-11
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
EP-9

Quant Time: Jan 21 10:22:30 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG123019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Dec 31 13:32:23 2019
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.93 min Scan# 824
Delta R.T. -0.04 min
Lab File: BG044123.D
Acq: 21 Jan 2020 8:14

Instrument :
BNA_G
ClientSampleId :
EP-9




Tot Ion:152 Resp: 83300
Ion Ratio Lower Upper
152 100
150 157.5 127.0 190.4
115 59.0 47.8 71.8




#5

2-Fluorophenol
Concen: 154.671 ng
RT: 5.51 min Scan# 412
Delta R.T. -0.03 min
Lab File: BG044123.D
Acq: 21 Jan 2020 8:14

Tgt Ion:112 Resp: 701701
Ion Ratio Lower Upper
112 100
64 58.3 47.8 71.6
63 31.1 24.3 36.5





#7

Phenol-d6

Concen: 161.318 ng

RT: 7.10 min Scan# 683

Delta R.T. -0.02 min

Lab File: BG044123.D

Acq: 21 Jan 2020 8:14

Instrument :

BNA_G

ClientSampleId :

EP-9


Tot Ion: 99 Resp: 1023003

Ion Ratio Lower Upper




99 100

42 18.6 14.9 22.3

71 32.0 26.4 39.6



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 6.064 ng

RT: 7.12 min Scan# 687

Delta R.T. -0.03 min

Lab File: BG044123.D

Acq: 21 Jan 2020 8:14


Tgt Ion: 94 Resp: 39620

Ion Ratio Lower Upper



94 100


65 31.9 8.1 48.1

66 48.4 15.6 55.6



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.73 min Scan# 1301
Delta R.T. -0.04 min
Lab File: BG044123.D
Acq: 21 Jan 2020 8:14




Instrument :
BNA_G
ClientSampleId :
EP-9


Tot Ion:136	Resp:	370032
Ion	Ratio	Lower Upper
136	100	
137	10.8	8.8 13.2
54	7.6	7.0 10.4
68	6.3	4.9 7.3



#23
Nitrobenzene-d5
Concen: 86.074 ng
RT: 9.09 min Scan# 1021
Delta R.T. -0.04 min
Lab File: BG044123.D
Acq: 21 Jan 2020 8:14

Tgt Ion: 82	Resp:	595374
Ion	Ratio	Lower Upper
82	100	
128	45.3	35.1 52.7
54	48.2	40.1 60.1





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.57 min Scan# 1954

Delta R.T. -0.03 min

Lab File: BG044123.D

Acq: 21 Jan 2020 8:14

Instrument :

BNA_G

ClientSampleId :

EP-9


Tot Ion:164 Resp: 255877

Ion Ratio Lower Upper

164 100

162 105.1 83.0 124.4




160 46.5 36.1 54.1



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 144.472 ng

RT: 16.06 min Scan# 2207

Delta R.T. -0.03 min

Lab File: BG044123.D

Acq: 21 Jan 2020 8:14


Tgt Ion:330 Resp: 386854

Ion Ratio Lower Upper

330 100

332 96.4 77.2 115.8



141 39.2 33.1 49.7




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 99.563 ng
RT: 13.19 min Scan# 1719
Delta R.T. -0.04 min
Lab File: BG044123.D
Acq: 21 Jan 2020 8:14




Instrument :
BNA_G
ClientSampled :
EP-9


Tot Ion:172 Resp: 1406135
Ion Ratio Lower Upper
172 100
171 39.6 35.8 53.8
170 26.8 24.2 36.4



#50
Dimethylphthalate
Concen: 5.518 ng
RT: 14.02 min Scan# 1860
Delta R.T. -0.04 min
Lab File: BG044123.D
Acq: 21 Jan 2020 8:14

Tgt Ion:163 Resp: 100249
Ion Ratio Lower Upper
163 100
194 4.6 3.7 5.5
164 10.5 9.3 13.9









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.31 min Scan# 2420
Delta R.T. -0.03 min
Lab File: BG044123.D
Acq: 21 Jan 2020 8:14




Instrument :
BNA_G
ClientSampleId :
EP-9


Tot Ion:188 Resp: 521054
Ion Ratio Lower Upper
188 100
94 9.4 7.9 11.9
80 10.0 8.2 12.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.55 min Scan# 3143
Delta R.T. -0.04 min
Lab File: BG044123.D
Acq: 21 Jan 2020 8:14

Tgt Ion:240 Resp: 437280
Ion Ratio Lower Upper
240 100
120 11.1 9.6 14.4
236 27.9 22.2 33.2





#79

Terphenyl-d14

Concen: 116.409 ng

RT: 19.93 min Scan# 2866

Delta R.T. -0.03 min

Lab File: BG044123.D

Acq: 21 Jan 2020 8:14

Instrument :


BNA_G

ClientSampleId :

EP-9

Tot Ion:244 Resp: 1925808




Ion	Ratio	Lower	Upper
244	100		
212	9.7	8.6	13.0
122	12.6	11.9	17.9



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 24.66 min Scan# 3672


Delta R.T. -0.06 min

Lab File: BG044123.D

Acq: 21 Jan 2020 8:14

Tgt Ion:264 Resp: 485785

Ion	Ratio	Lower	Upper
264	100		
260	25.2	20.4	30.6
265	21.5	17.4	26.2



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

