

Data File : BG044136.D
Acq On : 21 Jan 2020 16:41
Operator : JU
Sample : L1211-03
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
B1-15-30

Quant Time: Jan 22 06:45:42 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG123019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Dec 31 13:32:23 2019
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.93	152	84722	20.00	ng	-0.04
21) Naphthalene-d8	10.73	136	367072	20.00	ng	-0.04
39) Acenaphthene-d10	14.57	164	253224	20.00	ng	-0.03
64) Phenanthrene-d10	17.31	188	497746	20.00	ng	-0.02
76) Chrysene-d12	21.55	240	429976	20.00	ng	-0.04
87) Perylene-d12	24.66	264	472549	20.00	ng	-0.06
System Monitoring Compounds						
5) 2-Fluorophenol	5.51	112	695636	150.76	ng	-0.03
7) Phenol-d6	7.10	99	957338	148.43	ng	-0.02
23) Nitrobenzene-d5	9.09	82	588988	85.84	ng	-0.04
42) 2,4,6-Tribromophenol	16.05	330	359313	135.59	ng	-0.03
45) 2-Fluorobiphenyl	13.19	172	1353598	96.85	ng	-0.04
79) Terphenyl-d14	19.93	244	1808465	108.81	ng	-0.03
Target Compounds						
10) Phenol	7.13	94	21162	3.184	ng	93
19) n-Nitroso-di-n-propylamine	9.09	70	77285	16.090	ng	# 79
50) Dimethylphthalate	14.02	163	110517	6.147	ng	98
57) 2,4-Dinitrotoluene	14.56	165	33621	6.080	ng	# 26
65) 4,6-Dinitro-2-methylphenol	16.06	198	1062	4.766	ng	# 1
67) 4-Bromophenyl-phenylether	16.05	248	26351	4.707	ng	# 1
77) Benizidine	19.93	184	31586	2.923	ng	# 89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BG044136.D
Acq On : 21 Jan 2020 16:41
Operator : JU
Sample : L1211-03
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
B1-15-30

Quant Time: Jan 22 06:45:42 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG123019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Dec 31 13:32:23 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.93 min Scan# 824
Delta R.T. -0.04 min
Lab File: BG044136.D
Acq: 21 Jan 2020 16:41

Instrument :
BNA_G
ClientSampleId :
B1-15-30

Tgt Ion:152 Resp: 84722
Ion Ratio Lower Upper
152 100
150 155.1 127.0 190.4
115 59.8 47.8 71.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 150.760 ng
RT: 5.51 min Scan# 412
Delta R.T. -0.03 min
Lab File: BG044136.D
Acq: 21 Jan 2020 16:41

Tgt Ion:112 Resp: 695636
Ion Ratio Lower Upper
112 100
64 60.5 47.8 71.6
63 31.1 24.3 36.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 148.429 ng

RT: 7.10 min Scan# 683

Delta R.T. -0.02 min

Lab File: BG044136.D

Acq: 21 Jan 2020 16:41

Instrument :

BNA_G

ClientSampleId :

B1-15-30


Tgt Ion: 99 Resp: 957338

Ion Ratio Lower Upper




99 100

42 18.2 14.9 22.3

71 33.4 26.4 39.6



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 3.184 ng

RT: 7.13 min Scan# 688

Delta R.T. -0.02 min

Lab File: BG044136.D

Acq: 21 Jan 2020 16:41


Tgt Ion: 94 Resp: 21162

Ion Ratio Lower Upper



94 100

65 28.9 8.1 48.1

66 42.1 15.6 55.6



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC








#19
n-Nitroso-di-n-propylamine
Concen: 16.090 ng
RT: 9.09 min Scan# 1021
Delta R.T. 0.32 min
Lab File: BG044136.D
Acq: 21 Jan 2020 16:41




Instrument :
BNA_G
ClientSampleId :
B1-15-30


Tgt Ion: 70 Resp: 77285
Ion Ratio Lower Upper
70 100
42 47.9 47.0 70.4
101 0.0 7.2 10.8#
130 1.8 15.6 23.4#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.73 min Scan# 1301
Delta R.T. -0.04 min
Lab File: BG044136.D
Acq: 21 Jan 2020 16:41

Tgt Ion: 136 Resp: 367072
Ion Ratio Lower Upper
136 100
137 11.7 8.8 13.2
54 8.0 7.0 10.4
68 6.0 4.9 7.3









#23
Nitrobenzene-d5
Concen: 85.837 ng
RT: 9.09 min Scan# 1021
Delta R.T. -0.04 min
Lab File: BG044136.D
Acq: 21 Jan 2020 16:41




Instrument :
BNA_G
ClientSampleId :
B1-15-30


Tgt Ion: 82 Resp: 588988
Ion Ratio Lower Upper
82 100
128 44.6 35.1 52.7
54 48.1 40.1 60.1



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.57 min Scan# 1954
Delta R.T. -0.03 min
Lab File: BG044136.D
Acq: 21 Jan 2020 16:41

Tgt Ion: 164 Resp: 253224
Ion Ratio Lower Upper
164 100
162 103.1 83.0 124.4
160 44.2 36.1 54.1









#42
 2,4,6-Tribromophenol
 Concen: 135.593 ng
 RT: 16.05 min Scan# 2207
 Delta R.T. -0.03 min
 Lab File: BG044136.D
 Acq: 21 Jan 2020 16:41

Instrument :
 BNA_G
 ClientSampleId :
 B1-15-30

Tgt Ion:330 Resp: 359313
 Ion Ratio Lower Upper
 330 100
 332 96.7 77.2 115.8
 141 38.8 33.1 49.7




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 96.847 ng
 RT: 13.19 min Scan# 1719
 Delta R.T. -0.04 min
 Lab File: BG044136.D
 Acq: 21 Jan 2020 16:41

Tgt Ion:172 Resp: 1353598
 Ion Ratio Lower Upper
 172 100
 171 38.9 35.8 53.8
 170 26.0 24.2 36.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 6.147 ng

RT: 14.02 min Scan# 1860

Delta R.T. -0.04 min

Lab File: BG044136.D

Acq: 21 Jan 2020 16:41

Instrument :

BNA_G

ClientSampleId :

B1-15-30


Tgt Ion:163 Resp: 110517

Ion Ratio Lower Upper

163 100

194 4.4 3.7 5.5

164 10.6 9.3 13.9






Abundance

Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#57

2,4-Dinitrotoluene

Concen: 6.080 ng

RT: 14.56 min Scan# 1953

Delta R.T. -0.39 min

Lab File: BG044136.D

Acq: 21 Jan 2020 16:41

Tgt Ion:165 Resp: 33621


Ion Ratio Lower Upper

165 100

63 0.0 31.9 47.9#

89 1.3 53.8 80.6#

182 0.0 2.0 3.0#





Abundance


Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BGC

Ion 89.00 (88.70 to 89.70): BGC

Ion 182.00 (181.70 to 182.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.31 min Scan# 2421

Delta R.T. -0.02 min

Lab File: BG044136.D

Acq: 21 Jan 2020 16:41

Instrument :

BNA_G

ClientSampleId :

B1-15-30


Tgt Ion:188 Resp: 497746

Ion Ratio Lower Upper

188 100

94 9.1 7.9 11.9




80 9.5 8.2 12.4



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#65

4,6-Dinitro-2-methylphenol

Concen: 4.766 ng

RT: 16.06 min Scan# 2208

Delta R.T. 0.35 min

Lab File: BG044136.D

Acq: 21 Jan 2020 16:41


Tgt Ion:198 Resp: 1062

Ion Ratio Lower Upper

198 100

51 99.9 22.5 62.5#



105 111.4 22.3 62.3#




Abundance Ion 198.00 (197.70 to 198.70): E

Ion 51.00 (50.70 to 51.70): BGC

Ion 105.00 (104.70 to 105.70): E









#67
 4-Bromophenyl-phenylether
 Concen: 4.707 ng
 RT: 16.05 min Scan# 2207
 Delta R.T. -0.48 min
 Lab File: BG044136.D
 Acq: 21 Jan 2020 16:41

Instrument :
 BNA_G
 ClientSampleId :
 B1-15-30

Tgt Ion:248 Resp: 26351
 Ion Ratio Lower Upper
 248 100
 250 183.3 78.2 117.2#
 141 505.9 59.3 88.9#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.55 min Scan# 3143
 Delta R.T. -0.04 min
 Lab File: BG044136.D
 Acq: 21 Jan 2020 16:41

Tgt Ion:240 Resp: 429976
 Ion Ratio Lower Upper
 240 100
 120 11.2 9.6 14.4
 236 26.7 22.2 33.2



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#77

Benzidine

Concen: 2.923 ng

RT: 19.93 min Scan# 2866

Delta R.T. 0.36 min

Lab File: BG044136.D

Acq: 21 Jan 2020 16:41

Instrument :

BNA_G

ClientSampleId :

B1-15-30


Tgt Ion:184 Resp: 31586

Ion Ratio Lower Upper

184 100

185 13.8 13.4 20.0




183 7.0 10.6 15.8#



Abundance Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E



#79

Terphenyl-d14

Concen: 108.807 ng

RT: 19.93 min Scan# 2866

Delta R.T. -0.03 min

Lab File: BG044136.D

Acq: 21 Jan 2020 16:41


Tgt Ion:244 Resp: 1808465

Ion Ratio Lower Upper

244 100

212 9.3 8.6 13.0



122 12.6 11.9 17.9




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
Perylene-d12
Concen: 20.000 ng
RT: 24.66 min Scan# 3672
Delta R.T. -0.06 min
Lab File: BG044136.D
Acq: 21 Jan 2020 16:41

Instrument :
BNA_G
ClientSampleId :
B1-15-30

Tgt Ion	Ratio	Lower	Upper
264	100		
260	24.6	20.4	30.6
265	22.5	17.4	26.2

