

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG012120\
 Data File : BG044139.D
 Acq On : 21 Jan 2020 18:39
 Operator : JU
 Sample : L1205-01
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 EP-6

Quant Time: Jan 22 07:14:41 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG123019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 31 13:32:23 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.93	152	79848	20.00	ng	-0.03
21) Naphthalene-d8	10.73	136	362840	20.00	ng	-0.03
39) Acenaphthene-d10	14.56	164	253036	20.00	ng	-0.03
64) Phenanthrene-d10	17.31	188	520945	20.00	ng	-0.03
76) Chrysene-d12	21.56	240	445861	20.00	ng	-0.03
87) Perylene-d12	24.66	264	493482	20.00	ng	-0.06
System Monitoring Compounds						
5) 2-Fluorophenol	5.51	112	470024	108.08	ng	-0.03
7) Phenol-d6	7.10	99	655839	107.89	ng	-0.02
23) Nitrobenzene-d5	9.08	82	401141	59.14	ng	-0.04
42) 2,4,6-Tribromophenol	16.06	330	252530	95.37	ng	-0.03
45) 2-Fluorobiphenyl	13.19	172	998829	71.52	ng	-0.03
79) Terphenyl-d14	19.92	244	1456072	76.67	ng	-0.03
Target Compounds						
10) Phenol	7.13	94	18523	2.958	ng	Qvalue 86
50) Dimethylphthalate	14.02	163	203254	11.313	ng	# 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG012120\
Data File : BG044139.D
Acq On : 21 Jan 2020 18:39
Operator : JU
Sample : L1205-01
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
EP-6

Quant Time: Jan 22 07:14:41 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG123019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Dec 31 13:32:23 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.93 min Scan# 824
Delta R.T. -0.03 min
Lab File: BG044139.D
Acq: 21 Jan 2020 18:39

Instrument :
BNA_G
ClientSampleId :
EP-6

Tot Ion:152 Resp: 79848
Ion Ratio Lower Upper
152 100
150 160.4 127.0 190.4
115 60.8 47.8 71.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 108.083 ng
RT: 5.51 min Scan# 412
Delta R.T. -0.03 min
Lab File: BG044139.D
Acq: 21 Jan 2020 18:39

Tgt Ion:112 Resp: 470024
Ion Ratio Lower Upper
112 100
64 59.5 47.8 71.6
63 30.2 24.3 36.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG0
Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 107.891 ng

RT: 7.10 min Scan# 683

Delta R.T. -0.02 min

Lab File: BG044139.D

Acq: 21 Jan 2020 18:39

Instrument :

BNA_G

ClientSampled :

EP-6


Tot Ion: 99 Resp: 655839

Ion Ratio Lower Upper




99 100

42 17.5 14.9 22.3

71 31.2 26.4 39.6



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 2.958 ng

RT: 7.13 min Scan# 687

Delta R.T. -0.03 min

Lab File: BG044139.D

Acq: 21 Jan 2020 18:39


Tgt Ion: 94 Resp: 18523

Ion Ratio Lower Upper



94 100

65 28.7 8.1 48.1

66 49.6 15.6 55.6



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.73 min Scan# 1301
Delta R.T. -0.03 min
Lab File: BG044139.D
Acq: 21 Jan 2020 18:39

Instrument :
BNA_G
ClientSampleId :
EP-6

Tot Ion:136	Resp:	362840	
Ion Ratio	Lower	Upper	
136 100			
137 10.8	8.8	13.2	
54 7.8	7.0	10.4	
68 5.8	4.9	7.3	




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
Nitrobenzene-d5
Concen: 59.143 ng
RT: 9.08 min Scan# 1020
Delta R.T. -0.04 min
Lab File: BG044139.D
Acq: 21 Jan 2020 18:39

Tgt	Ion: 82	Resp:	401141
Ion	Ratio	Lower	Upper
82	100		
128	44.1	35.1	52.7
54	48.9	40.1	60.1



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.56 min Scan# 1953

Delta R.T. -0.03 min

Lab File: BG044139.D

Acq: 21 Jan 2020 18:39

Instrument :

BNA_G

ClientSampleId :

EP-6


Tot Ion:164 Resp: 253036

Ion Ratio Lower Upper

164 100

162 103.3 83.0 124.4




160 44.5 36.1 54.1



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 95.367 ng

RT: 16.06 min Scan# 2207

Delta R.T. -0.03 min

Lab File: BG044139.D

Acq: 21 Jan 2020 18:39


Tgt Ion:330 Resp: 252530

Ion Ratio Lower Upper

330 100

332 96.0 77.2 115.8



141 40.1 33.1 49.7



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E








#45
2-Fluorobiphenyl
Concen: 71.517 ng
RT: 13.19 min Scan# 1719
Delta R.T. -0.03 min
Lab File: BG044139.D
Acq: 21 Jan 2020 18:39




Instrument :
BNA_G
ClientSampleId :
EP-6

Tot Ion	Ratio	Lower	Upper
172	100		
171	38.6	35.8	53.8
170	25.7	24.2	36.4



#50
Dimethylphthalate
Concen: 11.313 ng
RT: 14.02 min Scan# 1860
Delta R.T. -0.03 min
Lab File: BG044139.D
Acq: 21 Jan 2020 18:39

Tgt Ion	Ratio	Lower	Upper
163	100		
194	3.6	3.7	5.5#
164	9.8	9.3	13.9





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.31 min Scan# 2420

Delta R.T. -0.03 min

Lab File: BG044139.D

Acq: 21 Jan 2020 18:39

Instrument :

BNA_G

ClientSampleId :

EP-6


Tot Ion:188 Resp: 520945

Ion Ratio Lower Upper

188 100

94 9.4 7.9 11.9




80 10.3 8.2 12.4



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.56 min Scan# 3143

Delta R.T. -0.03 min

Lab File: BG044139.D

Acq: 21 Jan 2020 18:39


Tgt Ion:240 Resp: 445861

Ion Ratio Lower Upper

240 100

120 10.8 9.6 14.4



236 26.7 22.2 33.2




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 76.670 ng

RT: 19.92 min Scan# 2865

Delta R.T. -0.03 min

Lab File: BG044139.D

Acq: 21 Jan 2020 18:39

Instrument :

BNA_G

ClientSampleId :

EP-6


Tot Ion:244 Resp: 1456072

Ion Ratio Lower Upper

244 100

212 8.5 8.6 13.0#




122 12.4 11.9 17.9



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 24.66 min Scan# 3671

Delta R.T. -0.06 min

Lab File: BG044139.D

Acq: 21 Jan 2020 18:39


Tgt Ion:264 Resp: 493482

Ion Ratio Lower Upper

264 100

260 25.1 20.4 30.6

265 22.6 17.4 26.2



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

