

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG012121\
 Data File : BG047966.D
 Acq On : 21 Jan 2021 23:26
 Operator : CG/JU
 Sample : M1177-03
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PILE-2-(0.5-1.0)

Quant Time: Jan 22 00:11:21 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG012121.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jan 21 14:42:53 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.150	152	49167	20.00	ng	0.00
21) Naphthalene-d8	10.965	136	198247	20.00	ng	# 0.00
39) Acenaphthene-d10	14.772	164	145589	20.00	ng	0.00
64) Phenanthrene-d10	17.510	188	352739	20.00	ng	# 0.00
76) Chrysene-d12	21.793	240	370363	20.00	ng	# 0.00
86) Perylene-d12	25.101	264	373724	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.700	112	296763	98.44	ng	0.00
7) Phenol-d6	7.293	99	410410	90.18	ng	0.00
23) Nitrobenzene-d5	9.308	82	278609	61.80	ng	0.00
42) 2,4,6-Tribromophenol	16.253	330	213510	91.64	ng	0.00
45) 2-Fluorobiphenyl	13.397	172	627811	57.59	ng	0.00
79) Terphenyl-d14	20.113	244	1010338	50.44	ng	0.00
Target Compounds						
10) Phenol	7.316	94	19628	4.56	ng	# 62
50) Dimethylphthalate	14.214	163	37052	2.93	ng	# 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG012121\
Data File : BG047966.D
Acq On : 21 Jan 2021 23:26
Operator : CG/JU
Sample : M1177-03
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PILE-2-(0.5-1.0)

Quant Time: Jan 22 00:11:21 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG012121.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jan 21 14:42:53 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.150 min Scan# 819
Delta R.T. 0.000 min
Lab File: BG047966.D
Acq: 21 Jan 2021 23:26




Instrument :
BNA_G
ClientSampleId :
PILE-2-(0.5-1.0)


Tgt Ion:152 Resp: 49167
Ion Ratio Lower Upper
152 100
150 157.7 125.0 187.6
115 58.1 41.8 62.6



#5
2-Fluorophenol
Concen: 98.44 ng
RT: 5.700 min Scan# 402
Delta R.T. 0.001 min
Lab File: BG047966.D
Acq: 21 Jan 2021 23:26

Tgt Ion:112 Resp: 296763
Ion Ratio Lower Upper
112 100
64 73.3 46.7 70.1#
63 41.8 22.8 34.2#









#7
Phenol-d6
Concen: 90.18 ng
RT: 7.293 min Scan# 673
Delta R.T. 0.001 min
Lab File: BG047966.D
Acq: 21 Jan 2021 23:26




Instrument :
BNA_G
ClientSampleId :
PILE-2-(0.5-1.0)


Tgt Ion: 99 Resp: 410410
Ion Ratio Lower Upper
99 100
42 21.6 12.8 19.2#
71 45.3 24.6 36.8#



#10
Phenol
Concen: 4.56 ng
RT: 7.316 min Scan# 677
Delta R.T. 0.001 min
Lab File: BG047966.D
Acq: 21 Jan 2021 23:26

Tgt Ion: 94 Resp: 19628
Ion Ratio Lower Upper
94 100
65 48.8 6.6 46.6#
66 53.0 13.9 53.9









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.965 min Scan# 1298
Delta R.T. 0.001 min
Lab File: BG047966.D
Acq: 21 Jan 2021 23:26




Instrument :
BNA_G
ClientSampleId :
PILE-2-(0.5-1.0)


Tgt Ion:	136	Resp:	198247
Ion Ratio	Lower	Upper	
136	100		
137	12.2	9.1	13.7
54	10.2	6.2	9.4#
68	4.3	5.0	7.4#



#23
Nitrobenzene-d5
Concen: 61.80 ng
RT: 9.308 min Scan# 1016
Delta R.T. -0.005 min
Lab File: BG047966.D
Acq: 21 Jan 2021 23:26

Tgt Ion:	82	Resp:	278609
Ion Ratio	Lower	Upper	
82	100		
128	37.1	37.0	55.6
54	57.8	39.0	58.4









#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.772 min Scan# 1946
Delta R.T. 0.001 min
Lab File: BG047966.D
Acq: 21 Jan 2021 23:26




Instrument :
BNA_G
ClientSampleId :
PILE-2-(0.5-1.0)


Tgt Ion:164 Resp: 145589
Ion Ratio Lower Upper
164 100
162 102.8 82.3 123.5
160 42.2 35.3 52.9



#42
2,4,6-Tribromophenol
Concen: 91.64 ng
RT: 16.253 min Scan# 2198
Delta R.T. 0.001 min
Lab File: BG047966.D
Acq: 21 Jan 2021 23:26

Tgt Ion:330 Resp: 213510
Ion Ratio Lower Upper
330 100
332 95.5 76.5 114.7
141 32.9 26.0 39.0









#45
2-Fluorobiphenyl
Concen: 57.59 ng
RT: 13.397 min Scan# 1712
Delta R.T. 0.001 min
Lab File: BG047966.D
Acq: 21 Jan 2021 23:26

Instrument :
BNA_G
ClientSampleId :
PILE-2-(0.5-1.0)

Tgt Ion:172 Resp: 627811




Ion	Ratio	Lower	Upper
172	100		
171	35.7	31.3	46.9
170	24.1	20.8	31.2




#50
Dimethylphthalate
Concen: 2.93 ng
RT: 14.214 min Scan# 1851
Delta R.T. -0.005 min
Lab File: BG047966.D
Acq: 21 Jan 2021 23:26

Tgt Ion:163 Resp: 37052

Ion	Ratio	Lower	Upper
163	100		
194	3.6	3.8	5.8#
164	9.9	8.8	13.2









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.510 min Scan# 2412
Delta R.T. -0.005 min
Lab File: BG047966.D
Acq: 21 Jan 2021 23:26




Instrument :
BNA_G
ClientSampleId :
PILE-2-(0.5-1.0)


Tgt Ion:188 Resp: 352739
Ion Ratio Lower Upper
188 100
94 5.5 6.3 9.5#
80 7.1 7.0 10.6



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.793 min Scan# 3141
Delta R.T. -0.005 min
Lab File: BG047966.D
Acq: 21 Jan 2021 23:26

Tgt Ion:240 Resp: 370363
Ion Ratio Lower Upper
240 100
120 4.3 6.2 9.4#
236 26.1 20.5 30.7









#79
Terphenyl-d14
Concen: 50.44 ng
RT: 20.113 min Scan# 2855
Delta R.T. -0.005 min
Lab File: BG047966.D
Acq: 21 Jan 2021 23:26

Instrument :
BNA_G
ClientSampleId :
PILE-2-(0.5-1.0)

Tgt Ion:244 Resp: 1010338
Ion Ratio Lower Upper
244 100
212 7.8 6.7 10.1
122 6.8 7.8 11.6#



#86
Perylene-d12
Concen: 20.00 ng
RT: 25.101 min Scan# 3704
Delta R.T. -0.005 min
Lab File: BG047966.D
Acq: 21 Jan 2021 23:26

Tgt Ion:264 Resp: 373724
Ion Ratio Lower Upper
264 100
260 25.4 18.8 28.2
265 21.3 17.8 26.8

