

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG012319\
 Data File : BG039272.D
 Acq On : 23 Jan 2019 20:47
 Operator : JU/SJ
 Sample : PB116574BL
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB116574BL

Quant Time: Jan 24 00:45:28 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG010919.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jan 18 04:20:14 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.01	152	16876	20.00	ng	0.00
21) Naphthalene-d8	10.82	136	68518	20.00	ng	0.00
39) Acenaphthene-d10	14.65	164	50230	20.00	ng	0.00
64) Phenanthrene-d10	17.39	188	128447	20.00	ng	0.00
76) Chrysene-d12	21.67	240	130278	20.00	ng	-0.02
87) Perylene-d12	24.93	264	136720	20.00	ng	-0.02

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
5) 2-Fluorophenol	5.56	112	107331	120.65	ng	0.00
7) Phenol-d6	7.17	99	147107	114.90	ng	0.00
23) Nitrobenzene-d5	9.18	82	83013	66.30	ng	0.00
42) 2,4,6-Tribromophenol	16.14	330	53395	63.41	ng	0.00
45) 2-Fluorobiphenyl	13.26	172	251382	68.49	ng	0.00
79) Terphenyl-d14	20.00	244	510962	72.55	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG012319\
Data File : BG039272.D
Acq On : 23 Jan 2019 20:47
Operator : JU/SJ
Sample : PB116574BL
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB116574BL

Quant Time: Jan 24 00:45:28 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG010919.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jan 18 04:20:14 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.01 min Scan# 837
Delta R.T. -0.01 min
Lab File: BG039272.D
Acq: 23 Jan 2019 20:47

Instrument :
BNA_G
ClientSampleId :
PB116574BL

Tot Ion:152 Resp: 16876
Ion Ratio Lower Upper
152 100
150 155.6 124.7 187.1
115 58.4 46.5 69.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 120.648 ng
RT: 5.56 min Scan# 421
Delta R.T. -0.00 min
Lab File: BG039272.D
Acq: 23 Jan 2019 20:47

Tgt Ion:112 Resp: 107331
Ion Ratio Lower Upper
112 100
64 62.6 47.0 70.6
63 35.2 28.0 42.0



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 114.902 ng

RT: 7.17 min Scan# 694

Delta R.T. -0.01 min

Lab File: BG039272.D

Acq: 23 Jan 2019 20:47

Instrument :

BNA_G

ClientSampleId :

PB116574BL


Tot Ion: 99 Resp: 147107

Ion Ratio Lower Upper




99 100

42 20.0 15.8 23.6

71 36.3 30.2 45.4



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.82 min Scan# 1316

Delta R.T. -0.01 min

Lab File: BG039272.D

Acq: 23 Jan 2019 20:47

Tgt Ion: 136 Resp: 68518


Ion Ratio Lower Upper

136 100



137 11.8 9.4 14.2


54 10.3 7.2 10.8

68 4.2 3.5 5.3



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 66.295 ng
RT: 9.18 min Scan# 1037
Delta R.T. -0.01 min
Lab File: BG039272.D
Acq: 23 Jan 2019 20:47

Instrument :
BNA_G
ClientSampleId :
PB116574BL

Tot Ion	Ratio	Lower	Upper
82	100		
128	44.6	37.3	55.9
54	58.0	46.4	69.6




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.65 min Scan# 1967
Delta R.T. -0.01 min
Lab File: BG039272.D
Acq: 23 Jan 2019 20:47

Tgt Ion	Ratio	Lower	Upper
164	100		
162	102.0	87.2	130.8
160	43.6	33.3	49.9



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC









#42
 2,4,6-Tribromophenol
 Concen: 63.415 ng
 RT: 16.14 min Scan# 2222
 Delta R.T. -0.01 min
 Lab File: BG039272.D
 Acq: 23 Jan 2019 20:47

Instrument :
 BNA_G
 ClientSampleId :
 PB116574BL

Tot Ion:330 Resp: 53395
 Ion Ratio Lower Upper
 330 100
 332 101.8 75.7 113.5
 141 31.8 24.9 37.3




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 68.491 ng
 RT: 13.26 min Scan# 1732
 Delta R.T. -0.01 min
 Lab File: BG039272.D
 Acq: 23 Jan 2019 20:47

Tgt Ion:172 Resp: 251382
 Ion Ratio Lower Upper
 172 100
 171 35.7 29.4 44.0
 170 24.6 20.1 30.1



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.39 min Scan# 2435

Delta R.T. -0.01 min

Lab File: BG039272.D

Acq: 23 Jan 2019 20:47

Instrument :

BNA_G

ClientSampleId :

PB116574BL


Tot Ion:188 Resp: 128447

Ion Ratio Lower Upper

188 100

94 6.3 5.0 7.4




80 6.5 4.7 7.1



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.67 min Scan# 3162

Delta R.T. -0.02 min

Lab File: BG039272.D

Acq: 23 Jan 2019 20:47


Tgt Ion:240 Resp: 130278

Ion Ratio Lower Upper

240 100

120 6.5 4.3 6.5



236 26.8 20.1 30.1




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 72.554 ng

RT: 20.00 min Scan# 2878

Delta R.T. -0.01 min

Lab File: BG039272.D

Acq: 23 Jan 2019 20:47

Instrument :

BNA_G

ClientSampleId :

PB116574BL


Tot Ion:244 Resp: 510962

Ion Ratio Lower Upper

244 100

212 7.5 6.1 9.1




122 7.5 6.1 9.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 24.93 min Scan# 3717

Delta R.T. -0.02 min

Lab File: BG039272.D

Acq: 23 Jan 2019 20:47


Tgt Ion:264 Resp: 136720

Ion Ratio Lower Upper

264 100

260 21.7 17.0 25.6

265 22.3 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

