

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG012418\
 Data File : BG032273.D
 Acq On : 24 Jan 2018 22:48
 Operator : SJ/JU
 Sample : PB105928BL
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB105928BL

Quant Time: Jan 25 04:55:11 2018
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG011218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 24 14:02:41 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.72	152	37474	20.00	ng	0.00
21) Naphthalene-d8	11.60	136	148747	20.00	ng	0.00
38) Acenaphthene-d10	15.36	164	105751	20.00	ng	0.00
63) Phenanthrene-d10	18.09	188	303998	20.00	ng	0.00
75) Chrysene-d12	22.42	240	407667	20.00	ng	0.00
86) Perylene-d12	26.10	264	424655	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	6.15	112	217282	106.05	ng	0.00
7) Phenol-d6	7.84	99	265766	102.99	ng	0.00
23) Nitrobenzene-d5	9.92	82	163735	74.47	ng	0.00
41) 2,4,6-Tribromophenol	16.84	330	196595	112.34	ng	0.00
44) 2-Fluorobiphenyl	13.99	172	573752	67.27	ng	0.00
78) Terphenyl-d14	20.63	244	1314013	71.17	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG012418\
Data File : BG032273.D
Acq On : 24 Jan 2018 22:48
Operator : SJ/JU
Sample : PB105928BL
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB105928BL

Quant Time: Jan 25 04:55:11 2018
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG011218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 24 14:02:41 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.72 min Scan# 925
 Delta R.T. -0.00 min
 Lab File: BG032273.D
 Acq: 24 Jan 2018 22:48

Instrument :
 BNA_G
 ClientSampleId :
 PB105928BL

Tgt Ion:152 Resp: 37474
 Ion Ratio Lower Upper
 152 100
 150 175.5 126.6 189.8
 115 63.0 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
 Concen: 106.045 ng
 RT: 6.15 min Scan# 488
 Delta R.T. -0.00 min
 Lab File: BG032273.D
 Acq: 24 Jan 2018 22:48

Tgt Ion:112 Resp: 217282
 Ion Ratio Lower Upper
 112 100
 64 53.3 56.3 84.5#
 63 31.4 30.1 45.1



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BGC
 Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 102.989 ng

RT: 7.84 min Scan# 774

Delta R.T. -0.00 min

Lab File: BG032273.D

Acq: 24 Jan 2018 22:48

Instrument :

BNA_G

ClientSampleId :

PB105928BL


Tgt Ion: 99 Resp: 265766

Ion Ratio Lower Upper




99 100

42 18.5 14.1 21.1

71 43.4 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.60 min Scan# 1415

Delta R.T. -0.01 min

Lab File: BG032273.D

Acq: 24 Jan 2018 22:48

Tgt Ion: 136 Resp: 148747


Ion Ratio Lower Upper

136 100



137 11.0 9.2 13.8


54 6.2 10.3 15.5#

68 3.0 4.5 6.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 74.471 ng
RT: 9.92 min Scan# 1129
Delta R.T. -0.00 min
Lab File: BG032273.D
Acq: 24 Jan 2018 22:48




Instrument :
BNA_G
ClientSampleId :
PB105928BL


Tgt Ion: 82 Resp: 163735
Ion Ratio Lower Upper
82 100
128 48.9 29.7 44.5#
54 46.6 43.1 64.7



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 15.36 min Scan# 2054
Delta R.T. -0.01 min
Lab File: BG032273.D
Acq: 24 Jan 2018 22:48

Tgt Ion: 164 Resp: 105751
Ion Ratio Lower Upper
164 100
162 101.2 78.8 118.2
160 45.9 35.4 53.0









#41
 2,4,6-Tribromophenol
 Concen: 112.344 ng
 RT: 16.84 min Scan# 2306
 Delta R.T. -0.00 min
 Lab File: BG032273.D
 Acq: 24 Jan 2018 22:48




Instrument :
 BNA_G
 ClientSampleId :
 PB105928BL


Tgt Ion	Ratio	Lower	Upper
330	100		
332	94.9	77.0	115.6
141	28.8	25.2	37.8



#44
 2-Fluorobiphenyl
 Concen: 67.274 ng
 RT: 13.99 min Scan# 1821
 Delta R.T. -0.00 min
 Lab File: BG032273.D
 Acq: 24 Jan 2018 22:48

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.3	30.0	45.0
170	24.2	19.5	29.3









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 18.09 min Scan# 2520
Delta R.T. -0.00 min
Lab File: BG032273.D
Acq: 24 Jan 2018 22:48

Instrument :
BNA_G
ClientSampleId :
PB105928BL

Tgt Ion:188 Resp: 303998
Ion Ratio Lower Upper
188 100
94 4.1 6.9 10.3#
80 4.3 7.7 11.5#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#75
Chrysene-d12
Concen: 20.000 ng
RT: 22.42 min Scan# 3256
Delta R.T. -0.01 min
Lab File: BG032273.D
Acq: 24 Jan 2018 22:48

Tgt Ion:240 Resp: 407667
Ion Ratio Lower Upper
240 100
120 4.5 6.8 10.2#
236 25.3 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 71.171 ng

RT: 20.63 min Scan# 2951

Delta R.T. -0.01 min

Lab File: BG032273.D

Acq: 24 Jan 2018 22:48

Instrument :

BNA_G

ClientSampleId :

PB105928BL


Tgt Ion:244 Resp: 1314013

Ion Ratio Lower Upper

244 100

212 7.6 5.8 8.8




122 5.5 7.0 10.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 26.10 min Scan# 3883

Delta R.T. -0.01 min

Lab File: BG032273.D

Acq: 24 Jan 2018 22:48


Tgt Ion:264 Resp: 424655

Ion Ratio Lower Upper

264 100

260 24.1 17.4 26.0

265 22.2 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

