

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG012615\
 Data File : BG015924.D
 Acq On : 26 Jan 2015 22:38
 Operator : TP/IZ
 Sample : G1167-02
 Misc : S
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SB-02-COMP

Quant Time: Jan 27 03:22:52 2015
 Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG012015.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jan 20 17:47:40 2015
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.69	152	71786	20.00	ng	0.00
21) Naphthalene-d8	10.47	136	287330	20.00	ng	0.00
38) Acenaphthene-d10	14.33	164	245688	20.00	ng	0.00
63) Phenanthrene-d10	17.08	188	711404	20.00	ng	0.00
75) Chrysene-d12	21.26	240	964432	20.00	ng	0.00
86) Perylene-d12	23.52	264	949308	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.28	112	718918	149.14	ng	0.00
7) Phenol-d6	6.87	99	1158352	149.11	ng	0.00
23) Nitrobenzene-d5	8.84	82	911949	91.49	ng	0.00
41) 2,4,6-Tribromophenol	15.82	330	667087	148.32	ng	0.00
44) 2-Fluorobiphenyl	12.95	172	1594991	101.86	ng	0.00
78) Terphenyl-d14	19.71	244	3260832	104.86	ng	0.00
Target Compounds						
10) Phenol	6.89	94	36548	4.13	ng	75
49) Dimethylphthalate	13.79	163	84958	4.81	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA_G\DATA\BG012615\
Data File : BG015924.D
Acq On : 26 Jan 2015 22:38
Operator : TP/IZ
Sample : G1167-02
Misc : S
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SB-02-COMP

Quant Time: Jan 27 03:22:52 2015
Quant Method : Z:\HPCHEM1\BNA_G\METHODS\8270-BG012015.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jan 20 17:47:40 2015
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.00 ng

RT: 7.69 min Scan# 851

Delta R.T. -0.00 min

Lab File: BG015924.D

Acq: 26 Jan 2015 22:38

Instrument :

BNA_G

ClientSampleId :

SB-02-COMP


Tgt Ion:152 Resp: 71786

Ion Ratio Lower Upper

152 100

150 122.3 124.5 186.7#




115 56.7 60.4 90.6#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 149.14 ng

RT: 5.28 min Scan# 442

Delta R.T. -0.00 min

Lab File: BG015924.D

Acq: 26 Jan 2015 22:38


Tgt Ion:112 Resp: 718918

Ion Ratio Lower Upper

112 100

64 77.4 64.4 96.6



63 45.8 35.1 52.7




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 149.11 ng

RT: 6.87 min Scan# 712

Delta R.T. -0.00 min

Lab File: BG015924.D

Acq: 26 Jan 2015 22:38

Instrument :

BNA_G

ClientSampleId :

SB-02-COMP


Tgt Ion: 99 Resp: 1158352

Ion Ratio Lower Upper




99 100

42 20.3 18.1 27.1

71 61.7 49.8 74.8



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 4.13 ng

RT: 6.89 min Scan# 716

Delta R.T. -0.01 min

Lab File: BG015924.D

Acq: 26 Jan 2015 22:38


Tgt Ion: 94 Resp: 36548

Ion Ratio Lower Upper



94 100


65 48.3 16.5 56.5

66 73.3 33.3 73.3



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.47 min Scan# 1325
Delta R.T. -0.01 min
Lab File: BG015924.D
Acq: 26 Jan 2015 22:38




Instrument :
BNA_G
ClientSampleId :
SB-02-COMP


Tgt Ion:	136	Resp:	287330
Ion	Ratio	Lower	Upper
136	100		
137	10.1	9.7	14.5
54	9.5	8.5	12.7
68	9.5	8.0	12.0



#23
Nitrobenzene-d5
Concen: 91.49 ng
RT: 8.84 min Scan# 1048
Delta R.T. -0.00 min
Lab File: BG015924.D
Acq: 26 Jan 2015 22:38

Tgt Ion:	82	Resp:	911949
Ion	Ratio	Lower	Upper
82	100		
128	23.0	19.8	29.8
54	40.2	33.0	49.4





#38

Acenaphthene-d10

Concen: 20.00 ng

RT: 14.33 min Scan# 1982

Delta R.T. -0.01 min

Lab File: BG015924.D

Acq: 26 Jan 2015 22:38

Instrument :

BNA_G

ClientSampleId :

SB-02-COMP


Tgt Ion:164 Resp: 245688

Ion Ratio Lower Upper

164 100

162 99.3 75.1 112.7




160 48.1 32.3 48.5



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#41

2,4,6-Tribromophenol

Concen: 148.32 ng

RT: 15.82 min Scan# 2236

Delta R.T. -0.01 min

Lab File: BG015924.D

Acq: 26 Jan 2015 22:38


Tgt Ion:330 Resp: 667087

Ion Ratio Lower Upper

330 100

332 100.3 75.4 113.0



141 38.9 33.0 49.6




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 101.86 ng
RT: 12.95 min Scan# 1747
Delta R.T. -0.00 min
Lab File: BG015924.D
Acq: 26 Jan 2015 22:38




Instrument :
BNA_G
ClientSampleId :
SB-02-COMP


Tgt Ion:172 Resp: 1594991
Ion Ratio Lower Upper
172 100
171 36.7 29.2 43.8
170 26.7 18.6 27.8



#49
Dimethylphthalate
Concen: 4.81 ng
RT: 13.79 min Scan# 1890
Delta R.T. -0.01 min
Lab File: BG015924.D
Acq: 26 Jan 2015 22:38

Tgt Ion:163 Resp: 84958
Ion Ratio Lower Upper
163 100
194 7.0 6.2 9.4
164 9.2 8.0 12.0





#63

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.08 min Scan# 2450

Delta R.T. -0.00 min

Lab File: BG015924.D

Acq: 26 Jan 2015 22:38

Instrument :

BNA_G

ClientSampleId :

SB-02-COMP


Tgt Ion:188 Resp: 711404

Ion Ratio Lower Upper

188 100

94 8.6 7.8 11.8




80 10.3 10.6 16.0#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.00 ng

RT: 21.26 min Scan# 3162

Delta R.T. -0.01 min

Lab File: BG015924.D

Acq: 26 Jan 2015 22:38


Tgt Ion:240 Resp: 964432

Ion Ratio Lower Upper

240 100

120 5.0 3.9 5.9



236 26.0 20.0 30.0




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 104.86 ng

RT: 19.71 min Scan# 2898

Delta R.T. -0.00 min

Lab File: BG015924.D

Acq: 26 Jan 2015 22:38

Instrument :

BNA_G

ClientSampleId :

SB-02-COMP


Tgt Ion:244 Resp: 3260832

Ion Ratio Lower Upper

244 100

212 14.5 11.6 17.4


122 8.9 7.0 10.4





Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



Time-->



#86

Perylene-d12

Concen: 20.00 ng

RT: 23.52 min Scan# 3546

Delta R.T. -0.00 min

Lab File: BG015924.D

Acq: 26 Jan 2015 22:38


Tgt Ion:264 Resp: 949308

Ion Ratio Lower Upper

264 100

260 23.0 19.7 29.5


265 19.8 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E



Time-->

