

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG012621\
 Data File : BG048011.D
 Acq On : 26 Jan 2021 17:52
 Operator : CG/JU
 Sample : M1219-02
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 IDW-BR2-AQ-012121-02

Quant Time: Jan 26 23:32:42 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG012521.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jan 25 19:39:42 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.129	152	39382	20.00	ng	0.00
21) Naphthalene-d8	10.943	136	157615	20.00	ng	0.00
39) Acenaphthene-d10	14.750	164	122219	20.00	ng	0.00
64) Phenanthrene-d10	17.494	188	325645	20.00	ng	# 0.00
76) Chrysene-d12	21.766	240	338864	20.00	ng	# 0.00
86) Perylene-d12	25.056	264	338223	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.684	112	136801	53.39	ng	0.00
7) Phenol-d6	7.277	99	109287	28.05	ng	0.00
23) Nitrobenzene-d5	9.292	82	313095	78.60	ng	0.00
42) 2,4,6-Tribromophenol	16.237	330	186173	91.46	ng	0.00
45) 2-Fluorobiphenyl	13.381	172	724793	76.67	ng	0.00
79) Terphenyl-d14	20.097	244	1273120	65.14	ng	0.00
Target Compounds						
10) Phenol	7.300	94	22943	6.14	ng	Qvalue 80


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG012621\
Data File : BG048011.D
Acq On : 26 Jan 2021 17:52
Operator : CG/JU
Sample : M1219-02
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
IDW-BR2-AQ-012121-02

Quant Time: Jan 26 23:32:42 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG012521.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jan 25 19:39:42 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.129 min Scan# 815
Delta R.T. -0.003 min
Lab File: BG048011.D
Acq: 26 Jan 2021 17:52




Instrument :
BNA_G
ClientSampleId :
IDW-BR2-AQ-012121-02


Tgt Ion:152 Resp: 39382
Ion Ratio Lower Upper
152 100
150 155.8 125.0 187.6
115 57.8 41.8 62.6



#5
2-Fluorophenol
Concen: 53.39 ng
RT: 5.684 min Scan# 399
Delta R.T. -0.004 min
Lab File: BG048011.D
Acq: 26 Jan 2021 17:52

Tgt Ion:112 Resp: 136801
Ion Ratio Lower Upper
112 100
64 65.6 46.7 70.1
63 39.7 22.8 34.2#









#7
Phenol-d6
Concen: 28.05 ng
RT: 7.277 min Scan# 670
Delta R.T. -0.004 min
Lab File: BG048011.D
Acq: 26 Jan 2021 17:52




Instrument :
BNA_G
ClientSampleId :
IDW-BR2-AQ-012121-02


Tgt Ion: 99 Resp: 109287
Ion Ratio Lower Upper
99 100
42 20.3 12.8 19.2#
71 43.4 24.6 36.8#



#10
Phenol
Concen: 6.14 ng
RT: 7.300 min Scan# 674
Delta R.T. -0.004 min
Lab File: BG048011.D
Acq: 26 Jan 2021 17:52

Tgt Ion: 94 Resp: 22943
Ion Ratio Lower Upper
94 100
65 36.7 6.6 46.6
66 45.6 13.9 53.9









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.943 min Scan# 1294
Delta R.T. -0.004 min
Lab File: BG048011.D
Acq: 26 Jan 2021 17:52

Instrument :
BNA_G
ClientSampleId :
IDW-BR2-AQ-012121-02

Tgt Ion:136 Resp: 157615




Ion	Ratio	Lower	Upper
136	100		
137	11.7	9.1	13.7
54	7.7	6.2	9.4
68	6.5	5.0	7.4




#23
Nitrobenzene-d5
Concen: 78.60 ng
RT: 9.292 min Scan# 1013
Delta R.T. -0.004 min
Lab File: BG048011.D
Acq: 26 Jan 2021 17:52

Tgt Ion: 82 Resp: 313095


Ion	Ratio	Lower	Upper
82	100		
128	34.4	37.0	55.6#
54	48.9	39.0	58.4








#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.750 min Scan# 1942
Delta R.T. -0.004 min
Lab File: BG048011.D
Acq: 26 Jan 2021 17:52

Instrument :
BNA_G
ClientSampleId :
IDW-BR2-AQ-012121-02







Tgt Ion:164 Resp: 122219
Ion Ratio Lower Upper
164 100
162 102.3 82.3 123.5
160 44.2 35.3 52.9



#42
2,4,6-Tribromophenol
Concen: 91.46 ng
RT: 16.237 min Scan# 2195
Delta R.T. -0.004 min
Lab File: BG048011.D
Acq: 26 Jan 2021 17:52

Tgt Ion:330 Resp: 186173
Ion Ratio Lower Upper
330 100
332 101.5 76.5 114.7
141 35.3 26.0 39.0









#45
2-Fluorobiphenyl
Concen: 76.67 ng
RT: 13.381 min Scan# 1709
Delta R.T. -0.004 min
Lab File: BG048011.D
Acq: 26 Jan 2021 17:52




Instrument :
BNA_G
ClientSampleId :
IDW-BR2-AQ-012121-02


Tgt Ion:	172	Resp:	724793
Ion Ratio	Lower	Upper	
172	100		
171	36.9	31.3	46.9
170	23.8	20.8	31.2



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.494 min Scan# 2409
Delta R.T. -0.004 min
Lab File: BG048011.D
Acq: 26 Jan 2021 17:52

Tgt Ion:	188	Resp:	325645
Ion Ratio	Lower	Upper	
188	100		
94	6.3	6.3	9.5#
80	7.5	7.0	10.6









#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.766 min Scan# 3136
Delta R.T. -0.010 min
Lab File: BG048011.D
Acq: 26 Jan 2021 17:52




Instrument :
BNA_G
ClientSampleId :
IDW-BR2-AQ-012121-02


Tgt Ion:240 Resp: 338864
Ion Ratio Lower Upper
240 100
120 5.1 6.2 9.4#
236 27.1 20.5 30.7



#79
Terphenyl-d14
Concen: 65.14 ng
RT: 20.097 min Scan# 2852
Delta R.T. 0.002 min
Lab File: BG048011.D
Acq: 26 Jan 2021 17:52

Tgt Ion:244 Resp: 1273120
Ion Ratio Lower Upper
244 100
212 8.2 6.7 10.1
122 6.6 7.8 11.6#





#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 25.056 min Scan# 3696
 Delta R.T. -0.004 min
 Lab File: BG048011.D
 Acq: 26 Jan 2021 17:52

Instrument :
 BNA_G
 ClientSampleId :
 IDW-BR2-AQ-012121-02

Tgt Ion:264 Resp: 338223
 Ion Ratio Lower Upper
 264 100
 260 23.5 18.8 28.2
 265 20.8 17.8 26.8

