

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG012621\
 Data File : BG048017.D
 Acq On : 26 Jan 2021 21:55
 Operator : CG/JU
 Sample : M1219-01
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 IDW-BR2-AQ-012121-01

Quant Time: Jan 26 23:34:28 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG012521.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jan 25 19:39:42 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.130	152	36321	20.00	ng	0.00
21) Naphthalene-d8	10.944	136	152961	20.00	ng	# 0.00
39) Acenaphthene-d10	14.751	164	129752	20.00	ng	0.00
64) Phenanthrene-d10	17.489	188	329606	20.00	ng	0.00
76) Chrysene-d12	21.767	240	344476	20.00	ng	# 0.00
86) Perylene-d12	25.051	264	346822	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.685	112	175889	74.42	ng	0.00
7) Phenol-d6	7.272	99	143733	40.00	ng	0.00
23) Nitrobenzene-d5	9.293	82	301654	78.03	ng	0.00
42) 2,4,6-Tribromophenol	16.232	330	200508	92.78	ng	0.00
45) 2-Fluorobiphenyl	13.376	172	746864	74.42	ng	0.00
79) Terphenyl-d14	20.092	244	1337501	67.32	ng	0.00
Target Compounds						
10) Phenol	7.301	94	28967	8.41	ng	Qvalue 84
15) Benzyl Alcohol	8.365	79	8181	2.69	ng	# 81
74) Di-n-butylphthalate	18.447	149	43582	2.04	ng	# 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG012621\
Data File : BG048017.D
Acq On : 26 Jan 2021 21:55
Operator : CG/JU
Sample : M1219-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
IDW-BR2-AQ-012121-01

Quant Time: Jan 26 23:34:28 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG012521.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jan 25 19:39:42 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.130 min Scan# 815
Delta R.T. -0.002 min
Lab File: BG048017.D
Acq: 26 Jan 2021 21:55




Instrument :
BNA_G
ClientSampleId :
IDW-BR2-AQ-012121-01


Tgt Ion:152 Resp: 36321
Ion Ratio Lower Upper
152 100
150 148.8 125.0 187.6
115 59.8 41.8 62.6



#5
2-Fluorophenol
Concen: 74.42 ng
RT: 5.685 min Scan# 399
Delta R.T. -0.003 min
Lab File: BG048017.D
Acq: 26 Jan 2021 21:55

Tgt Ion:112 Resp: 175889
Ion Ratio Lower Upper
112 100
64 66.5 46.7 70.1
63 37.4 22.8 34.2#









#7
Phenol-d6
Concen: 40.00 ng
RT: 7.272 min Scan# 669
Delta R.T. -0.009 min
Lab File: BG048017.D
Acq: 26 Jan 2021 21:55

Instrument :
BNA_G
ClientSampleId :
IDW-BR2-AQ-012121-01

Tgt Ion: 99 Resp: 143733




Ion	Ratio	Lower	Upper
99	100		
42	18.5	12.8	19.2
71	42.5	24.6	36.8




#10
Phenol
Concen: 8.41 ng
RT: 7.301 min Scan# 674
Delta R.T. -0.003 min
Lab File: BG048017.D
Acq: 26 Jan 2021 21:55

Tgt Ion: 94 Resp: 28967

Ion	Ratio	Lower	Upper
94	100		
65	32.8	6.6	46.6
66	44.7	13.9	53.9









#15
Benzyl Alcohol
Concen: 2.69 ng
RT: 8.365 min Scan# 855
Delta R.T. 0.003 min
Lab File: BG048017.D
Acq: 26 Jan 2021 21:55




Instrument :
BNA_G
ClientSampleId :
IDW-BR2-AQ-012121-01


Tgt Ion: 79 Resp: 8181
Ion Ratio Lower Upper
79 100
108 58.0 65.5 98.3#
77 55.9 50.1 75.1



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.944 min Scan# 1294
Delta R.T. -0.003 min
Lab File: BG048017.D
Acq: 26 Jan 2021 21:55

Tgt Ion:136 Resp: 152961
Ion Ratio Lower Upper
136 100
137 10.8 9.1 13.7
54 7.5 6.2 9.4
68 4.9 5.0 7.4#









#23
Nitrobenzene-d5
Concen: 78.03 ng
RT: 9.293 min Scan# 1013
Delta R.T. -0.003 min
Lab File: BG048017.D
Acq: 26 Jan 2021 21:55




Instrument :
BNA_G
ClientSampleId :
IDW-BR2-AQ-012121-01


Tgt Ion: 82 Resp: 301654
Ion Ratio Lower Upper
82 100
128 36.8 37.0 55.6#
54 49.4 39.0 58.4



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.751 min Scan# 1942
Delta R.T. -0.003 min
Lab File: BG048017.D
Acq: 26 Jan 2021 21:55

Tgt Ion:164 Resp: 129752
Ion Ratio Lower Upper
164 100
162 105.7 82.3 123.5
160 43.8 35.3 52.9









#42
2,4,6-Tribromophenol
Concen: 92.78 ng
RT: 16.232 min Scan# 2194
Delta R.T. -0.009 min
Lab File: BG048017.D
Acq: 26 Jan 2021 21:55




Instrument :
BNA_G
ClientSampleId :
IDW-BR2-AQ-012121-01


Tgt Ion:330 Resp: 200508
Ion Ratio Lower Upper
330 100
332 98.6 76.5 114.7
141 34.1 26.0 39.0



#45
2-Fluorobiphenyl
Concen: 74.42 ng
RT: 13.376 min Scan# 1708
Delta R.T. -0.009 min
Lab File: BG048017.D
Acq: 26 Jan 2021 21:55

Tgt Ion:172 Resp: 746864
Ion Ratio Lower Upper
172 100
171 36.8 31.3 46.9
170 23.4 20.8 31.2









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.489 min Scan# 2408
Delta R.T. -0.009 min
Lab File: BG048017.D
Acq: 26 Jan 2021 21:55




Instrument :
BNA_G
ClientSampleId :
IDW-BR2-AQ-012121-01


Tgt Ion:188	Resp:	329606
Ion Ratio	Lower	Upper
188	100	
94	6.4	6.3 9.5
80	8.3	7.0 10.6



#74
Di-n-butylphthalate
Concen: 2.04 ng
RT: 18.447 min Scan# 2571
Delta R.T. -0.009 min
Lab File: BG048017.D
Acq: 26 Jan 2021 21:55

Tgt Ion:149	Resp:	43582
Ion Ratio	Lower	Upper
149	100	
150	9.4	8.2 12.4
104	5.9	3.8 5.8#









#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.767 min Scan# 3136
Delta R.T. -0.009 min
Lab File: BG048017.D
Acq: 26 Jan 2021 21:55




Instrument :
BNA_G
ClientSampleId :
IDW-BR2-AQ-012121-01


Tgt Ion:240 Resp: 344476
Ion Ratio Lower Upper
240 100
120 5.4 6.2 9.4#
236 25.8 20.5 30.7



#79
Terphenyl-d14
Concen: 67.32 ng
RT: 20.092 min Scan# 2851
Delta R.T. -0.003 min
Lab File: BG048017.D
Acq: 26 Jan 2021 21:55

Tgt Ion:244 Resp: 1337501
Ion Ratio Lower Upper
244 100
212 8.4 6.7 10.1
122 7.1 7.8 11.6#





#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 25.051 min Scan# 3695
 Delta R.T. -0.009 min
 Lab File: BG048017.D
 Acq: 26 Jan 2021 21:55

Instrument :
 BNA_G
 ClientSampleId :
 IDW-BR2-AQ-012121-01

Tgt Ion:264 Resp: 346822

Ion	Ratio	Lower	Upper
264	100		
260	22.2	18.8	28.2
265	21.7	17.8	26.8

