

Data Path : U:\HPCHEM1\BNA G\DATA\BG012718\
 Data File : BG032362.D
 Acq On : 27 Jan 2018 18:39
 Operator : SJ/JU
 Sample : PB106052BL
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB106052BL

Quant Time: Jan 28 00:12:32 2018
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG011218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 24 14:02:41 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.72	152	37409	20.00	ng	0.00
21) Naphthalene-d8	11.60	136	140596	20.00	ng	0.00
38) Acenaphthene-d10	15.36	164	94008	20.00	ng	0.00
63) Phenanthrene-d10	18.09	188	257031	20.00	ng	0.00
75) Chrysene-d12	22.41	240	336846	20.00	ng	-0.01
86) Perylene-d12	26.09	264	360001	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	6.16	112	230218	112.55	ng	0.00
7) Phenol-d6	7.84	99	271696	105.47	ng	0.00
23) Nitrobenzene-d5	9.92	82	170064	81.83	ng	0.00
41) 2,4,6-Tribromophenol	16.83	330	190755	122.62	ng	0.00
44) 2-Fluorobiphenyl	13.98	172	595437	78.54	ng	0.00
78) Terphenyl-d14	20.63	244	1233069	80.83	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : U:\HPCHEM1\BNA G\DATA\BG012718\
Data File : BG032362.D
Acq On : 27 Jan 2018 18:39
Operator : SJ/JU
Sample : PB106052BL
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB106052BL

Quant Time: Jan 28 00:12:32 2018
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG011218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 24 14:02:41 2018
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 8.72 min Scan# 925

Delta R.T. -0.00 min

Lab File: BG032362.D

Acq: 27 Jan 2018 18:39

Instrument :

BNA_G

ClientSampleId :

PB106052BL


Tot Ion:152 Resp: 37409

Ion Ratio Lower Upper

152 100

150 144.1 126.6 189.8




115 51.0 53.0 79.4#



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 112.554 ng

RT: 6.16 min Scan# 488

Delta R.T. -0.00 min

Lab File: BG032362.D

Acq: 27 Jan 2018 18:39


Tgt Ion:112 Resp: 230218

Ion Ratio Lower Upper

112 100

64 49.4 56.3 84.5#



63 29.5 30.1 45.1#




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 105.470 ng

RT: 7.84 min Scan# 774

Delta R.T. -0.00 min

Lab File: BG032362.D

Acq: 27 Jan 2018 18:39

Instrument :

BNA_G

ClientSampleId :

PB106052BL


Tot Ion: 99 Resp: 271696

Ion Ratio Lower Upper


99 100

42 19.6 14.1 21.1



71 45.1 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



Time-->



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.60 min Scan# 1415

Delta R.T. -0.01 min

Lab File: BG032362.D

Acq: 27 Jan 2018 18:39

Tgt Ion: 136 Resp: 140596


Ion Ratio Lower Upper

136 100


137 10.9 9.2 13.8

54 5.4 10.3 15.5#


68 2.2 4.5 6.7#




Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC



Time-->









#23
 Nitrobenzene-d5
 Concen: 81.834 ng
 RT: 9.92 min Scan# 1128
 Delta R.T. -0.01 min
 Lab File: BG032362.D
 Acq: 27 Jan 2018 18:39




Instrument :
 BNA_G
 ClientSampleId :
 PB106052BL


Tot Ion: 82 Resp: 170064
 Ion Ratio Lower Upper
 82 100
 128 44.8 29.7 44.5#
 54 46.5 43.1 64.7



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 15.36 min Scan# 2054
 Delta R.T. -0.01 min
 Lab File: BG032362.D
 Acq: 27 Jan 2018 18:39

Tgt Ion:164 Resp: 94008
 Ion Ratio Lower Upper
 164 100
 162 101.1 78.8 118.2
 160 45.9 35.4 53.0









#41
 2,4,6-Tribromophenol
 Concen: 122.624 ng
 RT: 16.83 min Scan# 2305
 Delta R.T. -0.01 min
 Lab File: BG032362.D
 Acq: 27 Jan 2018 18:39




Instrument :
 BNA_G
 ClientSampleId :
 PB106052BL


Tot Ion	Ratio	Lower	Upper
330	100		
332	96.6	77.0	115.6
141	28.5	25.2	37.8



#44
 2-Fluorobiphenyl
 Concen: 78.537 ng
 RT: 13.98 min Scan# 1820
 Delta R.T. -0.01 min
 Lab File: BG032362.D
 Acq: 27 Jan 2018 18:39

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.8	30.0	45.0
170	23.7	19.5	29.3





#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 18.09 min Scan# 2519

Delta R.T. -0.01 min

Lab File: BG032362.D

Acq: 27 Jan 2018 18:39

Instrument :

BNA_G

ClientSampleId :

PB106052BL


Tot Ion:188 Resp: 257031

Ion Ratio Lower Upper

188 100

94 4.2 6.9 10.3#




80 4.0 7.7 11.5#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#75

Chrysene-d12

Concen: 20.000 ng

RT: 22.41 min Scan# 3255

Delta R.T. -0.01 min

Lab File: BG032362.D

Acq: 27 Jan 2018 18:39


Tgt Ion:240 Resp: 336846

Ion Ratio Lower Upper

240 100

120 4.1 6.8 10.2#



236 26.3 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 80.828 ng

RT: 20.63 min Scan# 2951

Delta R.T. -0.01 min

Lab File: BG032362.D

Acq: 27 Jan 2018 18:39

Instrument :

BNA_G

ClientSampleId :

PB106052BL


Tot Ion:244 Resp: 1233069

Ion Ratio Lower Upper

244 100

212 7.6 5.8 8.8




122 5.2 7.0 10.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 26.09 min Scan# 3881

Delta R.T. -0.02 min

Lab File: BG032362.D

Acq: 27 Jan 2018 18:39


Tgt Ion:264 Resp: 360001

Ion Ratio Lower Upper

264 100

260 23.6 17.4 26.0

265 23.0 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

