

Data Path : Z:\HPCHEM1\BNA G\DATA\BG020118\
 Data File : BG032505.D
 Acq On : 2 Feb 2018 00:46
 Operator : SJ/JU
 Sample : PB106258TB
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB106258TB

Quant Time: Feb 02 03:28:55 2018
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG012918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jan 29 15:32:55 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.72	152	25146	20.00	ng	0.00
21) Naphthalene-d8	11.59	136	94699	20.00	ng	-0.01
38) Acenaphthene-d10	15.34	164	68385	20.00	ng	-0.01
63) Phenanthrene-d10	18.08	188	188451	20.00	ng	-0.01
75) Chrysene-d12	22.41	240	253974	20.00	ng	-0.01
86) Perylene-d12	26.08	264	271686	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	6.15	112	161605	129.08	ng	0.00
7) Phenol-d6	7.84	99	195569	117.06	ng	0.00
23) Nitrobenzene-d5	9.91	82	123410	81.40	ng	-0.01
41) 2,4,6-Tribromophenol	16.83	330	164699	126.53	ng	-0.01
44) 2-Fluorobiphenyl	13.97	172	458047	79.61	ng	-0.02
78) Terphenyl-d14	20.61	244	1011242	85.29	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG020118\
Data File : BG032505.D
Acq On : 2 Feb 2018 00:46
Operator : SJ/JU
Sample : PB106258TB
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB106258TB

Quant Time: Feb 02 03:28:55 2018
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG012918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jan 29 15:32:55 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.72 min Scan# 924
Delta R.T. -0.00 min
Lab File: BG032505.D
Acq: 2 Feb 2018 00:46

Instrument :
BNA_G
ClientSampleId :
PB106258TB

Tot Ion:152 Resp: 25146
Ion Ratio Lower Upper
152 100
150 145.4 126.6 189.8
115 49.4 53.0 79.4#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 129.083 ng
RT: 6.15 min Scan# 487
Delta R.T. -0.00 min
Lab File: BG032505.D
Acq: 2 Feb 2018 00:46

Tgt Ion:112 Resp: 161605
Ion Ratio Lower Upper
112 100
64 50.4 56.3 84.5#
63 32.8 30.1 45.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 117.064 ng

RT: 7.84 min Scan# 774

Delta R.T. 0.01 min

Lab File: BG032505.D

Acq: 2 Feb 2018 00:46

Instrument :

BNA_G

ClientSampleId :

PB106258TB


Tot Ion: 99 Resp: 195569

Ion Ratio Lower Upper




99 100

42 18.9 14.1 21.1

71 48.1 26.1 39.1#



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.59 min Scan# 1413

Delta R.T. -0.01 min

Lab File: BG032505.D

Acq: 2 Feb 2018 00:46

Tgt Ion: 136 Resp: 94699


Ion Ratio Lower Upper

136 100



137 9.5 9.2 13.8


54 5.3 10.3 15.5#

68 3.0 4.5 6.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 81.397 ng
 RT: 9.91 min Scan# 1127
 Delta R.T. -0.01 min
 Lab File: BG032505.D
 Acq: 2 Feb 2018 00:46




Instrument :
 BNA_G
 ClientSampleId :
 PB106258TB


Tot Ion	82	Resp	123410
Ion Ratio	Lower	Upper	
82	100		
128	47.6	29.7	44.5#
54	51.3	43.1	64.7



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 15.34 min Scan# 2052
 Delta R.T. -0.01 min
 Lab File: BG032505.D
 Acq: 2 Feb 2018 00:46

Tgt Ion	164	Resp	68385
Ion Ratio	Lower	Upper	
164	100		
162	114.9	78.8	118.2
160	47.8	35.4	53.0





#41

2,4,6-Tribromophenol

Concen: 126.525 ng

RT: 16.83 min Scan# 2304

Delta R.T. -0.01 min

Lab File: BG032505.D

Acq: 2 Feb 2018 00:46

Instrument :

BNA_G

ClientSampleId :

PB106258TB


Tot Ion:330 Resp: 164699

Ion Ratio Lower Upper




330 100

332 96.2 77.0 115.6

141 28.6 25.2 37.8



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 79.611 ng

RT: 13.97 min Scan# 1818

Delta R.T. -0.02 min

Lab File: BG032505.D

Acq: 2 Feb 2018 00:46


Tgt Ion:172 Resp: 458047

Ion Ratio Lower Upper



172 100


171 36.2 30.0 45.0

170 22.3 19.5 29.3



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 18.08 min Scan# 2517
Delta R.T. -0.01 min
Lab File: BG032505.D
Acq: 2 Feb 2018 00:46




Instrument :
BNA_G
ClientSampleId :
PB106258TB


Tot Ion:188 Resp: 188451
Ion Ratio Lower Upper
188 100
94 3.5 6.9 10.3#
80 4.1 7.7 11.5#



#75
Chrysene-d12
Concen: 20.000 ng
RT: 22.41 min Scan# 3254
Delta R.T. -0.01 min
Lab File: BG032505.D
Acq: 2 Feb 2018 00:46

Tgt Ion:240 Resp: 253974
Ion Ratio Lower Upper
240 100
120 4.4 6.8 10.2#
236 25.7 20.9 31.3





#78

Terphenyl-d14

Concen: 85.291 ng

RT: 20.61 min Scan# 2949

Delta R.T. -0.01 min

Lab File: BG032505.D

Acq: 2 Feb 2018 00:46

Instrument :

BNA_G

ClientSampleId :

PB106258TB


Tot Ion:244 Resp: 1011242

Ion Ratio Lower Upper

244 100

212 7.5 5.8 8.8




122 5.5 7.0 10.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 26.08 min Scan# 3879

Delta R.T. -0.01 min

Lab File: BG032505.D

Acq: 2 Feb 2018 00:46


Tgt Ion:264 Resp: 271686

Ion Ratio Lower Upper

264 100

260 22.8 17.4 26.0

265 20.4 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

