

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG020320\
 Data File : BG044275.D
 Acq On : 3 Feb 2020 16:43
 Operator : CG/JU
 Sample : L1345-03
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 01-31-C

Quant Time: Feb 04 01:14:26 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG013020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jan 30 16:05:09 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.92	152	73424	20.00	ng	0.00
21) Naphthalene-d8	10.72	136	328837	20.00	ng	0.00
39) Acenaphthene-d10	14.56	164	243328	20.00	ng	0.00
64) Phenanthrene-d10	17.30	188	542758	20.00	ng	0.00
76) Chrysene-d12	21.54	240	482565	20.00	ng	0.00
87) Perylene-d12	24.64	264	534711	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.49	112	678499	163.09	ng	0.00
7) Phenol-d6	7.09	99	946029	169.33	ng	0.00
23) Nitrobenzene-d5	9.07	82	587382	100.84	ng	0.00
42) 2,4,6-Tribromophenol	16.04	330	423848	148.38	ng	0.00
45) 2-Fluorobiphenyl	13.18	172	1386911	95.45	ng	0.00
79) Terphenyl-d14	19.92	244	2142984	91.34	ng	0.00
Target Compounds						
50) Dimethylphthalate	14.01	163	61514	3.517	ng	Qvalue # 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG020320\
Data File : BG044275.D
Acq On : 3 Feb 2020 16:43
Operator : CG/JU
Sample : L1345-03
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
01-31-C

Quant Time: Feb 04 01:14:26 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG013020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jan 30 16:05:09 2020
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.92 min Scan# 822
Delta R.T. -0.00 min
Lab File: BG044275.D
Acq: 3 Feb 2020 16:43

Instrument :
BNA_G
ClientSampleId :
01-31-C

Tot Ion:152 Resp: 73424
Ion Ratio Lower Upper
152 100
150 161.7 122.6 183.8
115 60.5 46.0 69.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 163.086 ng
RT: 5.49 min Scan# 409
Delta R.T. -0.00 min
Lab File: BG044275.D
Acq: 3 Feb 2020 16:43

Tgt Ion:112 Resp: 678499
Ion Ratio Lower Upper
112 100
64 55.9 45.4 68.2
63 29.8 22.9 34.3



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG0
Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 169.334 ng

RT: 7.09 min Scan# 681

Delta R.T. 0.00 min

Lab File: BG044275.D

Acq: 3 Feb 2020 16:43

Instrument :

BNA_G

ClientSampleId :

01-31-C


Tot Ion: 99 Resp: 946029

Ion Ratio Lower Upper




99 100

42 17.5 13.8 20.6

71 32.0 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.72 min Scan# 1299

Delta R.T. 0.00 min

Lab File: BG044275.D

Acq: 3 Feb 2020 16:43

Tgt Ion: 136 Resp: 328837


Ion Ratio Lower Upper

136 100



137 11.4 8.8 13.2

54 6.9 5.8 8.8

68 5.5 4.6 6.8



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 100.845 ng
RT: 9.07 min Scan# 1018
Delta R.T. -0.00 min
Lab File: BG044275.D
Acq: 3 Feb 2020 16:43

Instrument :
BNA_G
ClientSampleId :
01-31-C

Tot Ion: 82 Resp: 587382
Ion Ratio Lower Upper
82 100
128 43.6 36.5 54.7
54 46.7 38.6 58.0




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.56 min Scan# 1952
Delta R.T. 0.00 min
Lab File: BG044275.D
Acq: 3 Feb 2020 16:43

Tgt Ion:164 Resp: 243328
Ion Ratio Lower Upper
164 100
162 102.3 80.7 121.1
160 44.8 35.3 52.9



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC









#42
 2,4,6-Tribromophenol
 Concen: 148.379 ng
 RT: 16.04 min Scan# 2205
 Delta R.T. -0.00 min
 Lab File: BG044275.D
 Acq: 3 Feb 2020 16:43

Instrument :
 BNA_G
 ClientSampleId :
 01-31-C

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.2	77.2	115.8
141	35.6	28.3	42.5




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 95.446 ng
 RT: 13.18 min Scan# 1717
 Delta R.T. -0.00 min
 Lab File: BG044275.D
 Acq: 3 Feb 2020 16:43

Tgt Ion	Ratio	Lower	Upper
172	100		
171	39.8	32.9	49.3
170	27.2	22.0	33.0



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 3.517 ng

RT: 14.01 min Scan# 1859

Delta R.T. -0.00 min

Lab File: BG044275.D

Acq: 3 Feb 2020 16:43

Instrument :

BNA_G

ClientSampleId :

01-31-C


Tot Ion:163 Resp: 61514

Ion Ratio Lower Upper

163 100

194 3.6 3.6 5.4#




164 10.3 8.7 13.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.30 min Scan# 2419

Delta R.T. 0.00 min

Lab File: BG044275.D

Acq: 3 Feb 2020 16:43


Tgt Ion:188 Resp: 542758

Ion Ratio Lower Upper

188 100

94 8.7 7.4 11.2



80 9.1 7.7 11.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG

Ion 80.00 (79.70 to 80.70): BG









#76
 Chrvsene-d12
 Concen: 20.000 ng
 RT: 21.54 min Scan# 3141
 Delta R.T. -0.00 min
 Lab File: BG044275.D
 Acq: 3 Feb 2020 16:43

Instrument :
 BNA_G
 ClientSampleId :
 01-31-C

Tot Ion:240 Resp: 482565
 Ion Ratio Lower Upper
 240 100
 120 10.3 8.4 12.6
 236 27.4 22.1 33.1




Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E






#79
 Terphenyl-d14
 Concen: 91.342 ng
 RT: 19.92 min Scan# 2864
 Delta R.T. -0.00 min
 Lab File: BG044275.D
 Acq: 3 Feb 2020 16:43

Tgt Ion:244 Resp: 2142984
 Ion Ratio Lower Upper
 244 100
 212 9.6 7.4 11.2
 122 13.0 9.8 14.6



Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E






#87
Pervlene-d12
Concen: 20.000 ng
RT: 24.64 min Scan# 3669
Delta R.T. 0.00 min
Lab File: BG044275.D
Acq: 3 Feb 2020 16:43

Instrument :
BNA_G
ClientSampleId :
01-31-C

Tot Ion: 264 Resp: 534711

Ion	Ratio	Lower	Upper
264	100		
260	24.3	19.4	29.2
265	22.4	16.7	25.1



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

